

# 標準集計表

表1. 罹患数、罹患割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)及び累積罹患率(人口100万対) : 部位別、性別

和歌山県 2013年

A. 上皮内がんを除く

部位	罹患数											罹患割合					粗罹患率					年齢調整罹患率					累積罹患率(0-74歳)				
	男		女		総数		男		女		総数		男		女		総数		男		女		総数		男		女		総数		
全部位	4,653	3,354	8,007	100.0	100.0	100.0	100.0	2.7	2.0	2.4	1,014.2	647.1	819.5	476.1	317.4	384.3	334.7	236.7	278.3	39.5	26.4	32.5	11.6	4.8	8.0	1.4	0.5	0.9			
口腔・咽頭	125	66	191	2.7	2.0	2.4	27.2	12.7	19.5	15.6	6.2	10.6	11.6	4.8	8.0	1.4	0.5	0.9	1.6	0.3	0.9	12.5	2.1	6.9	1.6	0.3	0.9				
食道	164	37	201	3.5	1.1	2.5	35.7	7.1	20.6	17.7	3.0	9.7	12.5	2.1	6.9	1.6	0.3	0.9	8.2	2.6	5.3	65.8	22.1	42.0	8.2	2.6	5.3				
胃	923	432	1,355	19.8	12.9	16.9	201.2	83.4	138.7	93.5	31.4	59.4	51.1	31.8	40.6	6.1	3.8	4.9	6.1	3.8	4.9	51.1	31.8	40.6	6.1	3.8	4.9				
大腸(結腸・直腸)	684	560	1,244	14.7	16.7	15.5	149.1	108.0	127.3	72.5	44.4	57.1	30.8	21.5	25.7	3.5	2.5	3.0	3.5	2.5	3.0	30.8	21.5	25.7	3.5	2.5	3.0				
結腸	440	404	844	9.5	12.0	10.5	95.9	77.9	86.4	44.6	30.5	36.7	20.3	14.9	14.9	2.5	1.3	1.9	2.5	1.3	1.9	30.8	21.5	25.7	3.5	2.5	3.0				
直腸	244	156	400	5.2	4.7	5.0	53.2	30.1	40.9	27.9	13.9	20.3	20.3	10.3	14.9	2.5	1.3	1.9	2.5	1.3	1.9	20.3	10.3	14.9	2.5	1.3	1.9				
肝および肝内胆管	317	166	483	6.8	4.9	6.0	69.1	32.0	49.4	32.2	10.4	20.3	22.3	6.9	14.0	2.6	0.8	1.6	2.6	0.8	1.6	22.3	6.9	14.0	2.6	0.8	1.6				
胆のう・胆管	72	86	158	1.5	2.6	2.0	15.7	16.6	16.2	7.0	5.1	6.0	4.8	3.4	4.0	0.5	0.4	0.4	0.5	0.4	0.4	4.8	3.4	4.0	0.5	0.4	0.4				
膵臓	152	161	313	3.3	4.8	3.9	33.1	31.1	32.0	15.0	12.5	13.5	10.5	9.0	9.6	1.2	1.1	1.1	1.2	1.1	1.1	10.5	9.0	9.6	1.2	1.1	1.1				
喉頭	26	3	29	0.6	0.1	0.4	5.7	0.6	3.0	2.5	0.1	1.2	1.8	0.1	0.8	0.2	0.0	0.1	0.2	0.0	0.1	1.8	0.1	0.8	0.2	0.0	0.1				
肺	744	357	1,101	16.0	10.6	13.8	162.2	68.9	112.7	70.9	26.6	45.9	48.7	19.1	32.2	5.9	2.3	4.0	5.9	2.3	4.0	48.7	19.1	32.2	5.9	2.3	4.0				
皮膚	101	70	171	2.2	2.1	2.1	22.0	13.5	17.5	8.9	5.3	6.7	5.8	3.7	4.6	0.7	0.4	0.5	0.7	0.4	0.5	5.8	3.7	4.6	0.7	0.4	0.5				
乳房	6	560	566	0.1	16.7	7.1	1.3	108.0	57.9	0.6	74.8	39.7	0.5	57.8	30.6	0.1	6.4	3.4	0.1	6.4	3.4	0.1	0.5	57.8	30.6	0.1	6.4	3.4			
子宮	-	211	-	-	6.3	-	-	40.7	-	-	32.7	-	-	25.7	-	-	2.5	-	-	-	2.5	-	-	25.7	-	-	-	2.5			
子宮頸部	-	100	-	-	3.0	-	-	19.3	-	-	17.4	-	-	14.0	-	-	1.3	-	-	-	1.3	-	-	14.0	-	-	-	1.3			
子宮体部	-	101	-	-	3.0	-	-	19.5	-	-	14.7	-	-	11.3	-	-	1.2	-	-	-	1.2	-	-	11.3	-	-	-	1.2			
卵巣	-	94	-	-	2.8	-	-	18.1	-	-	13.3	-	-	10.3	-	-	1.1	-	-	-	1.1	-	-	10.3	-	-	-	1.1			
前立腺	623	-	-	13.4	-	-	135.8	-	-	56.2	-	-	36.9	-	-	4.5	-	-	-	4.5	-	-	36.9	-	-	-	4.5	-			
膀胱	155	42	197	3.3	1.3	2.5	33.8	8.1	20.2	13.6	2.5	7.3	9.1	1.7	4.9	1.0	0.2	0.5	1.0	0.2	0.5	9.1	1.7	4.9	1.0	0.2	0.5				
腎・尿路(膀胱除く)	147	72	219	3.2	2.1	2.7	32.0	13.9	22.4	17.6	4.7	10.7	12.9	3.1	7.7	1.5	0.3	0.9	1.5	0.3	0.9	12.9	3.1	7.7	1.5	0.3	0.9				
脳・中枢神経系	21	33	54	0.5	1.0	0.7	4.6	6.4	5.5	2.3	4.7	3.5	1.6	4.1	2.9	0.2	0.3	0.2	0.2	0.3	0.2	1.6	4.1	2.9	0.2	0.3	0.2				
甲状腺	33	93	126	0.7	2.8	1.6	7.2	17.9	12.9	4.3	12.0	8.3	3.2	9.5	6.5	0.4	1.0	0.7	0.4	1.0	0.7	3.2	9.5	6.5	0.4	1.0	0.7				
悪性リンパ腫	126	119	245	2.7	3.5	3.1	27.5	23.0	25.1	14.7	9.3	11.8	11.2	6.7	8.8	1.2	0.8	1.0	1.2	0.8	1.0	11.2	6.7	8.8	1.2	0.8	1.0				
多発性骨髄腫	33	19	52	0.7	0.6	0.6	7.2	3.7	5.3	3.1	1.1	2.0	2.1	0.7	1.3	0.2	0.1	0.1	0.2	0.1	0.1	2.1	0.7	1.3	0.2	0.1	0.1				
白血病	68	52	120	1.5	1.6	1.5	14.8	10.0	12.3	9.2	6.8	7.9	7.9	6.2	6.9	0.8	0.5	0.6	0.8	0.5	0.6	7.9	6.2	6.9	0.8	0.5	0.6				

表1. 罹患数、罹患割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)及び累積罹患率(人口100万対) : 部位別、性別  
 B. 上皮内がんを含む

和歌山県 2013年

部位	ICD-10	罹患数						罹患割合						粗罹患率						年齢調整罹患率						累積罹患率(0-74歳)					
		男			女			男			女			男			女			男			女			男			女		
		男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数			
全部位	C00-C96 D00-D09	4,998	3,730	8,728	100.0	100.0	100.0	1.1	2.5	38.1	719.7	893.3	513.0	383.2	435.1	361.0	289.8	317.7	42.9	31.2	36.5	1.7	0.3	1.0	1.7	0.3	1.0				
食道	G15 D001	175	41	216	3.5	1.1	2.5	1.1	2.5	38.1	7.9	22.1	18.9	3.3	10.4	13.3	2.4	7.4	1.7	0.3	1.0	1.7	0.3	1.0	1.7	0.3	1.0				
大腸(結腸-直腸)*1	C18-C20 D010-D012	864	650	1,514	17.3	17.4	17.3	17.4	17.3	188.3	125.4	155.0	93.8	53.3	71.7	66.8	38.3	51.4	8.0	4.5	6.2	8.0	4.5	6.2	8.0	4.5	6.2				
結腸*1	C18 D010	568	470	1,038	11.4	12.6	11.9	12.6	11.9	123.8	90.7	106.2	60.0	37.0	47.3	42.0	26.2	33.4	4.9	3.1	3.9	4.9	3.1	3.9	4.9	3.1	3.9				
直腸*1	C19-C20 D011-D012	296	180	476	5.9	4.8	5.5	4.8	5.5	64.5	34.7	48.7	33.8	16.3	24.4	24.8	12.1	18.0	3.1	1.5	2.2	3.1	1.5	2.2	3.1	1.5	2.2				
肺	C33-C34 D021-D022	749	363	1,112	15.0	9.7	12.7	9.7	12.7	163.3	70.0	113.8	71.7	27.2	46.6	49.3	19.6	32.7	6.0	2.4	4.1	6.0	2.4	4.1	6.0	2.4	4.1				
皮膚	C43-C44 D030-D049	117	91	208	2.3	2.4	2.4	2.4	2.4	25.5	17.6	21.3	10.2	6.7	8.0	6.7	4.7	5.5	0.8	0.5	0.6	0.8	0.5	0.6	0.8	0.5	0.6				
乳房	C50 D05	6	622	628	0.1	16.7	7.2	1.3	120.0	64.3	0.6	85.9	0.6	85.9	45.5	0.5	66.5	35.1	0.1	7.3	3.9	0.1	7.3	3.9	0.1	7.3	3.9				
子宮	C53-C55 D06	-	371	-	-	9.9	-	-	71.6	-	-	-	-	73.5	-	-	60.0	-	-	-	-	-	-	-	-	-	-				
子宮頸部	C53 D06	-	260	-	-	7.0	-	-	50.2	-	-	-	-	58.2	-	-	48.3	-	-	-	-	-	-	-	-	-	-				
膀胱	C67 D090	267	62	329	5.3	1.7	3.8	5.3	3.8	58.2	12.0	33.7	23.7	4.1	12.5	15.9	2.8	8.5	1.8	0.3	1.0	1.8	0.3	1.0	1.8	0.3	1.0				

\*1 粘膜がんを含む



表2. 年齢階級別罹患数、罹患割合(%) : 部位別、性別

B. 上皮内がんを含む

和歌山県

2013年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C99	4,998	1,100.0	3,100.0	4,100.0	4,100.0	3,100.0	7,100.0	11,100.0	15,100.0	15,100.0	54,100.0	70,100.0	151,100.0	265,100.0	550,100.0	768,100.0	887,100.0	952,100.0	753,100.0	595,100.0	0.0
	食道	C15	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7	21.3	32.4	34.2	34.3	37.3	22.9	5.1	0.0
	大腸(結腸・直腸)*1	C18-C20	864	0.0	0.0	0.0	0.0	1.3	3.3	27.3	5.3	33.3	9.7	16.7	41.2	59.2	118.2	124.2	149.2	161.2	112.2	68.2	0.0
	結腸*1	C18	568	0.0	0.0	0.0	0.0	1.3	3.3	27.3	5.3	33.3	9.7	16.7	41.2	59.2	118.2	124.2	149.2	161.2	112.2	68.2	0.0
	直腸*1	C19-C20	296	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	肺	C33-C34	749	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.9	35.2	74.2	118.2	135.2	119.2	152.2	88.2	0.0
	皮膚	C43-C44	117	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	乳房	C50	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	膀胱	C57	257	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	7.2	21.2	34.2	44.2	51.2	61.2	43.2	0.0
	腎臓	C63	3,720	3,100.0	1,100.0	1,100.0	1,100.0	13,100.0	29,100.0	71,100.0	89,100.0	89,100.0	130,100.0	158,100.0	158,100.0	214,100.0	347,100.0	378,100.0	502,100.0	465,100.0	481,100.0	632,100.0	0.0
	食道	C15	41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	大腸(結腸・直腸)*1	C18-C20	650	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	10.7	17.7	18.7	21.7	105.7	91.7	128.7	0.0
	結腸*1	C18	470	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	7.7	12.7	13.7	15.7	82.7	70.7	97.7	0.0
	直腸*1	C19-C20	180	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0
	肺	C33-C34	353	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.1	3.1	3.1	3.1	11.1	5.1	8.1	0.0
	皮膚	C43-C44	91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	乳房	C50	622	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	C63	371	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
子宮頸部	C63	260	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
膀胱	C57	62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
腎臓	C63	8,728	4,100.0	4,100.0	4,100.0	4,100.0	16,100.0	35,100.0	82,100.0	103,100.0	103,100.0	184,100.0	228,100.0	228,100.0	365,100.0	491,100.0	522,100.0	1,389,100.0	1,437,100.0	1,234,100.0	1,107,100.0	0.0	
食道	C15	216	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
大腸(結腸・直腸)*1	C18-C20	1,514	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	16.8	27.8	28.8	33.8	162.8	136.8	166.8	0.0	
結腸*1	C18	1,038	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	9.9	14.9	15.9	17.9	82.9	70.9	97.9	0.0	
直腸*1	C19-C20	476	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	6.9	9.9	0.0	0.0	0.0	0.0	0.0	0.0	
肺	C33-C34	1,112	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
皮膚	C43-C44	208	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
乳房	C50	628	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
子宮	C63	371	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
子宮頸部	C63	260	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
膀胱	C57	329	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

\*1 粘膜がんを含む

表3. 年齢階級別罹患率（人口10万対）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2013年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳		
男	全部位	C00-C96	4,659	5.5	5.0	12.9	18.2	15.2	31.7	46.4	46.4	155.0	221.3	468.7	775.0	1,314.5	2,074.9	2,716.4	3,705.2	3,968.3	3,670.9	0.0		
	口腔・咽頭	C00-C14	125	0.0	0.0	0.0	4.5	0.0	4.5	0.0	3.3	3.0	13.8	30.8	55.6	49.5	28.9	79.8	90.9	39.1	69.8	0.0		
	食道	C15	164	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	41.1	29.4	54.7	89.7	103.1	140.4	111.6	38.8	0.0		
	胃	C16	923	0.0	0.0	0.0	0.0	0.0	4.5	0.0	13.2	33.4	27.7	71.9	130.8	325.4	451.4	585.2	743.5	654.2	636.4	0.0		
	大腸（結腸・直腸）	C18-C20	684	0.0	0.0	0.0	0.0	5.1	0.0	12.7	13.2	21.3	31.1	99.2	134.1	213.4	292.3	395.7	553.5	535.8	450.1	0.0		
	結腸	C18	440	0.0	0.0	0.0	0.0	5.1	0.0	4.2	9.9	18.2	10.4	51.3	71.9	124.9	153.4	259.3	392.4	390.7	349.2	0.0		
	直腸	C19-C20	244	0.0	0.0	0.0	0.0	0.0	0.0	8.4	3.3	3.0	20.7	47.9	62.1	88.5	138.9	136.3	161.1	145.1	100.9	0.0		
	肝および肝内胆管	C22	317	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	17.3	30.8	58.9	91.1	147.6	162.9	330.5	217.7	217.3	0.0	
	胆のう・胆管	C23-C24	72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	6.1	0.0	3.4	16.4	15.6	23.2	33.2	57.8	61.4	108.7	0.0		
	膵臓	C25	152	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	10.4	13.7	22.9	39.0	83.9	73.1	103.3	145.1	155.2	0.0		
	喉頭	C32	26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	9.8	0.0	17.4	10.0	16.5	22.3	38.8	0.0		
	肺	C33-C34	744	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	38.0	51.3	107.9	192.6	338.6	445.5	491.6	848.4	683.0	0.0		
	皮膚	C43-C44	101	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	13.1	15.6	28.9	66.5	70.2	145.1	124.2	0.0
	乳房	C50	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	5.8	3.3	0.0	5.6	7.8	0.0	
	前立腺	C61	623	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	13.7	58.9	122.3	269.1	438.9	648.6	608.4	481.2	0.0	
	膀胱	C67	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.9	3.4	13.1	41.6	43.4	79.8	107.4	223.3	201.8	0.0		
	腎・尿管（膀胱除く）	C64-C66 C68	147	0.0	0.0	0.0	0.0	0.0	4.5	4.2	3.3	12.2	13.8	39.8	42.5	49.5	75.2	63.2	66.7	106.0	77.6	0.0		
	脳・中枢神経系	C70-C72	21	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	3.0	0.0	0.0	3.3	5.2	6.7	6.6	24.8	22.3	7.8	0.0		
	甲状腺	C73	33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	3.5	6.8	16.4	13.0	11.6	13.3	16.5	16.7	15.5	0.0	
	悪性リンパ腫	C81-C85 C86	126	0.0	5.0	0.0	4.5	0.0	9.1	0.0	0.0	18.2	6.9	27.4	13.1	33.8	60.8	53.2	90.9	94.9	100.9	0.0		
多発性骨髄腫	C88-C90	33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.5	3.4	3.3	0.0	8.7	19.9	33.0	11.2	77.6	0.0			
白血病	C91-C95	68	5.5	0.0	8.6	4.5	5.1	0.0	4.2	0.0	6.1	10.4	6.8	19.6	26.0	26.0	36.6	24.8	33.5	54.3	0.0			
女	全部位	C00-C96	3,354	17.0	5.3	4.5	0.0	30.5	58.6	142.6	125.3	295.6	399.1	572.0	635.1	757.6	923.4	1,305.0	1,382.6	1,612.7	1,757.3	0.0		
	口腔・咽頭	C00-C14	66	0.0	5.3	0.0	0.0	0.0	0.0	8.2	3.3	2.9	6.2	9.4	15.5	14.4	10.3	22.3	18.3	45.8	42.1	0.0		
	食道	C15	37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	14.4	15.5	16.7	18.3	17.6	15.0	0.0			
	胃	C16	432	0.0	0.0	0.0	0.0	0.0	0.0	9.9	14.5	24.7	28.1	43.4	81.8	134.1	192.0	213.2	257.0	265.9	0.0			
	大腸（結腸・直腸）	C18-C20	560	0.0	0.0	0.0	0.0	0.0	20.4	6.6	23.2	37.1	65.6	86.7	122.7	126.4	264.3	255.8	285.2	373.1	0.0			
	結腸	C18	404	0.0	0.0	0.0	0.0	0.0	12.2	3.3	17.4	21.7	31.3	71.3	77.0	85.1	183.6	201.0	218.3	285.9	0.0			
	直腸	C19-C20	156	0.0	0.0	0.0	0.0	0.0	8.2	3.3	5.8	15.5	34.4	15.5	45.7	41.3	80.7	54.8	66.9	87.3	0.0			
	肝および肝内胆管	C22	166	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	6.2	6.3	6.2	26.5	31.0	77.9	91.4	140.8	114.3	0.0			
	胆のう・胆管	C23-C24	86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	12.4	9.6	12.9	39.0	45.7	59.8	78.2	0.0		
	膵臓	C25	161	0.0	0.0	0.0	0.0	4.5	0.0	3.3	2.9	6.2	18.8	34.1	31.3	36.1	75.1	73.1	88.0	108.3	0.0			
	喉頭	C32	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	6.0	0.0			
	肺	C33-C34	357	0.0	0.0	0.0	0.0	0.0	0.0	3.3	8.7	18.6	37.5	34.1	77.0	139.3	150.3	167.5	172.5	240.7	0.0			
	皮膚	C43-C44	70	0.0	0.0	0.0	0.0	0.0	4.1	3.3	2.9	3.1	6.3	6.2	14.4	18.1	22.3	33.5	45.8	51.2	0.0			
	乳房	C50	560	0.0	0.0	0.0	0.0	4.5	28.5	33.0	118.9	167.1	228.2	154.9	187.6	185.7	178.1	118.8	162.0	75.2	0.0			
	子宮	C53-C55	211	0.0	0.0	0.0	0.0	22.6	44.8	19.8	69.6	58.9	68.8	102.2	52.9	31.0	39.0	51.8	38.7	45.1	0.0			
	子宮頸部	C53	100	0.0	0.0	0.0	0.0	22.6	40.8	16.5	37.7	37.1	18.8	40.3	14.4	10.3	16.5	21.3	14.1	24.1	0.0			
	子宮体部	C54	101	0.0	0.0	0.0	0.0	0.0	4.1	3.3	31.9	21.7	50.0	58.9	38.5	18.1	16.7	27.4	14.1	12.0	0.0			
	卵巣	C56	94	0.0	0.0	4.5	0.0	5.1	0.0	12.2	6.6	20.3	18.6	34.4	43.4	14.4	33.5	22.3	42.6	10.6	15.0	0.0		
	膀胱	C67	42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.1	2.4	12.9	16.7	24.4	31.7	33.1	0.0		
	腎・尿管（膀胱除く）	C64-C66 C68	72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	3.1	6.2	14.4	10.3	30.6	51.8	48.3	48.1	0.0		
脳・中枢神経系	C70-C72	33	5.7	0.0	0.0	0.0	5.1	4.5	0.0	3.3	8.7	9.3	9.4	3.1	7.2	5.2	5.6	15.2	24.6	0.0	0.0			
甲状腺	C73	93	0.0	0.0	0.0	0.0	10.2	9.0	12.2	13.2	5.8	15.5	12.5	31.0	26.5	28.4	44.5	33.5	17.6	21.1	0.0			
悪性リンパ腫	C81-C85 C86	119	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	6.2	15.6	18.6	14.4	54.2	52.9	45.7	59.9	78.2	0.0			
多発性骨髄腫	C88-C90	19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.4	0.0	5.6	21.3	17.6	9.0	0.0			
白血病	C91-C95	52	11.4	0.0	0.0	0.0	5.1	0.0	4.1	13.2	2.9	6.2	6.3	9.3	12.0	7.7	16.7	18.3	17.6	27.1	0.0			
総数	全部位	C00-C96	8,007	11.1	5.2	8.8	9.2	22.8	45.2	95.3	85.9	227.0	315.2	522.7	709.2	1,023.1	1,466.1	1,948.0	2,368.4	2,523.9	2,291.9	0.0		
	口腔・咽頭	C00-C14	191	0.0	2.6	0.0	2.3	0.0	2.3	4.1	3.3	3.0	9.8	19.6	35.0	31.3	19.1	48.5	49.1	43.2	49.9	0.0		
	食道	C15	201	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	16.6	17.5	33.8	50.5	56.0	70.1	54.0	21.7	0.0		
	胃	C16	1,355	0.0	0.0	0.0	0.0	0.0	2.3	0.0	11.6	23.7	26.1	49.0	85.9	198.8	283.7	371.1	438.3	414.5	383.8	0.0		
	大腸（結腸・直腸）	C18-C20	1,244	0.0	0.0	0.0	0.0	2.5	0.0	16.6	9.9	22.3	34.3	61.7	109.8	166.3	204.6	324.2	392.2	382.1	394.6	0.0		
	結腸	C18	844	0.0	0.0	0.0	0.0	2.5	0.0	8.3	6.6	17.8	16.3	40.8	71.6	100.0	117.3	218.1	282.2	285.0	303.6	0.0		
	直腸	C19-C20	400	0.0	0.0	0.0	0.0	0.0	8.3	3.3	4.5	18.0	40.8	38.2	66.3	87.3	106.0	99.9	97.2	91.1	0.0			
	肝および肝内胆管	C22	483	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.5	11.4	18.0	31.8	57.5	85.9	116.6	192.8	170.6	143.1	0.0			

表3. 年齢階級別罹患率（人口10万対）： 部位別、性別

## B. 上皮内がんを含む

和歌山県 2013年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	4,998	5.5	5.0	12.9	18.2	15.2	31.7	46.4	49.7	164.1	242.1	516.6	866.6	1,431.7	2,216.7	2,949.1	3,932.4	4,202.7	3,919.3	0.0	
	食道	C15 D001	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	41.1	54.7	92.6	113.0	152.8	122.8	38.8	0.0	
	大腸（結腸・直腸）*1	C18-C20 D010-D012	864	0.0	0.0	0.0	0.0	5.1	0.0	12.7	16.6	27.4	48.4	140.3	192.9	307.2	358.8	495.4	665.0	625.1	527.7	0.0	
	結腸 *1	C18 D010	568	0.0	0.0	0.0	0.0	5.1	0.0	4.2	13.2	24.3	24.2	78.7	121.0	177.0	205.5	329.2	479.2	463.2	388.0	0.0	
	直腸 *1	C19-C20 D011-D012	296	0.0	0.0	0.0	0.0	0.0	0.0	8.4	3.3	3.0	24.2	61.6	71.9	130.2	153.4	166.2	185.9	161.9	139.7	0.0	
	肺	C33-C34 D021-D022	749	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	41.5	114.5	192.6	341.5	448.8	491.6	848.4	683.0	0.0	
	皮膚	C43-C44 D030-D049	117	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	0.0	13.1	15.6	34.7	79.8	95.0	145.1	155.2	
	乳房	C50 D05	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	3.3	0.0	5.6	7.8	
	膀胱	C67 D090	267	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	6.9	10.3	22.9	54.7	98.4	169.6	177.6	340.5	333.7	0.0	
	女	全部位	C00-C96 D00-D09	3,730	17.0	5.3	4.5	0.0	56.1	130.8	289.3	290.1	377.0	488.8	688.9	700.2	834.6	977.6	1,396.8	1,477.2	1,693.7	1,811.5	0.0
		食道	C15 D001	41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	6.2	14.4	20.6	19.5	18.3	21.1	15.0	0.0
		大腸（結腸・直腸）*1	C18-C20 D010-D012	650	0.0	0.0	0.0	0.0	0.0	0.0	20.4	9.9	26.1	52.6	75.0	114.6	151.5	149.6	306.1	319.8	320.4	385.2	0.0
		結腸 *1	C18 D010	470	0.0	0.0	0.0	0.0	0.0	0.0	12.2	6.6	20.3	30.9	37.5	92.9	96.2	100.6	217.0	249.7	246.5	291.9	0.0
		直腸 *1	C19-C20 D011-D012	180	0.0	0.0	0.0	0.0	0.0	0.0	8.2	3.3	5.8	21.7	37.5	21.7	55.3	49.0	89.0	70.1	73.9	93.3	0.0
		肺	C33-C34 D021-D022	363	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	8.7	18.6	40.6	34.1	79.4	147.0	150.3	167.5	172.5	243.7
		皮膚	C43-C44 D030-D049	91	0.0	0.0	0.0	0.0	0.0	0.0	4.1	3.3	2.9	3.1	9.4	9.3	16.8	18.1	39.0	45.7	49.3	72.2	0.0
		乳房	C50 D05	622	0.0	0.0	0.0	0.0	0.0	4.5	36.7	49.5	142.1	188.7	278.2	176.6	202.0	193.5	192.0	121.8	169.0	75.2	0.0
		子宮	C53-C55 D06	371	0.0	0.0	0.0	0.0	35.6	94.7	179.3	164.8	124.7	111.4	96.9	111.5	67.3	31.0	41.7	57.9	45.8	48.1	0.0
		子宮頸部	C53 D06	260	0.0	0.0	0.0	0.0	35.6	94.7	175.2	161.6	92.8	89.7	46.9	49.6	28.9	10.3	22.3	27.4	21.1	27.1	0.0
		膀胱	C67 D090	62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	6.2	9.6	18.1	27.8	30.5	45.8	42.1	0.0
総数 全部位		C00-C96 D00-D09	8,728	11.1	5.2	8.8	9.2	40.6	81.4	170.0	170.2	273.0	372.3	596.2	781.1	1,121.3	1,561.6	2,104.0	2,519.2	2,664.2	2,400.4	0.0	
食道		C15 D001	216	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	19.6	20.7	33.8	54.6	62.1	75.4	60.5	21.7	0.0	
大腸（結腸・直腸）*1		C18-C20 D010-D012	1,514	0.0	0.0	0.0	0.0	2.5	0.0	16.6	13.2	26.7	50.6	106.2	152.7	226.3	248.2	392.3	466.3	438.3	425.0	0.0	
結腸 *1	C18 D010	1,038	0.0	0.0	0.0	0.0	2.5	0.0	8.3	9.9	22.3	27.8	57.2	106.6	135.0	150.0	268.1	347.1	330.3	318.7	0.0		
直腸 *1	C19-C20 D011-D012	476	0.0	0.0	0.0	0.0	0.0	0.0	8.3	3.3	4.5	22.9	49.0	46.1	91.3	98.2	124.2	119.2	108.0	106.2	0.0		
肺	C33-C34 D021-D022	1,112	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	5.9	29.4	45.7	73.2	133.8	238.7	286.3	305.0	434.0	366.5	0.0		
皮膚	C43-C44 D030-D049	208	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.7	1.5	4.9	4.9	11.1	16.3	25.9	57.6	66.6	86.4	95.4	0.0		
乳房	C50 D05	628	0.0	0.0	0.0	0.0	2.3	18.7	24.8	72.7	99.6	147.0	90.7	105.0	105.0	106.0	106.0	70.1	105.8	56.4	0.0		
膀胱	C67 D090	329	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.3	8.2	14.3	31.3	55.9	92.4	92.9	159.8	123.6	0.0		

\*1 粘膜炎を含む

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

和歌山県 2013年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	7,366	10.5	29.6	0.0	1.7	58.2
口腔・咽頭	C00-C14	179	1.1	15.6	0.0	0.6	82.7
食道	C15	186	10.8	25.8	0.0	1.1	62.4
胃	C16	1,270	17.0	30.2	0.0	1.3	51.4
大腸 (結腸・直腸)	C18-C20	1,164	11.8	22.8	0.1	1.8	63.6
結腸	C18	780	11.9	25.6	0.1	1.2	61.2
直腸	C19-C20	384	11.5	16.9	0.0	3.1	68.5
肝および肝内胆管	C22	407	4.2	58.2	0.0	2.2	35.4
胆のう・胆管	C23-C24	144	4.2	31.3	0.0	2.1	62.5
膵臓	C25	280	1.8	28.6	0.0	4.3	65.4
喉頭	C32	29	0.0	10.3	0.0	0.0	89.7
肺	C33-C34	967	10.1	36.2	0.0	3.3	50.4
皮膚	C43-C44	166	0.6	11.4	0.0	0.0	88.0
乳房	C50	541	25.7	12.4	0.0	0.4	61.6
乳房 (女性のみ)	C50	535	25.8	12.1	0.0	0.4	61.7
子宮	C53-C55	203	11.3	15.8	0.0	0.0	72.9
子宮頸部	C53	99	14.1	12.1	0.0	0.0	73.7
子宮体部	C54	100	9.0	18.0	0.0	0.0	73.0
卵巣	C56	85	8.2	24.7	0.0	2.4	64.7
前立腺	C61	587	8.0	40.2	0.0	0.3	51.4
膀胱	C67	183	4.4	22.4	0.0	2.2	71.0
腎・尿路 (膀胱除く)	C64-C66 C68	204	6.9	47.1	0.0	1.5	44.6
脳・中枢神経系	C70-C72	49	0.0	10.2	0.0	4.1	85.7
甲状腺	C73	117	5.1	45.3	0.0	0.9	48.7
悪性リンパ腫	C81-C85 C96	229	3.9	27.9	0.0	0.9	67.2
多発性骨髄腫	C88-C90	43	2.3	55.8	0.0	2.3	39.5
白血病	C91-C95	110	6.4	28.2	0.0	1.8	63.6

\*1 DC0を除く総数



表4. 発見経緯 (%) : 部位別

## B. 上皮内がんを含む

和歌山県 2013年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・人間ドック	他疾患の経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	8,087	11.8	29.8	0.0	1.6	56.9
食道	C15 D001	201	10.9	29.4	0.0	1.0	58.7
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,434	14.4	25.7	0.1	1.5	58.4
結腸 *2	C18 D010	974	14.6	28.4	0.1	0.9	56.0
直腸 *2	C19-C20 D011-D012	460	13.9	19.8	0.0	2.6	63.7
肺	C33-C34 D021-D022	978	10.1	36.4	0.0	3.3	50.2
皮膚	C43-C44 D030-D049	203	0.5	12.3	0.5	0.0	86.7
乳房	C50 D05	603	27.4	12.9	0.0	0.3	59.4
乳房 (女性のみ)	C50 D05	597	27.5	12.7	0.0	0.3	59.5
子宮	C53-C55 D06	363	28.4	20.1	0.0	0.0	51.5
子宮頸部	C53 D06	259	36.3	20.5	0.0	0.0	43.2
膀胱	C67 D090	315	3.5	23.8	0.0	1.3	71.4

\*1 DC0を除く総数

\*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

和歌山県 2013年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	7,273	48.6	9.1	14.3	18.8	9.1	23.4
口腔・咽頭	C00-C14	180	46.7	15.0	25.6	5.0	7.8	40.6
食道	C15	189	37.0	9.0	32.8	15.9	5.3	41.8
胃	C16	1,279	60.2	10.2	8.7	13.8	7.0	18.9
大腸 (結腸・直腸)	C18-C20	1,170	46.3	16.1	10.5	20.1	7.0	26.6
結腸	C18	783	46.6	15.3	11.1	21.2	5.7	26.4
直腸	C19-C20	387	45.7	17.6	9.3	17.8	9.6	26.9
肝および肝内胆管	C22	411	69.1	1.0	10.0	9.0	10.9	10.9
胆のう・胆管	C23-C24	144	21.5	4.2	33.3	27.1	13.9	37.5
膵臓	C25	283	4.6	1.8	40.6	44.5	8.5	42.4
喉頭	C32	29	69.0	6.9	10.3	3.4	10.3	17.2
肺	C33-C34	980	30.9	8.5	10.1	42.3	8.2	18.6
皮膚	C43-C44	167	84.4	0.6	5.4	1.2	8.4	6.0
乳房	C50	542	61.8	22.9	2.6	5.5	7.2	25.5
乳房 (女性のみ)	C50	536	61.8	22.8	2.6	5.6	7.3	25.4
子宮	C53-C55	203	52.2	2.5	26.1	12.3	6.9	28.6
子宮頸部	C53	99	45.5	1.0	33.3	14.1	6.1	34.3
子宮体部	C54	100	60.0	4.0	20.0	10.0	6.0	24.0
卵巣	C56	86	22.1	1.2	51.2	19.8	5.8	52.3
前立腺	C61	590	58.3	0.8	23.2	10.8	6.8	24.1
膀胱	C67	183	73.2	1.6	12.6	6.0	6.6	14.2
腎・尿路 (膀胱除く)	C64-C66 C68	207	60.4	2.9	14.5	14.0	8.2	17.4
脳・中枢神経系	C70-C72	51	78.4	0.0	7.8	0.0	13.7	7.8
甲状腺	C73	117	45.3	39.3	3.4	2.6	9.4	42.7
悪性リンパ腫	C81-C85 C96	229	22.7	0.9	11.8	30.1	34.5	12.7
多発性骨髄腫	C88-C90	1	100.0	0.0	0.0	0.0	0.0	0.0
白血病	C91-C95	3	0.0	0.0	33.3	66.7	0.0	33.3

\*1 C00、777：該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

## B. 上皮内がんを含む

和歌山県 2013年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	7,994	9.0	44.3	8.3	13.0	17.1	8.3	21.3
食道	C15 D001	204	7.4	34.3	8.3	30.4	14.7	4.9	38.7
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,440	18.8	37.6	13.1	8.5	16.3	5.7	21.6
結腸 *3	C18 D010	977	19.9	37.4	12.3	8.9	17.0	4.6	21.2
直腸 *3	C19-C20 D011-D012	463	16.4	38.2	14.7	7.8	14.9	8.0	22.5
肺	C33-C34 D021-D022	991	1.1	30.6	8.4	10.0	41.9	8.1	18.4
皮膚	C43-C44 D030-D049	204	18.1	69.1	0.5	4.4	1.0	6.9	4.9
乳房	C50 D05	604	10.1	55.5	20.5	2.3	5.0	6.6	22.8
乳房 (女性のみ)	C50 D05	598	10.2	55.4	20.4	2.3	5.0	6.7	22.7
子宮	C53-C55 D06	363	44.1	29.2	1.4	14.6	6.9	3.9	16.0
子宮頸部	C53 D06	259	61.8	17.4	0.4	12.7	5.4	2.3	13.1
膀胱	C67 D090	315	41.9	42.5	1.0	7.3	3.5	3.8	8.3

\*1 DCO, 777: 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表6. 受療割合 (%) : 部位別

A. 上皮内がんを除く

和歌山県 2013年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	7,424	31.7	15.1	12.1	10.4	28.8	7.7	7.5	28.0
口腔・咽頭	C00-C14	180	59.4	0.0	0.6	29.4	48.3	0.0	3.9	25.6
食道	C15	189	17.5	12.2	24.9	33.9	47.1	0.0	6.3	16.9
胃	C16	1,279	27.3	15.6	36.7	0.6	19.0	0.3	2.5	19.9
大腸 (結腸・直腸)	C18-C20	1,170	36.1	39.2	13.9	2.4	24.8	0.1	3.5	18.7
結腸	C18	783	35.8	42.3	13.5	0.1	22.2	0.1	2.7	19.4
直腸	C19-C20	387	36.7	33.1	14.7	7.0	30.0	0.0	5.2	17.3
肝および肝内胆管	C22	411	13.9	2.9	1.7	4.1	30.7	0.0	47.9	48.4
胆のう・胆管	C23-C24	144	36.1	5.6	16.0	2.1	29.2	0.0	23.6	31.9
膵臓	C25	283	23.7	0.7	11.3	4.6	51.2	0.0	14.8	38.5
喉頭	C32	29	41.4	0.0	0.0	41.4	31.0	0.0	10.3	20.7
肺	C33-C34	980	7.4	24.9	0.0	17.6	42.3	0.1	4.6	44.7
皮膚	C43-C44	167	78.4	0.0	0.0	1.2	2.4	1.2	4.8	21.6
乳房	C50	542	78.8	0.4	0.0	28.0	25.6	46.7	1.3	19.4
乳房 (女性のみ)	C50	536	78.5	0.4	0.0	28.0	25.7	46.5	1.3	19.6
子宮	C53-C55	203	64.5	1.0	2.5	20.7	35.0	1.5	1.5	21.2
子宮頸部	C53	99	51.5	1.0	2.0	39.4	37.4	0.0	3.0	20.2
子宮体部	C54	100	79.0	1.0	3.0	3.0	34.0	3.0	0.0	14.0
卵巣	C56	86	81.4	2.3	0.0	2.3	74.4	0.0	1.2	23.3
前立腺	C61	590	15.8	12.4	3.2	20.0	2.0	48.0	2.5	21.2
膀胱	C67	183	17.5	1.1	62.3	4.9	26.2	2.2	27.9	20.8
腎・尿路 (膀胱除く)	C64-C66 C68	207	31.4	40.6	3.4	3.4	16.9	1.0	4.3	24.2
脳・中枢神経系	C70-C72	51	70.6	0.0	3.9	33.3	54.9	0.0	0.0	29.4
甲状腺	C73	117	73.5	0.0	0.0	6.8	0.0	14.5	8.5	32.5
悪性リンパ腫	C81-C85 C96	230	3.5	1.3	0.0	7.8	60.4	0.4	3.9	37.8
多発性骨髄腫	C88-C90	43	0.0	0.0	0.0	4.7	69.8	0.0	11.6	46.5
白血病	C91-C95	110	0.9	0.0	0.0	0.0	60.9	0.9	8.2	44.5

\*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 受療割合 (%) : 部位別

B. 上皮内がんを含む

和歌山県 2013年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	8,145	32.1	14.2	15.8	9.8	26.8	7.3	7.4	25.9
食道	C15 D001	204	16.2	11.3	29.4	31.4	43.6	0.0	5.9	16.7
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,440	30.1	33.1	28.2	2.1	20.2	0.1	3.0	15.6
結腸 *2	C18 D010	977	29.1	35.2	28.8	0.3	17.9	0.1	2.4	16.0
直腸 *2	C19-C20 D011-D012	463	32.2	28.5	27.0	5.8	25.1	0.0	4.3	14.9
肺	C33-C34 D021-D022	991	7.5	25.5	0.0	17.4	41.9	0.1	4.5	44.3
皮膚	C43-C44 D030-D049	204	79.9	0.0	0.0	1.0	2.0	1.0	4.9	19.1
乳房	C50 D05	604	80.1	0.3	0.0	28.6	23.3	44.9	1.2	18.0
乳房 (女性のみ)	C50 D05	598	79.9	0.3	0.0	28.6	23.4	44.6	1.2	18.2
子宮	C53-C55 D06	363	73.8	1.1	2.2	11.6	19.6	1.1	3.9	14.6
子宮頸部	C53 D06	259	72.6	1.2	1.9	15.1	14.3	0.4	5.4	11.6
膀胱	C67 D090	315	12.7	1.0	73.3	3.2	26.7	1.3	27.6	13.3

\*1 DC0を除く総数

\*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 観血的治療の範囲 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2013年

部位	ICD-10	外科・鏡視下 ・内視鏡治療数 *1	原発巣切除	姑息的な観血的治療	不明
全部位	C00-C96	4, 236	84.3	15.3	0.4
口腔・咽頭	C00-C14	108	77.8	22.2	0.0
食道	C15	98	86.7	12.2	1.0
胃	C16	986	91.2	8.6	0.2
大腸 (結腸・直腸)	C18-C20	977	82.7	17.1	0.2
結腸	C18	665	82.7	17.1	0.2
直腸	C19-C20	312	82.7	17.0	0.3
肝および肝内胆管	C22	74	82.4	14.9	2.7
胆のう・胆管	C23-C24	77	50.6	49.4	0.0
膵臓	C25	93	46.2	52.7	1.1
喉頭	C32	12	66.7	33.3	0.0
肺	C33-C34	315	89.5	9.8	0.6
皮膚	C43-C44	131	93.1	6.9	0.0
乳房	C50	429	93.9	6.1	0.0
乳房 (女性のみ)	C50	423	93.9	6.1	0.0
子宮	C53-C55	136	81.6	18.4	0.0
子宮頸部	C53	54	79.6	20.4	0.0
子宮体部	C54	81	82.7	17.3	0.0
卵巣	C56	72	62.5	37.5	0.0
前立腺	C61	184	85.9	13.6	0.5
膀胱	C67	144	77.8	20.8	1.4
腎・尿路 (膀胱除く)	C64-C66 C68	152	86.2	13.8	0.0
脳・中枢神経系	C70-C72	36	44.4	52.8	2.8
甲状腺	C73	86	89.5	10.5	0.0
悪性リンパ腫	C81-C85 C96	10	80.0	10.0	10.0
多発性骨髄腫	C88-C90	0	0.0	0.0	0.0
白血病	C91-C95	1	0.0	100.0	0.0

\*1 外科的、鏡視下、内視鏡的治療のいずれかが1:あり

表7. 観血的治療の範囲 (%) : 部位別

## B. 上皮内がんを含む

和歌山県

2013年

部位	ICD-10	外科・鏡視下 ・内視鏡治療数 *1	原発巣切除	姑息的な観血的治療	不明
全部位	C00-C96 D00-D09	4,909	85.7	14.0	0.3
食道	C15 D001	111	88.3	10.8	0.9
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,241	85.8	13.9	0.2
結腸 *2	C18 D010	855	86.2	13.6	0.2
直腸 *2	C19-C20 D011-D012	386	85.0	14.8	0.3
肺	C33-C34 D021-D022	325	89.8	9.5	0.6
皮膚	C43-C44 D030-D049	163	93.3	6.7	0.0
乳房	C50 D05	486	94.0	6.0	0.0
乳房 (女性のみ)	C50 D05	480	94.0	6.0	0.0
子宮	C53-C55 D06	277	84.8	15.2	0.0
子宮頸部	C53 D06	195	85.6	14.4	0.0
膀胱	C67 D090	269	84.8	14.5	0.7

\*1 外科的、鏡視下、内視鏡的治療のいずれかが 1 : あり

\*2 粘膜がんを含む

表8. 精度指標 : 部位別、性別

A. 上皮内がんを除く

和歌山県

2013年

部位	死亡/罹患比 (MI比)		死亡情報で初めて把握された症例 DON (%)		死亡情報のみの症例 DCO (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)						
	男	女	男	女	男	女	男	女	男	女					
ICD-10															
全部位	0.44	0.42	0.43	8.8	12.0	10.2	6.6	8.3	7.3	82.9	80.7	82.0	79.5	77.5	78.7
C00-C96	0.42	0.33	0.39	4.8	9.1	6.3	4.0	9.1	5.8	88.8	86.4	88.0	87.2	86.4	86.9
C00-C14	0.45	0.49	0.45	6.1	10.8	7.0	5.5	8.1	6.0	90.2	83.8	89.1	90.2	83.8	89.1
C15	0.35	0.39	0.36	6.4	11.8	8.1	4.6	7.9	5.6	93.1	88.7	91.7	92.8	88.4	91.4
C16	0.32	0.39	0.36	6.9	10.4	8.4	5.1	7.0	5.9	92.1	87.5	90.0	91.4	87.1	89.5
C18-C20	0.32	0.42	0.37	7.0	11.6	9.2	6.1	8.4	7.2	91.1	86.4	88.9	90.0	85.9	88.0
C18	0.34	0.33	0.33	6.6	7.1	6.8	3.3	3.2	3.3	93.9	90.4	92.5	93.9	90.4	92.5
C19-C20	0.61	0.70	0.64	16.7	25.9	19.9	12.9	18.7	14.9	27.8	18.7	24.6	26.2	18.1	23.4
C22	0.93	1.01	0.97	11.1	20.9	16.5	8.3	9.3	8.9	69.4	58.1	63.3	62.5	50.0	55.7
C23-C24	1.00	0.89	0.94	15.8	18.6	17.3	9.2	9.9	9.6	56.6	52.8	54.6	47.4	46.0	46.6
C25	0.23	0.33	0.24	0.0	0.0	0.0	0.0	0.0	0.0	92.3	100.0	93.1	92.3	100.0	93.1
C32	0.73	0.59	0.69	13.4	20.4	15.7	9.3	14.6	11.0	78.2	71.4	76.0	67.1	63.9	66.0
C33-C34	0.05	0.16	0.09	2.0	2.9	2.3	2.0	2.9	2.3	98.0	97.1	97.7	97.0	97.1	97.1
C43-C44	0.50	0.17	0.18	0.0	4.6	4.6	0.0	4.3	4.2	100.0	93.8	93.8	100.0	92.3	92.4
C50	-	0.22	0.22	-	4.7	4.7	-	3.8	3.8	-	93.4	93.4	-	89.6	89.6
C53-C55	-	0.17	0.17	-	1.0	1.0	-	1.0	1.0	-	98.0	98.0	-	94.0	94.0
C53	-	0.20	0.20	-	2.0	2.0	-	1.0	1.0	-	96.0	96.0	-	92.1	92.1
C54	-	0.41	0.41	-	12.8	12.8	-	8.5	8.5	-	84.0	84.0	-	80.9	80.9
C56	0.17	-	0.17	5.6	-	5.6	5.3	-	5.3	87.3	-	87.3	87.0	-	87.0
C61	0.30	0.48	0.34	7.7	14.3	9.1	6.5	9.5	7.1	91.0	81.0	88.8	86.5	73.8	83.8
C67	0.31	0.35	0.32	4.8	12.5	7.3	4.8	6.9	5.5	85.0	76.4	82.2	83.0	69.4	78.5
064-066 068	0.57	0.33	0.43	14.3	6.1	9.3	9.5	3.0	5.6	71.4	78.8	75.9	66.7	78.8	74.1
C70-C72	0.18	0.11	0.13	9.1	7.5	7.9	6.1	7.5	7.1	87.9	90.3	89.7	78.8	80.6	80.2
C73	0.44	0.45	0.44	8.7	10.1	9.4	5.6	6.7	6.1	92.9	87.4	90.2	89.7	85.7	87.8
081-085 096	0.58	0.58	0.58	24.2	15.8	21.2	21.2	10.5	17.3	72.7	84.2	76.9	66.7	68.4	67.3
088-090	0.60	0.63	0.62	10.3	13.5	11.7	4.4	13.5	8.3	98.5	98.1	98.3	82.4	78.8	80.8
C91-C95															
全部位															



表8. 精度指標 : 部位別、性別

B. 上皮内がんを含む

和歌山県 2013年

部位	死亡/罹患比 (MI比)		死亡情報で初めて把握された症例 DCN (%)		死亡情報のみ、症例 DC0 (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)				
	男	女	男	女	男	女	男	女	男	女			
ICD-10													
全部位	0.41	0.38	0.39	8.2	10.8	9.3	6.1	7.5	6.7	83.4	80.8	79.6	80.3
食道	0.42	0.44	0.42	5.7	9.8	6.5	5.1	7.3	5.6	89.8	90.9	85.4	89.8
大腸 (結腸・直腸) *1	0.26	0.34	0.29	5.4	8.9	6.9	4.1	6.0	4.9	93.8	93.2	88.9	91.3
結腸 *1	0.25	0.36	0.30	5.5	10.0	7.5	4.8	7.2	5.9	93.1	92.3	87.9	90.3
直腸 *1	0.28	0.28	0.28	5.4	6.1	5.7	2.7	2.8	2.7	94.9	94.9	91.7	93.7
肺	0.73	0.58	0.68	13.4	20.1	15.6	9.2	14.3	10.9	78.4	67.3	64.5	66.4
皮膚	0.04	0.12	0.08	2.6	2.2	2.4	1.7	2.2	1.9	98.3	97.4	97.8	97.6
乳房	0.50	0.16	0.16	0.0	4.2	4.1	0.0	3.9	3.8	100.0	100.0	92.9	93.0
子宮	-	0.13	0.13	-	2.7	2.7	-	2.2	2.2	-	-	-	93.0
子宮頸部	-	0.07	0.07	-	0.4	0.4	-	0.4	0.4	-	-	-	96.2
膀胱	0.17	0.32	0.20	4.5	9.7	5.5	3.7	6.5	4.3	94.8	90.6	80.6	88.8

\*1 粘膜がんを含む

表9. 死亡数、死亡割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)及び累積死亡率(人口100万対) : 部位別、性別 和歌山県 2013年

部位	死亡数													死亡割合						粗死亡率						年齢調整死亡率						累積死亡率(0-74歳)																
	ICD-10			男			女			総数			男			女			総数			男			女			男			女			男			女			男			女					
	部位	男	女	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数									
全部位	2,031	1,420	3,451	100.0	100.0	100.0	444.5	275.5	355.0	183.9	90.7	130.1	123.8	63.2	89.0	12.8	6.5	9.4	11.6	4.3	7.7	5.6	1.5	3.4	4.0	1.3	2.5	0.5	0.1	0.3	11.6	4.3	7.7	5.6	1.5	3.4	4.0	1.3	2.5	0.5	0.1	0.3						
口腔・咽頭	53	22	75	2.6	1.5	2.2	11.6	4.3	7.7	5.6	1.5	3.4	4.0	1.3	2.5	0.5	0.1	0.3	11.6	4.3	7.7	5.6	1.5	3.4	4.0	1.3	2.5	0.5	0.1	0.3	11.6	4.3	7.7	5.6	1.5	3.4	4.0	1.3	2.5	0.5	0.1	0.3						
食道	73	18	91	3.6	1.3	2.6	16.0	3.5	9.4	7.0	1.0	3.7	4.8	0.7	2.6	0.6	0.1	0.3	16.0	3.5	9.4	7.0	1.0	3.7	4.8	0.7	2.6	0.6	0.1	0.3	16.0	3.5	9.4	7.0	1.0	3.7	4.8	0.7	2.6	0.6	0.1	0.3						
胃	320	168	488	15.8	11.8	14.1	70.0	32.6	50.2	29.7	9.5	18.2	20.3	6.5	12.6	2.1	0.6	1.3	70.0	32.6	50.2	29.7	9.5	18.2	20.3	6.5	12.6	2.1	0.6	1.3	70.0	32.6	50.2	29.7	9.5	18.2	20.3	6.5	12.6	2.1	0.6	1.3						
大腸(結腸・直腸)	222	220	442	10.9	15.5	12.8	48.6	42.7	45.5	20.5	13.4	16.4	13.9	9.3	11.3	1.4	1.0	1.2	48.6	42.7	45.5	20.5	13.4	16.4	13.9	9.3	11.3	1.4	1.0	1.2	48.6	42.7	45.5	20.5	13.4	16.4	13.9	9.3	11.3	1.4	1.0	1.2						
結腸	140	169	309	6.9	11.9	9.0	30.6	32.8	31.8	12.2	9.7	10.7	8.2	6.7	7.3	0.9	0.7	0.8	30.6	32.8	31.8	12.2	9.7	10.7	8.2	6.7	7.3	0.9	0.7	0.8	30.6	32.8	31.8	12.2	9.7	10.7	8.2	6.7	7.3	0.9	0.7	0.8						
直腸	82	51	133	4.0	3.6	3.9	17.9	9.9	13.7	8.2	3.7	5.7	5.6	2.6	4.0	0.5	0.3	0.4	17.9	9.9	13.7	8.2	3.7	5.7	5.6	2.6	4.0	0.5	0.3	0.4	17.9	9.9	13.7	8.2	3.7	5.7	5.6	2.6	4.0	0.5	0.3	0.4						
肝および肝内胆管	192	117	309	9.5	8.2	9.0	42.0	22.7	31.8	17.2	6.0	11.0	11.0	3.6	6.9	1.1	0.3	0.7	42.0	22.7	31.8	17.2	6.0	11.0	11.0	3.6	6.9	1.1	0.3	0.7	42.0	22.7	31.8	17.2	6.0	11.0	11.0	3.6	6.9	1.1	0.3	0.7						
胆のう・胆管	67	87	154	3.3	6.1	4.5	14.7	16.9	15.8	6.4	4.3	5.3	4.5	2.7	3.6	0.5	0.3	0.4	14.7	16.9	15.8	6.4	4.3	5.3	4.5	2.7	3.6	0.5	0.3	0.4	14.7	16.9	15.8	6.4	4.3	5.3	4.5	2.7	3.6	0.5	0.3	0.4						
膵臓	152	143	295	7.5	10.1	8.5	33.3	27.7	30.3	14.6	10.1	12.0	10.1	7.1	8.3	1.1	0.8	1.0	33.3	27.7	30.3	14.6	10.1	12.0	10.1	7.1	8.3	1.1	0.8	1.0	33.3	27.7	30.3	14.6	10.1	12.0	10.1	7.1	8.3	1.1	0.8	1.0						
喉頭	6	1	7	0.3	0.1	0.2	1.3	0.2	0.7	0.4	0.1	0.2	0.3	0.1	0.1	0.0	0.0	0.0	1.3	0.2	0.7	0.4	0.1	0.2	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
肺	544	211	755	26.8	14.9	21.9	119.1	40.9	77.7	46.6	12.1	26.6	30.4	8.2	17.6	3.1	0.9	1.9	119.1	40.9	77.7	46.6	12.1	26.6	30.4	8.2	17.6	3.1	0.9	1.9	119.1	40.9	77.7	46.6	12.1	26.6	30.4	8.2	17.6	3.1	0.9	1.9						
皮膚	5	11	16	0.2	0.8	0.5	1.1	2.1	1.6	0.4	0.7	0.6	0.2	0.5	0.4	0.0	0.1	0.0	1.1	2.1	1.6	0.4	0.7	0.6	0.2	0.5	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
乳房	3	97	100	0.1	6.8	2.9	0.7	18.8	10.3	0.2	10.0	5.4	0.1	7.5	4.0	0.0	0.9	0.5	0.7	18.8	10.3	10.3	0.2	10.0	5.4	0.1	7.5	4.0	0.0	0.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	-	47	-	-	3.3	-	-	9.1	-	-	4.1	-	-	3.1	-	-	0.3	-	-	9.1	-	-	4.1	-	-	3.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
子宮頸部	-	17	-	-	1.2	-	-	3.3	-	-	1.4	-	-	1.0	-	-	0.1	-	-	3.3	-	-	1.4	-	-	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
子宮体部	-	20	-	-	1.4	-	-	3.9	-	-	1.8	-	-	1.3	-	-	0.2	-	-	3.9	-	-	1.8	-	-	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
卵巣	-	39	-	-	2.7	-	-	7.6	-	-	4.4	-	-	3.3	-	-	0.4	-	-	7.6	-	-	4.4	-	-	3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
前立腺	103	-	-	5.1	-	-	22.5	-	-	7.5	-	-	4.8	-	-	0.3	-	-	22.5	-	-	7.5	-	-	4.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
膀胱	46	20	66	2.3	1.4	1.9	10.1	3.9	6.8	3.8	0.8	2.0	2.4	0.5	1.3	0.2	0.0	0.1	10.1	3.9	6.8	3.8	0.8	2.0	2.4	0.5	1.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
腎・尿管(膀胱除く)	45	25	70	2.2	1.8	2.0	9.8	4.9	7.2	4.1	1.3	2.5	2.7	0.8	1.6	0.3	0.1	0.2	9.8	4.9	7.2	4.1	1.3	2.5	2.7	0.8	1.6	0.3	0.1	0.2	9.8	4.9	7.2	4.1	1.3	2.5	2.7	0.8	1.6	0.3	0.1	0.2						
脳・中枢神経系	12	11	23	0.6	0.8	0.7	2.6	2.1	2.4	1.5	1.0	1.2	1.2	1.0	1.1	0.1	0.1	0.1	2.6	2.1	2.4	1.5	1.0	1.2	1.2	1.0	1.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1				
甲状腺	6	10	16	0.3	0.7	0.5	1.3	1.9	1.6	0.6	0.6	0.6	0.4	0.4	0.4	0.0	0.0	0.0	1.3	1.9	1.6	0.6	0.6	0.6	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
悪性リンパ腫	55	54	109	2.7	3.8	3.2	12.0	10.5	11.2	5.1	3.1	4.0	3.5	2.1	2.8	0.4	0.2	0.3	12.0	10.5	11.2	5.1	3.1	4.0	3.5	2.1	2.8	0.4	0.2	0.3	12.0	10.5	11.2	5.1	3.1	4.0	3.5	2.1	2.8	0.4	0.2	0.3						
多発性骨髄腫	19	11	30	0.9	0.8	0.9	4.2	2.1	3.1	1.5	0.7	1.0	1.1	0.5	0.7	0.1	0.0	0.1	4.2	2.1	3.1	1.5	0.7	1.0	1.1	0.5	0.7	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
白血病	41	33	74	2.0	2.3	2.1	9.0	6.4	7.6	4.4	2.2	3.2	3.0	1.5	2.2	0.3	0.2	0.2	9.0	6.4	7.6	4.4	2.2	3.2	3.0	1.5	2.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2			



表11. 年齢階級別死亡率（人口10万対）： 部位別、性別

和歌山県

2013年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C97	2,031	0.0	0.0	0.0	4.6	5.1	4.6	6.5	10.0	21.4	79.8	120.1	269.0	415.1	615.4	997.0	1,717.8	2,190.8	3,103.9	0.0	
	口腔・咽頭	C00-C14	53	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.4	16.4	20.9	17.4	46.7	33.1	39.1	23.3	0.0	
	食道	C15	73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	16.4	18.3	29.0	50.0	49.7	72.7	70.0	0.0	
	胃	C16	320	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	6.1	13.9	34.3	29.5	67.9	127.7	140.1	256.6	313.0	497.9	0.0	
	大腸（結腸・直腸）	C18-C20	222	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	3.5	17.2	29.5	65.3	81.3	80.0	215.2	212.4	303.4	0.0	
	結腸	C18	140	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	16.4	28.7	49.3	66.7	128.3	117.4	248.9	0.0	
	直腸	C19-C20	82	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	3.5	6.9	13.1	36.6	31.9	13.3	66.9	95.0	54.5	0.0	
	肝および肝内胆管	C22	192	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	6.9	32.8	31.3	55.2	93.4	244.2	195.6	202.3	0.0	
	胆のう・胆管	C23-C24	67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.1	0.0	3.4	16.4	20.8	17.4	33.3	41.4	50.3	124.5	0.0	
	膵臓	C25	152	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.9	17.2	16.4	36.6	55.2	90.0	111.8	150.9	186.7	0.0	
	喉頭	C32	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	3.3	0.0	11.2	15.6	0.0	
	肺	C33-C34	544	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.1	13.9	17.2	59.0	91.4	133.5	300.1	442.9	709.8	855.7	0.0	
	皮膚	C43-C44	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	8.3	0.0	15.6	0.0	
	乳房	C50	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	5.6	7.8	0.0	
	前立腺	C61	103	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.8	10.4	5.9	36.7	86.9	123.0	311.2	0.0	
	膀胱	C67	46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	9.8	2.6	5.8	10.0	45.5	55.9	116.7	0.0
	腎・尿路（膀胱除く）	C64-C66 C68	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	3.3	7.8	20.3	15.7	45.5	50.3	54.5	0.0
	脳・中枢神経系	C70-C72	12	0.0	0.0	0.0	4.6	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	5.2	2.9	6.7	8.3	11.2	7.8	0.0
	甲状腺	C73	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.6	2.9	0.0	4.1	0.0	15.6	0.0	
	悪性リンパ腫	C81-C85 C96	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.5	3.4	3.3	13.1	26.1	23.3	37.3	61.5	77.8	0.0
	多発性骨髄腫	C88-C90	19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	2.6	0.0	13.3	4.1	16.8	70.0	0.0
	白血病	C91-C95	41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	13.9	0.0	13.1	7.8	5.8	10.0	29.0	67.1	36.9	0.0
	女	全部位	C00-C97	1,420	0.0	5.3	0.0	4.7	0.0	9.1	20.7	20.0	35.1	34.3	94.4	143.4	238.9	256.3	446.9	635.3	1,005.3	1,370.4	0.0
		口腔・咽頭	C00-C14	22	0.0	0.0	0.0	0.0	0.0	4.6	0.0	0.0	0.0	3.1	0.0	0.0	7.2	5.2	0.0	6.1	7.1	33.1	0.0
		食道	C15	18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	2.6	14.0	9.2	0.0	21.1	0.0
		胃	C16	168	0.0	0.0	0.0	4.7	0.0	4.1	3.3	2.9	3.1	6.3	9.4	21.7	20.7	39.1	64.1	144.6	195.8	0.0	0.0
		大腸（結腸・直腸）	C18-C20	220	0.0	0.0	0.0	0.0	0.0	8.3	3.3	2.9	3.1	15.7	15.6	38.6	36.3	72.6	82.5	141.1	247.0	0.0	0.0
		結腸	C18	169	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	3.1	12.6	12.5	29.0	25.9	50.3	61.1	116.4	198.8	0.0	0.0
		直腸	C19-C20	51	0.0	0.0	0.0	0.0	0.0	4.1	3.3	2.9	0.0	3.1	3.1	9.7	10.4	22.3	21.4	24.7	48.2	0.0	0.0
肝および肝内胆管		C22	117	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	6.3	3.1	7.2	5.2	33.5	70.3	144.6	96.4	0.0	
胆のう・胆管		C23-C24	87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	7.2	10.4	27.9	42.8	84.7	90.4	0.0	
膵臓		C25	143	0.0	0.0	0.0	0.0	0.0	4.6	9.0	3.3	0.0	0.0	9.4	28.1	21.7	38.8	53.1	88.6	70.5	111.4	0.0	
喉頭		C32	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	
肺		C33-C34	211	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	3.1	6.3	12.5	31.4	46.6	67.0	113.0	123.5	225.9	0.0	0.0	
皮膚		C43-C44	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	2.4	0.0	5.6	3.1	10.6	9.0	0.0	
乳房		C50	97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	9.4	25.2	31.2	26.5	33.7	33.5	18.3	45.9	45.2	0.0	
子宮		C53-C55	47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	9.4	12.5	19.3	7.8	14.0	21.4	10.6	36.1	0.0	
子宮頸部		C53	17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.1	3.1	4.8	2.6	2.8	12.2	0.0	18.1	0.0	
子宮体部		C54	20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	3.1	12.1	2.6	8.4	9.2	7.1	9.0	0.0	
卵巣		C56	39	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	0.0	6.2	9.4	12.5	14.5	12.9	14.0	12.2	10.6	15.1	0.0	
膀胱		C67	20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	2.8	9.2	17.8	27.1	0.0	
腎・尿路（膀胱除く）		C64-C66 C68	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.4	0.0	8.4	9.2	38.8	18.1	0.0	
脳・中枢神経系		C70-C72	11	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	5.2	2.8	0.0	10.6	6.0	0.0	
甲状腺		C73	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	0.0	0.0	2.8	0.0	10.6	12.0	0.0	
悪性リンパ腫		C81-C85 C96	54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	3.1	3.1	0.0	7.2	12.9	11.2	15.3	45.9	63.2	0.0	
多発性骨髄腫		C88-C90	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	5.6	6.1	10.6	8.0	0.0	
白血病		C91-C95	33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	9.7	7.8	22.3	15.3	17.6	21.1	0.0	
総数		全部位	C00-C97	3,451	0.0	2.6	0.0	4.6	2.6	6.9	14.7	15.0	28.4	55.9	105.7	204.6	323.6	425.6	697.6	1,095.0	1,464.0	1,854.2	0.0
		口腔・咽頭	C00-C14	75	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	3.3	1.6	8.0	13.8	10.9	21.3	17.6	19.5	30.4	0.0
		食道	C15	91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	8.0	11.3	15.1	30.4	26.4	28.1	34.7	0.0
		胃	C16	488	0.0	0.0	0.0	2.3	0.0	4.2	1.7	4.5	8.2	19.7	19.2	43.9	71.2	85.1	145.9	209.8	280.1	0.0	0.0
	大腸（結腸・直腸）	C18-C20	442	0.0	0.0	0.0	0.0	0.0	6.3	1.7	1.5	3.3	16.4	22.4	51.4	57.5	76.0	138.8	168.7	262.7	0.0	0.0	
	結腸	C18	309	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	1.6	11.5	14.4	28.8	37.0	57.8	89.6	116.8	212.8	0.0	0.0	
	直腸	C19-C20	133	0.0	0.0	0.0	0.0	0.0	4.2	1.7	1.5	1.6	4.9	8.0	22.6	20.5	18.2	49.2	51.9	49.9	0.0	0.0	
	肝および肝内胆管	C22	309	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	6.6	17.6	18.8	28.7	60.8	144.1	164.4	125.9	0.0	
	胆のう・胆管	C23-C24	154	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.5	0.0	1.6	11.2	13.8	13.7	30.4	42.2				

付表1. がん罹患数及び罹患率 : 詳細部位別、性別

和歌山県

2013年

部位	ICD-10	罹患数			罹患割合 (%)			粗罹患率 (人口10万対)			年齢調整罹患率(人口10万対)								
		男	女	総数	男	女	総数	男	女	総数	日本人口		世界人口		累積罹患率(0-74歳) (人口100万対)				
											男	女	総数	男	女	総数	男	女	総数
全部位	C00-C96	4,653	3,954	8,607	100.0	100.0	100.0	1,014.2	647.1	619.5	476.1	317.4	384.3	334.7	236.7	278.3	39.5	26.4	32.5
口唇	C00	3	1	4	0.1	0.0	0.0	0.7	0.2	0.4	0.5	0.0	0.3	0.5	0.0	0.3	0.1	0.0	0.0
舌根<舌癌>部	C01	8	1	9	0.2	0.0	0.1	1.7	0.2	0.9	1.0	0.0	0.5	0.7	0.0	0.4	0.1	0.0	0.0
その他および部位不明の舌	C02	25	19	44	0.5	0.6	0.5	5.4	3.7	4.5	3.1	1.9	2.4	2.3	1.4	1.8	0.3	0.1	0.2
歯肉	C03	10	17	27	0.2	0.5	0.3	2.2	3.3	2.8	1.2	0.8	1.0	0.9	0.5	0.7	0.1	0.0	0.1
口腔底	C04	8	0	8	0.2	0.0	0.1	1.7	0.0	0.8	0.8	0.0	0.4	0.6	0.0	0.3	0.1	0.0	0.0
口蓋	C05	6	0	6	0.1	0.0	0.1	1.3	0.0	0.6	0.6	0.0	0.3	0.4	0.0	0.2	0.1	0.0	0.0
その他および部位不明の口腔	C06	1	8	9	0.0	0.2	0.1	0.2	1.5	0.9	0.1	0.7	0.4	0.0	0.5	0.3	0.0	0.0	0.0
舌下腺	C07	9	5	14	0.2	0.1	0.2	2.0	1.0	1.4	1.7	1.0	1.3	1.4	1.0	1.2	0.1	0.1	0.1
その他および部位不明の大唾液腺	C08	1	3	4	0.0	0.1	0.0	0.2	0.6	0.4	0.1	0.6	0.3	0.0	0.4	0.2	0.0	0.0	0.0
扁桃	C09	10	2	12	0.2	0.1	0.1	2.2	0.4	1.2	1.4	0.1	0.7	1.0	0.1	0.5	0.1	0.0	0.1
中咽頭	C10	11	2	13	0.2	0.1	0.2	2.4	0.4	1.3	1.1	0.2	0.6	0.7	0.1	0.4	0.1	0.0	0.1
鼻<上>咽頭	C11	5	3	8	0.1	0.1	0.1	1.1	0.6	0.8	0.7	0.5	0.6	0.5	0.4	0.4	0.1	0.0	0.1
梨状陥凹<洞>	C12	11	1	12	0.2	0.0	0.1	2.4	0.2	1.2	1.4	0.2	0.7	1.0	0.2	0.5	0.1	0.0	0.1
下咽頭	C13	15	2	17	0.3	0.1	0.2	3.3	0.4	1.7	1.8	0.1	0.9	1.3	0.1	0.6	0.1	0.0	0.1
その他および部位不明の口腔、口腔および咽頭	C14	2	2	4	0.0	0.1	0.0	0.4	0.4	0.4	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
食道	C15	184	37	221	3.5	1.1	2.5	35.7	7.1	20.6	17.7	3.0	9.7	12.5	2.1	6.9	1.6	0.3	0.9
胃	C16	923	432	1,355	19.8	12.9	16.9	201.2	83.4	138.7	83.5	31.4	59.4	65.8	22.1	42.0	8.2	2.6	5.3
小腸	C17	24	11	35	0.5	0.3	0.4	5.2	2.1	3.6	3.1	0.7	1.8	2.4	0.5	1.4	0.3	0.1	0.2
結腸	C18	440	404	844	9.5	12.0	10.5	95.9	77.9	86.4	44.6	30.6	36.7	30.8	21.5	25.7	3.5	2.5	3.0
直腸S状結腸移行部	C19	49	38	87	1.1	1.1	1.1	10.7	7.3	8.9	5.7	3.5	4.5	4.3	2.6	3.4	0.6	0.4	0.5
直腸	C20	195	118	313	4.2	3.5	3.9	42.5	22.8	32.0	22.2	10.5	15.8	16.0	7.7	11.6	1.9	0.9	1.4
肛門および肛門管	C21	5	4	9	0.1	0.1	0.1	1.1	0.9	0.9	0.6	0.2	0.4	0.4	0.2	0.3	0.0	0.0	0.0
肝および肝内胆管	C22	317	166	483	6.8	4.9	6.0	69.1	32.0	49.4	32.2	10.4	20.3	22.3	6.9	14.0	2.6	0.8	1.6
胆のう	C23	17	39	56	0.4	1.2	0.7	3.7	7.5	5.7	1.7	2.4	2.1	1.2	1.6	1.4	0.1	0.2	0.2
その他および部位不明の胆道	C24	55	47	102	1.2	1.4	1.3	12.0	9.1	10.4	5.3	2.7	3.8	3.6	1.8	2.6	0.4	0.2	0.3
膵臓	C25	152	161	313	3.3	4.8	3.9	33.1	31.1	32.0	15.0	12.5	13.5	10.5	9.0	9.6	1.2	1.1	1.1
その他および部位不明の消化器	C26	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
鼻腔および中耳	C30	0	2	2	0.0	0.1	0.0	0.0	0.4	0.2	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0
副鼻腔	C31	7	3	10	0.2	0.1	0.1	1.5	0.6	1.0	0.8	0.2	0.5	0.6	0.1	0.3	0.1	0.0	0.0
喉頭	C32	26	3	29	0.6	0.1	0.4	5.7	0.6	3.0	2.5	0.1	1.2	1.8	0.1	0.8	0.2	0.0	0.1
気管	C33	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
気管支および肺	C34	743	357	1,100	16.0	10.6	13.7	162.0	68.9	112.6	70.7	26.6	45.8	48.6	19.1	32.1	5.9	2.3	4.0
胸腺	C37	5	7	12	0.1	0.2	0.1	1.1	1.4	1.2	0.9	0.9	0.9	0.7	0.7	0.7	0.1	0.1	0.1
心臓、縦隔および胸膜	C38	4	2	6	0.1	0.1	0.1	0.9	0.4	0.6	0.4	0.1	0.2	0.3	0.0	0.2	0.0	0.0	0.0
その他および部位不明の呼吸器および胸膜内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 腕の骨および関節軟骨	C40	2	1	3	0.0	0.0	0.0	0.4	0.2	0.3	0.4	0.2	0.3	0.5	0.1	0.3	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	4	5	9	0.1	0.1	0.1	0.9	1.0	0.9	0.3	0.7	0.5	0.2	0.6	0.4	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	6	8	14	0.1	0.2	0.2	1.3	1.5	1.4	0.5	1.1	0.8	0.4	0.8	0.6	0.0	0.1	0.1
皮膚のその他	C44	95	62	157	2.0	1.8	2.0	23.7	12.0	16.1	8.3	4.2	5.9	5.4	3.0	4.0	0.6	0.3	0.5
中皮腫	C45	0	3	3	0.0	0.1	0.1	2.0	0.6	1.2	0.9	0.2	0.5	0.6	0.1	0.4	0.1	0.0	0.0
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	4	8	12	0.1	0.2	0.1	0.9	1.5	1.2	0.6	0.8	0.7	0.5	0.6	0.6	0.1	0.1	0.1
その他の結合組織および軟部組織	C49	19	17	36	0.4	0.5	0.4	4.1	3.3	3.7	2.5	1.9	2.2	1.9	1.5	1.6	0.2	0.2	0.2
乳房	C50	6	580	586	0.1	16.7	7.1	1.3	108.0	57.9	6.6	74.8	39.7	0.5	57.8	30.6	0.1	6.4	3.4
外陰	C51	-	8	-	-	0.2	-	-	1.5	-	-	0.6	-	-	0.4	-	-	0.1	-
陰	C52	-	4	-	-	0.1	-	-	0.8	-	-	0.5	-	-	0.4	-	-	0.0	-
子宮頸部	C53	-	100	-	-	3.0	-	-	19.3	-	-	17.4	-	-	14.0	-	-	1.3	-
子宮体部	C54	-	101	-	-	3.0	-	-	19.5	-	-	14.7	-	-	11.3	-	-	1.2	-
子宮部位不明	C55	-	10	-	-	0.3	-	-	1.9	-	-	0.6	-	-	0.4	-	-	0.0	-
卵巣	C56	-	94	-	-	2.8	-	-	18.1	-	-	13.3	-	-	10.3	-	-	1.1	-
その他および部位不明の女性性器	C57	-	3	-	-	0.1	-	-	0.6	-	-	0.5	-	-	0.4	-	-	0.0	-
陰茎	C58	-	1	-	-	0.0	-	-	0.2	-	-	0.3	-	-	0.4	-	-	0.0	-
陰茎	C60	3	-	-	-	0.1	-	-	0.7	-	-	0.2	-	-	0.1	-	-	0.0	-
前立腺	C61	623	-	-	13.4	-	-	135.8	-	-	56.2	-	-	36.9	-	-	4.5	-	-
精巣	C62	18	-	-	0.4	-	-	3.9	-	-	4.8	-	-	4.1	-	-	0.3	-	-
その他および部位不明の男性性器	C63	4	-	-	0.1	-	-	0.9	-	-	0.4	-	-	0.3	-	-	0.0	-	-
腎盂を除く腎	C64	106	45	151	2.3	1.3	1.9	23.1	8.7	15.5	13.9	3.2	8.3	10.5	2.2	6.1	1.2	0.2	0.7
腎盂	C65	19	10	29	0.4	0.3	0.4	4.1	1.9	3.0	1.6	0.4	0.9	1.1	0.3	0.6	0.1	0.0	0.1
尿管	C66	20	14	34	0.4	0.4	0.4	4.4	2.7	3.5	1.8	0.9	1.3	1.2	0.6	0.9	0.1	0.1	0.1
膀胱	C67	155	42	197	3.3	1.3	2.5	33.8	8.1	20.2	13.6	2.5	7.3	9.1	1.7	4.9	1.0	0.2	0.5
その他および部位不明の泌尿器	C68	2	3	5	0.0	0.1	0.1	0.4	0.6	0.5	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0
眼および付属器	C69	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
聴覚	C70	2	0	2	0.0	0.0	0.0	0.4	0.0	0.2	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
脳	C71	17	31	48	0.4	0.9	0.6	3.7	6.0	4.9	1.9	4.5	3.2	1.3	4.9	2.6	0.1	0.3	0.2
青斑、脳神経および中枢神経系のその他の部位	C72	2	2	4	0.0	0.1													

付表1. がん罹患数及び罹患率 : 詳細部位別、性別

和歌山県

2013年

部位	ICD-10	罹患数		罹患割合(%)			粗罹患率 (人口10万対)			年齢調整罹患率(人口10万対)						累積罹患率(0-74歳) (人口100万対)			
		男	女	総数	男	女	総数	日本人口			世界人口			男	女	総数			
								男	女	総数	男	女	総数						
<b>上皮内がん</b>																			
全部位	D00-D09	345	376	721	7.4	11.2	9.0	75.2	72.5	73.8	36.9	65.8	50.7	26.3	53.2	39.4	3.5	4.9	4.1
口腔、食道および胃	D00	13	5	18	0.3	0.1	0.2	2.9	1.0	1.8	1.5	0.4	0.9	1.0	0.3	0.6	0.1	0.1	0.1
食道	D001	11	4	15	0.2	0.1	0.2	2.4	0.8	1.5	1.1	0.3	0.7	0.7	0.2	0.5	0.1	0.0	0.1
その他および部位不明の消化器	D01	186	97	283	4.0	2.9	3.5	40.5	18.7	29.0	21.9	9.4	15.1	16.1	6.8	11.1	2.0	0.8	1.4
結腸	D010	126	66	194	2.8	2.0	2.4	27.9	12.7	19.9	15.4	6.5	10.6	11.2	4.7	7.7	1.4	0.6	0.9
直腸S状結腸移行部	D011	10	3	13	0.2	0.1	0.2	2.2	0.6	1.3	1.0	0.4	0.7	0.8	0.3	0.5	0.1	0.0	0.1
直腸	D012	42	21	63	0.9	0.6	0.8	9.2	4.1	6.4	4.9	2.0	3.3	3.7	1.5	2.5	0.4	0.2	0.3
中耳および呼吸器系	D02	11	7	18	0.2	0.2	0.2	2.4	1.4	1.8	1.4	0.7	1.1	1.1	0.6	0.8	0.2	0.1	0.1
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	5	6	11	0.1	0.2	0.1	1.1	1.2	1.1	0.8	0.6	0.7	0.6	0.5	0.6	0.1	0.1	0.1
上皮内黒色腫	D03	2	4	6	0.0	0.1	0.1	0.4	0.8	0.6	0.2	0.4	0.3	0.2	0.3	0.2	0.0	0.0	0.0
皮膚のその他	D04	14	17	31	0.3	0.5	0.4	3.1	3.3	3.2	1.1	1.0	1.0	0.7	0.7	0.7	0.1	0.1	0.1
乳房	D05	0	62	62	0.0	1.8	0.8	0.0	12.0	6.3	0.0	11.1	5.8	0.0	8.7	4.5	0.0	0.9	0.5
子宮頸部	D06	-	160	160	-	4.8	2.0	-	30.9	16.4	-	40.7	20.7	-	34.4	17.5	-	2.7	1.4
その他および部位不明の性器	D07	1	2	3	0.0	0.1	0.0	0.2	0.4	0.3	0.1	0.4	0.2	0.0	0.3	0.2	0.0	0.0	0.0
その他および部位不明	D09	118	22	140	2.5	0.7	1.7	25.7	4.2	14.3	10.8	1.7	5.6	7.3	1.2	3.8	0.9	0.1	0.5
膀胱	D09D	112	20	132	2.4	0.6	1.6	24.4	3.9	13.5	10.1	1.6	5.3	6.8	1.1	3.6	0.9	0.1	0.5
<b>良性腫瘍</b>																			
膵臓	D32	16	56	72	0.3	1.7	0.9	3.5	10.8	7.4	2.0	6.3	4.3	1.6	4.9	3.4	0.1	0.6	0.4
脳および中枢神経系	D33	5	17	22	0.1	0.5	0.3	1.1	3.3	2.3	0.7	1.6	1.2	0.5	1.4	1.0	0.1	0.2	0.1
下垂体、頭蓋咽頭管、松果体	D352-D354	8	15	23	0.2	0.4	0.3	1.7	2.9	2.4	1.2	3.1	2.1	0.9	2.6	1.8	0.1	0.2	0.2
<b>性状不詳または不明の腫瘍</b>																			
膵臓	D42	2	0	2	0.0	0.0	0.0	0.4	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
脳および中枢神経系	D43	14	8	22	0.3	0.2	0.3	3.1	1.5	2.3	1.6	0.7	1.1	1.1	0.6	0.8	0.1	0.1	0.1
下垂体、頭蓋咽頭管、松果体	D443-D445	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	4	2	6	0.1	0.1	0.1	0.9	0.4	0.6	0.4	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0
骨髄異形成症候群	D46	41	27	68	0.9	0.8	0.8	8.9	5.2	7.0	4.0	1.5	2.6	2.8	1.2	1.9	0.2	0.1	0.2
慢性骨髄性白血病	D47	2	2	4	0.0	0.1	0.0	0.4	0.4	0.4	0.2	0.2	0.2	0.1	0.2	0.1	0.0	0.0	0.0

付表2. がん死亡数及び死亡率 : 詳細部位別、性別

和歌山県

2013年

部位	ICD-10	死亡数			死亡割合(%)			粗死亡率(人口10万対)			年齢調整死亡率(人口10万対)						異時死亡率(0-74歳)(人口100万対)		
		男	女	総数	男	女	総数	日本人			世界人口			男	女	総数			
								男	女	総数	男	女	総数						
全部位	C00-C97	2,031	1,420	3,451	100.0	100.0	100.0	444.5	275.5	355.0	183.9	90.7	130.1	123.8	63.2	89.0	12.8	6.5	9.4
口唇	C00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	C01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の舌	C02	11	7	18	0.5	0.5	0.5	2.4	1.4	1.9	1.2	0.6	0.9	1.0	0.6	0.8	0.1	0.0	0.1
嚙肉	C03	7	7	14	0.3	0.5	0.4	1.5	1.4	1.4	0.6	0.3	0.4	0.4	0.2	0.3	0.1	0.0	0.0
口腔癌	C04	1	1	2	0.0	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
口蓋	C05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	C06	1	3	4	0.0	0.2	0.1	0.2	0.6	0.4	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0
耳下腺	C07	3	0	3	0.1	0.0	0.1	0.7	0.0	0.3	0.4	0.0	0.2	0.3	0.0	0.2	0.0	0.0	0.0
その他および部位不明の唾液腺	C08	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
扁桃	C09	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
中咽頭	C10	8	2	10	0.4	0.1	0.3	1.8	0.4	1.0	0.8	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
鼻<上>咽頭	C11	5	1	6	0.2	0.1	0.2	1.1	0.2	0.6	0.6	0.2	0.4	0.4	0.2	0.3	0.0	0.0	0.0
梨状陥凹<洞>	C12	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
下咽頭	C13	12	0	12	0.6	0.0	0.3	2.6	0.0	1.2	1.1	0.0	0.5	0.7	0.0	0.3	0.1	0.0	0.0
その他および部位不明の口腔、口腔および咽頭	C14	3	0	3	0.1	0.0	0.1	0.7	0.0	0.3	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
食道	C15	73	18	91	3.6	1.3	2.6	16.0	3.5	9.4	7.0	1.0	3.7	4.8	0.7	2.6	0.6	0.1	0.3
胃	C16	320	168	488	15.8	11.8	14.1	70.0	32.6	50.2	29.7	9.5	18.2	20.3	6.5	12.6	2.1	0.6	1.3
小腸	C17	7	4	11	0.3	0.3	0.3	1.5	0.8	1.1	0.6	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0
結腸	C18	140	169	309	6.9	11.9	9.0	30.6	32.8	31.8	12.2	9.7	10.7	8.2	6.7	7.3	0.9	0.7	0.8
直腸S状結腸移行部	C19	3	2	5	0.1	0.1	0.1	0.7	0.4	0.5	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0
直腸	C20	79	49	128	3.9	3.5	3.7	17.3	9.5	13.2	8.0	3.6	5.5	5.5	2.5	3.9	0.5	0.3	0.4
肛門および肛門管	C21	0	4	4	0.0	0.3	0.1	0.0	0.8	0.4	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
肝および肝内胆管	C22	182	117	309	9.5	8.2	9.0	42.0	22.7	31.6	17.2	6.0	11.0	11.0	3.6	6.9	1.1	0.3	0.7
胆のう	C23	19	32	51	0.9	2.3	1.5	4.2	6.2	5.2	1.9	1.7	1.9	1.4	1.1	1.2	0.1	0.1	0.1
その他および部位不明の胆道	C24	48	55	103	2.4	3.9	3.0	10.5	10.7	10.6	4.5	2.6	3.5	3.1	1.6	2.3	0.3	0.1	0.2
膵臓	C25	152	143	295	7.5	10.1	8.5	33.3	27.7	30.3	14.6	10.1	12.0	10.1	7.1	8.3	1.1	0.8	1.0
その他および部位不明の消化器	C26	7	4	11	0.3	0.3	0.3	1.5	0.8	1.1	0.6	0.2	0.4	0.4	0.1	0.2	0.0	0.0	0.0
鼻腔および中耳	C30	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
副鼻腔	C31	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
喉頭	C32	6	1	7	0.3	0.1	0.2	1.3	0.2	0.7	0.4	0.1	0.2	0.3	0.1	0.1	0.0	0.0	0.0
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	544	211	755	26.8	14.9	21.9	119.1	40.9	77.7	46.6	12.1	26.6	30.4	8.2	17.6	3.1	0.9	1.9
肺臓	C37	3	1	4	0.1	0.1	0.1	0.7	0.2	0.4	0.6	0.2	0.4	0.4	0.2	0.3	0.1	0.0	0.0
心臓、縦隔および胸膜	C38	0	2	2	0.0	0.1	0.1	0.0	0.4	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸膜内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 眼の青および眼瞼軟膏	C40	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の青および眼瞼軟膏	C41	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	2	7	9	0.1	0.5	0.3	0.4	1.4	0.9	0.2	0.5	0.4	0.1	0.3	0.2	0.0	0.0	0.0
皮膚のその他	C44	3	4	7	0.1	0.3	0.2	0.7	0.8	0.7	0.2	0.3	0.2	0.1	0.2	0.1	0.0	0.0	0.0
中皮腫	C45	7	4	11	0.3	0.3	0.3	1.5	0.8	1.1	0.7	0.2	0.4	0.5	0.1	0.3	0.1	0.0	0.0
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	1	2	3	0.0	0.1	0.1	0.2	0.4	0.3	0.4	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0
後頭頸および頸膜	C48	3	3	6	0.1	0.2	0.2	0.7	0.6	0.6	0.3	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
その他の結合組織および軟部組織	C49	5	5	10	0.2	0.4	0.3	1.1	1.0	1.0	0.4	0.3	0.3	0.3	0.2	0.2	0.0	0.0	0.0
乳癌	C50	3	97	100	0.1	6.8	2.9	0.7	18.8	10.3	0.2	10.0	5.4	0.1	7.5	4.0	0.0	0.9	0.5
外陰	C51	0	2	2	0.0	0.1	0.1	0.0	0.4	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
陰	C52	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	C53	0	17	17	0.0	1.2	0.5	0.0	3.3	1.7	0.0	1.4	0.7	0.0	1.0	0.5	0.0	0.1	0.1
子宮体部	C54	0	20	20	0.0	1.4	0.6	0.0	3.9	2.1	0.0	1.8	1.0	0.0	1.3	0.7	0.0	0.2	0.1
子宮部位不明	C55	0	10	10	0.0	0.7	0.3	0.0	1.9	1.0	0.0	1.0	0.5	0.0	0.7	0.4	0.0	0.1	0.0
卵巣	C56	0	39	39	0.0	2.7	1.1	0.0	7.6	4.0	0.0	4.4	2.3	0.0	3.3	1.8	0.0	0.4	0.2
その他および部位不明の女性性器	C57	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰茎	C58	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
陰嚢	C59	2	0	2	0.1	0.0	0.1	0.4	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
前立腺	C61	103	0	103	5.1	0.0	3.0	22.5	0.0	10.6	7.5	0.0	3.0	4.8	0.0	1.9	0.3	0.0	0.1
精巣	C62	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の男性性器	C63	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
腎臓を除く腎	C64	26	9	35	1.3	0.6	1.0	5.7	1.7	3.6	2.5	0.6	1.4	1.8	0.4	1.0	0.2	0.0	0.1
腎臓	C65	10	6	16	0.5	0.4	0.5	2.2	1.2	1.6	0.9	0.2	0.5	0.5	0.1	0.3	0.1	0.0	0.0
尿管	C66	8	7	15	0.4	0.5	0.4	1.8	1.4	1.5	0.6	0.4	0.5	0.3	0.2	0.3	0.0	0.0	0.0
膀胱	C67	46	20	66	2.3	1.4	1.9	10.1	3.9	6.9	3.8	0.8	2.0	2.4	0.5	1.3	0.2	0.0	0.1
その他および部位不明の泌尿器	C68	1	3	4	0.0	0.2	0.1	0.2	0.6	0.4	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
頰および付属腺	C69	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
唾液腺	C70	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0		

付表2. がん死亡数及び死亡率 : 詳細部位別、性別

和歌山県

2013年

部位	ICD-10	死亡数		死亡割合(%)			粗死亡率 (人口10万対)			年齢調整死亡率(人口10万対)						累積死亡率(0-74歳) (人口100万対)			
		男	女	総数	男	女	総数	男	女	総数	日本人口			世界人口			男	女	総数
											男	女	総数	男	女	総数			
良性腫瘍																			
膵臓	D32	1	5	6	0.0	0.4	0.2	0.2	1.0	0.6	0.1	0.4	0.3	0.0	0.3	0.2	0.0	0.0	0.0
脳および中枢神経系	D33	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の内分泌腺	D35	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性新生物																			
膵臓	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	10	11	21	0.5	0.8	0.6	2.2	2.1	2.2	1.0	0.4	0.7	0.7	0.3	0.5	0.1	0.0	0.1
内分泌腺	D44	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.3	0.1	0.0	0.2	0.1	0.0	0.0	0.0
真性赤血球増多症	D45	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	25	20	45	1.2	1.4	1.3	5.5	3.9	4.6	1.9	1.1	1.4	1.3	0.7	0.9	0.1	0.1	0.1
リンパ結核、造血組織および関連結核	D47	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0



付表3. 受療割合詳細 (%) : 部位別

A. 上皮内がんを除く

和歌山県 2013年

部位	ICD-10	集計対象数 *1	手術のみ	内視鏡のみ	手術+内視鏡	放射線のみ	放射線のみ+薬物療法のみ	放射線+薬物	薬物+その他	手術/内視鏡+放射線	手術/内視鏡+薬物	手術/内視鏡+放射線+薬物	手術/内視鏡+放射線+その他	手術/内視鏡+放射線+その他+その他	治療なし
全部位	C00-C96	7,424	26.4	9.0	0.9	2.2	12.0	3.6	1.8	0.8	14.1	1.8	3.3	3.7	28.0
口腔・咽頭	C00-C14	180	22.2	0.6	0.0	2.8	4.4	12.2	0.6	4.4	20.0	1.7	10.0	40.0	25.6
食道	C15	189	10.1	18.5	1.1	8.5	10.1	14.3	0.0	1.1	13.2	0.5	6.3	39.2	16.9
胃	C16	1,279	28.7	33.7	1.9	0.1	7.3	0.2	0.1	0.0	11.3	1.2	0.3	6.8	19.9
大腸(結腸・直腸)	C18-C20	1,170	47.7	9.6	2.5	0.1	2.9	0.2	0.3	0.2	19.1	2.1	1.9	6.7	18.7
結腸	C18	783	52.0	8.9	2.8	0.0	2.7	0.1	0.1	0.0	19.2	1.8	0.0	9.6	19.4
直腸	C19-C20	387	39.0	10.9	1.8	0.3	3.4	0.3	0.5	0.5	19.1	2.8	5.7	19.1	17.3
肝および肝内胆管	C22	411	8.8	1.0	0.5	1.7	3.9	0.2	18.2	0.0	5.1	1.0	0.0	42.1	48.4
胆のう・胆管	C23-C24	144	19.4	9.7	2.1	0.7	4.9	0.0	4.9	0.0	16.0	2.8	1.4	63.2	31.9
膵臓	C25	283	8.5	3.5	0.4	0.0	23.7	3.2	4.2	0.0	17.7	1.4	0.4	32.2	38.5
喉頭	C32	29	24.1	0.0	0.0	17.2	0.0	17.2	0.0	0.0	3.4	3.4	6.9	248.3	20.7
肺	C33-C34	980	17.2	0.0	0.0	5.3	17.2	9.8	1.5	0.6	11.2	0.6	1.6	8.7	44.7
皮膚	C43-C44	167	72.5	0.0	0.0	0.6	0.6	0.6	0.0	0.0	1.8	3.6	0.0	43.1	21.6
乳房	C50	542	16.2	0.0	0.0	0.4	4.6	0.6	0.2	2.6	35.6	0.2	23.8	13.1	19.4
乳房(女性のみ)	C50	536	16.0	0.0	0.0	0.4	4.7	0.6	0.2	2.6	35.6	0.2	23.7	13.2	19.6
子宮	C53-C55	203	36.5	0.5	0.5	4.4	3.0	7.4	0.0	3.0	20.2	0.5	5.9	36.0	21.2
子宮頸部	C53	99	27.3	0.0	0.0	7.1	2.0	15.2	0.0	6.1	9.1	1.0	11.1	73.7	20.2
子宮体部	C54	100	46.0	1.0	1.0	2.0	4.0	0.0	0.0	0.0	32.0	0.0	1.0	71.0	14.0
卵巣	C56	86	11.6	0.0	0.0	0.0	2.3	0.0	0.0	0.0	68.6	0.0	2.3	82.6	23.3
前立腺	C61	590	24.4	0.7	0.2	8.6	32.9	10.8	0.3	0.5	3.7	1.5	0.0	12.5	21.2
膀胱	C67	183	6.6	25.1	0.5	0.5	7.1	0.0	0.0	1.6	15.8	23.0	1.6	39.3	20.8
腎・尿路(膀胱除く)	C64-C66 C68	207	58.5	1.4	0.5	0.0	3.9	2.4	0.0	0.0	9.7	1.9	1.0	36.2	24.2
脳・中枢神経系	C70-C72	51	17.6	0.0	2.0	2.0	3.9	0.0	0.0	0.0	19.6	0.0	31.4	139.2	29.4
甲状腺	C73	117	49.6	0.0	0.0	0.0	0.9	0.0	0.9	6.0	10.3	4.3	0.0	60.7	32.5
悪性リンパ腫	C81-C85 C96	230	2.6	0.0	0.0	3.5	53.0	3.9	2.2	0.0	1.3	0.0	0.4	32.6	37.8
多発性骨髄腫	C88-C90	43	0.0	0.0	0.0	2.3	60.5	0.0	7.0	0.0	0.0	0.0	0.0	167.4	46.5
白血病	C91-C95	110	0.9	0.0	0.0	0.0	55.5	0.0	5.5	0.0	0.0	0.0	0.0	67.3	44.5

\*1 DC0を除く総数

付表3. 受療割合詳細 (%) : 部位別

B. 上皮内がんを含む

和歌山県 2013年

部位	ICD-10	集計対象数 *1	手術のみ	放射線のみ	放射線のみ + 薬物療法のみ	放射線 + 薬物	薬物 + その他	手術/内視鏡 + 放射線	手術/内視鏡 + 薬物	手術/内視鏡 + その他	手術/内視鏡 + 放射線 + その他	手術/内視鏡 + 放射線 + その他	他の組合せ	治療なし	
全部位	C00-C96 D00-D09	8,145	27.0	12.1	0.9	2.1	11.0	3.3	1.7	0.9	13.4	2.0	3.1	3.6	25.9
食道	C15 D001	204	9.3	23.5	1.0	7.8	9.3	13.2	0.0	1.0	12.3	0.5	5.9	36.3	16.7
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,440	40.1	24.0	2.4	0.1	2.4	0.1	0.2	0.2	15.6	1.9	1.6	5.4	15.6
結腸 *2	C18 D010	977	43.1	24.6	2.5	0.0	2.1	0.1	0.1	0.1	15.4	1.6	0.1	7.7	16.0
直腸 *2	C19-C20 D011-D012	463	33.9	22.9	2.4	0.2	2.8	0.2	0.4	0.4	16.0	2.4	4.8	16.0	14.9
肺	C33-C34 D021-D022	991	18.1	0.0	0.0	5.2	17.1	9.7	1.5	0.6	11.1	0.6	1.6	8.6	44.3
皮膚	C43-C44 D030-D049	204	75.0	0.0	0.0	0.5	0.5	0.5	0.0	0.0	1.5	2.9	0.0	36.3	19.1
乳房	C50 D05	604	18.5	0.0	0.0	0.5	4.1	0.5	0.2	4.5	34.1	0.2	22.5	11.8	18.0
乳房 (女性のみ)	C50 D05	598	18.4	0.0	0.0	0.5	4.2	0.5	0.2	4.5	34.1	0.2	22.4	11.9	18.2
子宮	C53-C55 D06	363	57.9	1.1	0.3	2.5	1.7	4.1	0.0	1.7	11.3	0.6	3.3	22.6	14.6
子宮頸部	C53 D06	259	62.9	1.2	0.0	2.7	0.8	5.8	0.0	2.3	3.5	0.8	4.2	31.7	11.6
膀胱	C67 D090	315	4.8	32.7	0.3	0.3	4.1	0.0	0.0	1.0	19.0	22.5	1.3	23.8	13.3

\*1 DC0を除く総数

\*2 粘膜がんを含む

付表4. 医療圏別、保健所別罹患数 : 部位別、性別

A. 上皮内がんを除く

和歌山県 2013年

医療圏/保健所	全部位 C00-C96		胃 C16		大腸(結腸・直腸) C18-C20		結腸 C18		直腸 C19-C20		肝および肝内胆管 C22		肺 C33-C34		乳房 C50		子宮 C53-C55		子宮頸部 C53		子宮体部 C54		前立腺 C61			
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女		
和歌山県	4,653	3,354	9,007	923	432	1,395	684	569	1,244	440	404	844	244	156	400	317	166	463	744	357	1,101	6	560	211	101	623
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山	2,105	1,470	3,575	419	183	602	315	240	555	206	177	383	109	63	172	139	72	211	352	155	508	2	268	90	44	264
那賀	488	379	867	110	53	163	59	114	38	37	75	21	18	39	37	19	56	80	41	121	0	58	24	11	11	56
橋本	420	300	720	85	43	128	48	44	92	40	32	72	8	12	20	34	10	44	65	24	89	0	49	31	16	68
有田	367	255	622	63	36	99	69	32	101	41	27	68	28	5	33	26	18	44	52	28	80	1	43	14	8	39
柳井	283	244	527	61	37	98	28	40	68	14	31	45	14	9	23	25	11	36	50	24	74	0	41	6	3	41
田辺	628	451	1,079	120	47	167	96	94	190	58	60	118	33	34	72	35	17	52	94	53	147	2	66	35	16	91
新宮	382	255	637	65	33	98	69	55	124	43	40	83	26	15	41	21	19	40	51	31	82	1	35	11	2	66
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,738	1,239	2,977	342	145	487	260	201	461	173	151	324	87	59	137	115	62	177	290	132	422	2	221	77	37	210
海南	367	231	598	77	38	115	55	39	94	33	26	59	22	13	35	24	10	34	62	24	86	0	47	13	7	54
岩出	488	379	867	110	53	163	59	114	38	37	75	21	18	39	37	19	56	80	41	121	0	58	24	11	12	56
橋本	420	300	720	85	43	128	48	44	92	40	32	72	8	12	20	34	10	44	65	24	89	0	49	31	16	66
湊	367	255	622	63	36	99	69	32	101	41	27	68	28	5	33	26	18	44	52	28	80	1	43	14	8	39
柳井	283	244	527	61	37	98	28	40	68	14	31	45	14	9	23	25	11	36	50	24	74	0	41	6	3	41
田辺	628	451	1,079	120	47	167	96	94	190	58	60	118	33	34	72	35	17	52	94	53	147	2	66	35	16	91
新宮	382	255	637	65	33	98	69	55	124	43	40	83	26	15	41	21	19	40	51	31	82	1	35	11	2	66

付表4. 医療圏別、保健所別罹患数 : 部位別、性別

B. 上皮内がんを含む

和歌山県 2013年

医療圏/保健所	全部位 C00-C06 D00-D09		大腸(結腸・直腸)*1 C18-C20 D010-D012		結腸*1 C18 D010		直腸*1 C19-C20 D011-D012		肺 C33-C34 D021-D022		乳房 C50 D05		子宮 C53-C55 D06		子宮頸部 C53 D06		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
和歌山県	4,998	3,730	8,728	864	650	1,514	568	470	1,038	296	0	0	0	0	0	0	260
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山	2,251	1,647	3,898	374	280	654	248	206	454	126	74	200	355	162	517	2	306
那賀	535	435	970	88	73	161	59	53	112	29	20	49	80	41	121	0	70
橋本	448	330	778	68	49	117	55	36	91	13	13	26	65	24	89	0	50
有田	387	279	666	79	38	117	51	31	82	28	7	35	53	28	81	1	47
御坊	300	266	566	36	44	80	20	34	54	16	10	26	50	24	74	0	45
田辺	693	508	1,201	139	107	246	86	67	153	53	40	93	94	53	147	2	68
新宮	384	265	649	80	59	139	49	43	92	31	16	47	52	31	83	1	36
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,860	1,383	3,253	310	238	548	209	177	386	101	61	162	283	138	431	2	255
海南	391	254	645	64	42	106	39	29	68	25	13	38	62	24	86	0	51
岩出	535	435	970	88	73	161	59	53	112	29	20	49	80	41	121	0	70
橋本	448	330	778	68	49	117	55	36	91	13	13	26	65	24	89	0	50
湯浅	387	279	666	79	38	117	51	31	82	28	7	35	53	28	81	1	47
御坊	300	266	566	36	44	80	20	34	54	16	10	26	50	24	74	0	45
田辺	693	508	1,201	139	107	246	86	67	153	53	40	93	94	53	147	2	68
新宮	384	265	649	80	59	139	49	43	92	31	16	47	52	31	83	1	36
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,860	1,383	3,253	310	238	548	209	177	386	101	61	162	283	138	431	2	255
海南	391	254	645	64	42	106	39	29	68	25	13	38	62	24	86	0	51
岩出	535	435	970	88	73	161	59	53	112	29	20	49	80	41	121	0	70
橋本	448	330	778	68	49	117	55	36	91	13	13	26	65	24	89	0	50
湯浅	387	279	666	79	38	117	51	31	82	28	7	35	53	28	81	1	47
御坊	300	266	566	36	44	80	20	34	54	16	10	26	50	24	74	0	45
田辺	693	508	1,201	139	107	246	86	67	153	53	40	93	94	53	147	2	68
新宮	384	265	649	80	59	139	49	43	92	31	16	47	52	31	83	1	36

\*1 粘膜がんを含む



付表5. 市区町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

和歌山県

2013年

市区町村	全部位 C00-C96		胃 C16		大腸(結腸・直腸) C18-C20		結腸 C18		直腸 C19-C20		肝および肝内胆管 C22		肺 C33-C34		乳房 C50		子宮 C53-C55		子宮頸部 C53		子宮体部 C54		前立腺 C61			
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女		
白浜郡 印旛町	41	23	64	10	4	14	2	4	6	9	3	3	3	2	1	3	4	0	4	8	2	10	0	5	5	3
白浜郡 沖本町	44	41	85	11	5	16	7	12	19	4	8	12	3	4	7	3	1	4	7	3	10	0	5	5	7	
白浜郡 日高町	48	51	99	10	8	18	4	8	3	4	7	1	0	1	1	3	4	11	4	15	0	8	8	8	8	
西牟婁郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
西牟婁郡 白浜町	154	88	242	31	8	39	29	20	49	19	15	34	10	5	15	5	2	7	24	10	34	1	6	7	6	22
西牟婁郡 中辺町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
西牟婁郡 大塔村	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
西牟婁郡 上置田町	52	56	108	8	3	11	4	8	12	3	6	9	1	2	3	6	4	10	9	10	19	0	12	12	5	5
西牟婁郡 白旗川町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
西牟婁郡 寸志町	30	15	45	4	1	5	4	5	9	1	2	3	3	3	3	6	0	0	4	1	5	0	2	2	0	0
西牟婁郡 草本町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡 那智郡洲町	87	53	140	21	4	25	19	10	29	14	7	21	5	3	8	7	7	14	7	8	15	0	8	8	14	14
東牟婁郡 太地町	13	10	23	1	1	2	3	1	4	1	1	2	2	0	2	0	1	1	5	1	6	0	2	2	1	1
東牟婁郡 古座町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡 古座川町	19	9	28	1	2	3	5	1	6	3	0	3	2	1	3	0	0	0	2	2	4	0	1	1	1	5
東牟婁郡 高野川町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡 本吉町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡 北山村	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡 草本町	104	73	177	21	13	34	14	18	32	7	10	17	7	8	15	5	6	11	16	7	23	0	5	5	22	22

付表5. 市区町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

和歌山県 2013年

市区町村	全部位		大腸(結腸・直腸)*1		結腸*1		直腸*1		肺		乳房		子宮頸部						
	男	女	男	女	男	女	男	女	男	女	男	女	男	女					
和歌山県	4,988	3,730	8,728	864	650	1,514	568	470	1,038	296	180	476	363	1,112	6	622	628	371	260
和歌山県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,860	1,393	3,253	310	238	548	209	177	386	101	61	162	293	138	2	255	257	130	89
海南市	332	218	550	50	39	89	31	27	58	19	12	31	50	21	0	47	47	21	14
橿原市	294	231	525	46	34	80	37	23	60	9	11	20	45	17	0	38	38	39	26
有田市	144	97	241	34	14	48	22	11	33	12	3	15	19	8	0	22	22	9	4
御坊市	106	102	208	15	25	40	10	17	27	5	8	13	17	13	0	16	16	7	6
田辺市	387	281	668	76	54	130	45	32	77	31	22	53	50	29	1	41	42	43	31
新宮市	142	113	255	34	25	59	21	22	43	13	3	16	21	13	1	19	20	8	6
紀の川市	331	258	589	50	50	100	34	35	69	16	15	31	52	24	0	32	32	27	17
岩出市	204	177	381	38	23	61	25	18	43	13	5	18	28	17	0	38	38	17	14
海南郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
下津町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
野上町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
美里町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
紀美野町	59	36	95	14	3	17	8	2	10	6	1	7	12	3	15	0	4	5	5
那賀郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
打田町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
粉河町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
那賀町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
那賀町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
那賀町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
那賀町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
貴志川町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
伊都郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
かつらぎ町	100	60	160	16	9	25	13	9	22	3	0	3	12	4	16	0	5	7	4
高野町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
九度山町	30	19	49	3	2	5	3	1	4	0	1	1	6	1	7	0	4	1	1
高野町	24	20	44	3	4	7	2	3	5	1	1	2	2	2	4	0	3	2	0
花園村	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
湯浅町	88	52	140	16	4	20	7	3	10	9	1	10	14	5	19	0	5	5	2
佐川町	38	26	64	7	4	11	6	4	10	1	0	1	2	5	7	0	0	3	3
吉備町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
金屋町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
清水町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
有田川町	117	104	221	22	16	38	16	13	29	6	3	9	18	10	28	1	20	21	9
日高郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
美浜町	33	32	65	6	5	11	2	4	6	4	1	5	3	3	6	0	5	5	1
日高町	42	31	73	2	3	5	2	3	5	0	0	0	4	1	5	0	3	3	2
由良町	24	23	47	4	2	6	0	2	2	4	0	4	7	1	8	0	7	7	1
川辺町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

付表5. 市区町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

和歌山県

2013年

市区町村	全部位 C00-C06 D00-D09		大腸(結腸・直腸)*1 C18-C20 D010-D012		膵臓*1 C18 D010		直腸*1 C19-C20 D011-D012		肺 C33-C34 D021-D022		乳房 C50 D05		子宮 C53-C55 D06		子宮頸部 C53 D06				
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女			
日高郡 中津村	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
日高郡 美山村	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
日高郡 龍神村	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
日高郡 南部川村	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
日高郡 南部町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
日高郡 印南町	43	26	69	4	4	8	2	3	5	2	1	3	8	2	10	0	6	6	2
日高郡 みなべ町	49	46	95	12	12	24	8	8	16	4	4	8	7	3	10	0	5	5	4
日高郡 日高川町	52	52	104	5	5	10	4	5	9	1	0	1	11	4	15	0	8	8	1
西牟婁郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
西牟婁郡 白浜町	167	102	269	38	26	64	25	17	42	13	9	22	24	10	34	1	7	8	11
西牟婁郡 中辺路町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
西牟婁郡 大塔村	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
西牟婁郡 上富田町	56	62	118	6	9	15	5	7	12	1	2	3	9	10	19	0	12	12	9
西牟婁郡 日置川町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
西牟婁郡 すさみ町	34	17	51	7	6	13	3	3	6	4	3	7	4	1	5	0	3	3	0
西牟婁郡 串本町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡 那智勝浦町	95	56	151	22	11	33	15	8	23	7	3	10	7	8	15	0	9	9	2
東牟婁郡 太地町	14	10	24	3	1	4	1	1	2	2	0	2	5	1	6	0	2	2	1
東牟婁郡 古座町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡 古座川町	19	9	28	5	1	6	3	0	3	2	1	3	2	2	4	0	1	1	0
東牟婁郡 熊野川町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡 本宮町	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
東牟婁郡 北山村	3	1	4	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0
東牟婁郡 串本町	111	76	187	16	20	36	9	12	21	7	8	15	17	7	24	0	5	5	2

\*1 粘膜炎を含む