

# 標準集計表

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	4,868	3,409	8,277	100.0	100.0	100.0	1,079.7	669.2	862.0	486.8	319.4	389.7	344.1	239.4	283.5	41.4	26.5	33.4
口腔・咽頭	C00-C14	107	59	166	2.2	1.7	2.0	23.7	11.6	17.3	11.8	5.5	8.3	9.0	4.1	6.3	1.1	0.5	0.8
食道	C15	161	46	207	3.3	1.3	2.5	35.7	9.0	21.6	16.7	4.3	9.9	11.7	3.2	7.1	1.6	0.4	0.9
胃	C16	938	433	1,371	19.3	12.7	16.6	208.1	85.0	142.8	91.2	33.8	59.2	63.9	24.3	42.1	8.0	2.9	5.3
大腸（結腸・直腸）	C18-C20	691	541	1,232	14.2	15.9	14.9	153.3	106.2	128.3	74.6	42.4	57.1	53.4	30.1	40.9	6.5	3.5	4.9
結腸	C18	417	384	801	8.6	11.3	9.7	92.5	75.4	83.4	42.6	28.4	34.8	29.8	20.0	24.5	3.6	2.4	3.0
直腸	C19-C20	274	157	431	5.6	4.6	5.2	60.8	30.8	44.9	32.0	13.9	22.3	23.6	10.1	16.4	2.9	1.1	1.9
肝および肝内胆管	C22	269	170	439	5.5	5.0	5.3	59.7	33.4	45.7	26.0	10.6	17.4	17.6	7.4	11.9	1.9	0.8	1.3
胆のう・胆管	C23-C24	94	95	189	1.9	2.8	2.3	20.8	18.6	19.7	8.1	5.9	6.9	5.5	4.0	4.6	0.7	0.4	0.5
膵臓	C25	180	171	351	3.7	5.0	4.2	39.9	33.6	36.6	17.6	9.8	13.4	12.4	6.6	9.3	1.5	0.7	1.1
喉頭	C32	42	2	44	0.9	0.1	0.5	9.3	0.4	4.6	4.4	0.1	2.0	3.0	0.1	1.4	0.4	0.0	0.2
肺	C33-C34	793	348	1,141	16.3	10.2	13.8	175.9	68.3	118.8	73.6	25.3	46.2	50.2	17.8	32.0	5.9	2.2	4.0
皮膚	C43-C44	91	97	188	1.9	2.8	2.3	20.2	19.0	19.6	7.8	6.4	6.9	5.3	4.7	4.9	0.6	0.5	0.5
乳房	C50	8	652	660	0.2	19.1	8.0	1.8	128.0	68.7	1.0	83.1	44.2	0.8	63.7	33.8	0.1	7.1	3.8
子宮	C53-C55	-	208	208	-	6.1	2.5	-	40.8	-	-	31.7	-	-	25.2	-	-	2.5	-
子宮頸部	C53	-	88	88	-	2.6	1.1	-	17.3	-	-	15.0	-	-	12.2	-	-	1.1	-
子宮体部	C54	-	113	113	-	3.3	1.4	-	22.2	-	-	16.2	-	-	12.6	-	-	1.4	-
卵巣	C56	-	75	75	-	2.2	0.9	-	14.7	-	-	10.9	-	-	8.8	-	-	0.8	-
前立腺	C61	745	-	745	15.3	-	9.0	165.2	-	-	67.4	-	-	45.7	-	-	6.0	-	-
膀胱	C67	166	44	210	3.4	1.3	2.5	36.8	8.6	21.9	15.2	2.1	7.9	10.6	1.3	5.5	1.3	0.2	0.7
腎・尿路（膀胱除く）	C64-C66 C68	147	64	211	3.0	1.9	2.5	32.6	12.6	22.0	17.4	6.0	11.2	13.3	4.8	8.8	1.5	0.5	1.0
脳・中枢神経系	C70-C72	19	12	31	0.4	0.4	0.4	4.2	2.4	3.2	2.9	2.1	2.5	2.4	2.4	2.3	0.3	0.2	0.2
甲状腺	C73	38	96	134	0.8	2.8	1.6	8.4	18.8	14.0	5.9	11.8	9.0	4.5	9.2	7.0	0.6	1.1	0.8
悪性リンパ腫	C81-C85 C96	167	111	278	3.4	3.3	3.4	37.0	21.8	29.0	18.9	10.4	14.2	14.2	7.6	10.7	1.5	0.9	1.2
多発性骨髄腫	C88-C90	28	20	48	0.6	0.6	0.6	6.2	3.9	5.0	2.8	1.4	2.0	1.9	1.1	1.5	0.2	0.1	0.2
白血病	C91-C95	47	47	94	1.0	1.4	1.1	10.4	9.2	9.8	6.6	5.7	6.1	5.5	5.6	5.5	0.5	0.4	0.5

\*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2015年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	5,216	3,783	8,999	100.0	100.0	100.0	1,156.9	742.6	937.1	525.4	379.2	438.4	372.5	286.8	321.2	45.0	31.1	37.4
食道	C15 D001	176	53	229	3.4	1.4	2.5	39.0	10.4	23.8	18.5	5.0	11.1	13.1	3.6	8.0	1.8	0.4	1.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	877	643	1,520	16.8	17.0	16.9	194.5	126.2	158.3	97.3	52.4	73.0	70.6	37.3	52.8	8.7	4.3	6.4
結腸 *2	C18 D010	569	468	1,037	10.9	12.4	11.5	126.2	91.9	108.0	61.0	36.9	47.9	43.7	26.1	34.3	5.4	3.1	4.2
直腸 *2	C19-C20 D011-D012	308	175	483	5.9	4.6	5.4	68.3	34.4	50.3	36.3	15.5	25.1	26.8	11.2	18.5	3.3	1.3	2.2
肺	C33-C34 D021-D022	794	349	1,143	15.2	9.2	12.7	176.1	68.5	119.0	73.7	25.5	46.3	50.2	17.9	32.1	5.9	2.2	4.0
皮膚	C43-C44 D030-D049	105	120	225	2.0	3.2	2.5	23.3	23.6	23.4	8.9	7.6	8.0	6.1	5.4	5.6	0.6	0.6	0.6
乳房	C50 D05	8	724	732	0.2	19.1	8.1	1.8	142.1	76.2	1.0	93.7	49.8	0.8	72.1	38.2	0.1	8.0	4.2
子宮	C53-C55 D06	-	333	333	-	8.8	3.7	-	65.4	-	-	64.6	-	-	52.5	-	-	4.7	-
子宮頸部	C53 D06	-	213	213	-	5.6	2.4	-	41.8	-	-	47.9	-	-	39.6	-	-	3.4	-
膀胱	C67 D090	274	67	341	5.3	1.8	3.8	60.8	13.2	35.5	25.8	4.1	13.7	17.9	2.8	9.6	2.1	0.4	1.2

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	4,868	4	2	2	2	4	7	10	21	40	65	120	236	449	804	949	838	713	427	151	22	2	0
	口腔・咽頭	C00-C14	107	1	0	0	0	0	1	0	0	1	2	2	10	11	17	28	12	10	8	3	0	1	0
	食道	C15	161	0	0	0	0	0	0	0	0	2	0	6	8	18	31	39	35	15	5	2	0	0	0
	胃	C16	938	0	0	0	0	0	0	0	1	4	12	25	36	96	191	168	149	153	75	27	1	0	0
	大腸（結腸・直腸）	C18-C20	691	0	0	0	0	1	1	2	7	9	11	19	55	81	105	131	114	83	52	16	4	0	0
	結腸	C18	417	0	0	0	0	0	0	1	3	3	3	11	28	49	61	79	74	61	31	10	3	0	0
	直腸	C19-C20	274	0	0	0	0	1	1	1	4	6	8	8	27	32	44	52	40	22	21	6	1	0	0
	肝および肝内胆管	C22	269	0	0	0	0	0	0	0	2	3	4	7	16	18	35	38	52	54	27	10	3	0	0
	胆のう・胆管	C23-C24	94	0	0	0	0	0	0	0	0	0	0	1	3	7	16	18	15	16	10	8	0	0	0
	膵臓	C25	180	0	0	0	0	0	0	0	0	1	1	5	11	25	20	35	26	25	22	8	1	0	0
	喉頭	C32	42	0	0	0	0	0	0	0	0	1	0	2	2	4	10	6	8	7	1	0	1	0	0
	肺	C33-C34	793	0	0	0	0	0	0	1	2	4	15	13	29	48	120	159	142	134	92	27	7	0	0
	皮膚	C43-C44	91	0	0	0	0	0	0	0	0	0	0	2	4	6	13	13	15	16	15	6	1	0	0
	乳房	C50	8	0	0	0	0	0	0	0	0	0	0	1	1	2	1	1	1	0	1	0	0	0	0
	前立腺	C61	745	0	0	0	0	0	0	0	0	0	1	9	16	60	137	178	156	103	62	20	2	1	0
	膀胱	C67	166	0	0	0	0	0	0	0	1	0	1	3	5	14	35	29	22	30	18	8	0	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	147	2	0	0	0	0	0	0	2	2	4	7	15	18	19	27	17	22	8	4	0	0	0
	脳・中枢神経系	C70-C72	19	0	0	0	0	0	1	1	0	1	2	1	1	2	4	3	0	2	0	0	1	0	0
	甲状腺	C73	38	0	0	0	0	1	0	1	1	4	1	4	3	3	4	12	3	1	0	0	0	0	0
	悪性リンパ腫	C81-C85 C96	167	0	2	0	1	1	1	3	0	1	4	5	7	18	20	33	31	26	10	4	0	0	0
	多発性骨髄腫	C88-C90	28	0	0	0	0	0	0	0	0	2	0	0	1	1	9	2	7	3	2	1	0	0	0
	白血病	C91-C95	47	1	0	1	0	1	1	0	1	2	2	1	5	3	5	6	10	4	3	1	0	0	0

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	3,409	5	2	1	3	4	8	21	40	112	141	164	205	277	436	462	435	473	352	208	56	4	0
	口腔・咽頭	C00-C14	59	0	0	0	0	0	0	0	2	3	1	2	6	3	11	5	7	4	6	6	3	0	0
	食道	C15	46	0	0	0	0	0	0	0	2	1	1	1	3	4	10	5	7	7	4	1	0	0	0
	胃	C16	433	0	0	0	0	0	0	0	1	8	13	15	17	34	61	65	54	74	52	30	8	1	0
	大腸（結腸・直腸）	C18-C20	541	0	0	0	0	0	0	0	5	8	8	28	29	38	58	77	74	100	61	40	14	1	0
	結腸	C18	384	0	0	0	0	0	0	0	4	5	3	12	18	30	42	59	54	71	43	33	9	1	0
	直腸	C19-C20	157	0	0	0	0	0	0	0	1	3	5	16	11	8	16	18	20	29	18	7	5	0	0
	肝および肝内胆管	C22	170	1	0	0	0	0	0	0	0	1	0	2	4	6	14	31	41	26	25	16	3	0	0
	胆のう・胆管	C23-C24	95	0	0	0	0	0	0	0	1	0	0	1	3	6	8	12	22	15	10	12	4	1	0
	膵臓	C25	171	0	0	0	0	0	0	0	0	0	0	4	3	7	18	24	29	33	29	19	5	0	0
	喉頭	C32	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
	肺	C33-C34	348	0	0	0	0	0	0	1	1	4	6	6	11	23	51	63	52	60	47	18	5	0	0
	皮膚	C43-C44	97	0	0	0	0	1	0	0	0	0	3	1	4	7	11	7	10	18	17	16	2	0	0
	乳房	C50	652	0	0	0	0	0	0	6	11	45	64	55	68	80	94	73	64	43	30	15	4	0	0
	子宮	C53-C55	208	0	0	0	0	0	6	6	6	22	26	18	23	23	16	19	12	15	10	6	0	0	0
	子宮頸部	C53	88	0	0	0	0	0	5	5	5	11	9	8	8	10	7	3	2	6	7	2	0	0	0
	子宮体部	C54	113	0	0	0	0	0	1	1	1	11	16	10	15	13	9	16	9	6	2	3	0	0	0
	卵巣	C56	75	0	0	0	2	0	1	2	3	8	5	5	7	11	9	3	6	10	1	2	0	0	0
	膀胱	C67	44	0	0	0	0	0	0	0	0	0	0	0	0	0	5	9	2	12	8	5	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	64	1	0	0	0	0	0	0	0	4	3	4	1	5	7	7	12	8	9	1	2	0	0
	脳・中枢神経系	C70-C72	12	1	0	0	1	1	1	0	0	0	0	1	0	0	2	2	1	0	2	0	0	0	0
	甲状腺	C73	96	0	0	0	0	2	0	3	2	4	4	5	9	7	18	23	9	4	5	0	0	1	0
	悪性リンパ腫	C81-C85 C96	111	0	0	0	0	0	0	1	5	1	2	7	4	9	20	14	15	15	12	6	0	0	0
	多発性骨髄腫	C88-C90	20	0	0	0	0	0	0	0	0	0	0	0	1	4	3	2	1	5	2	2	0	0	0
	白血病	C91-C95	47	2	2	0	0	0	0	1	1	0	2	4	2	3	6	4	5	7	5	3	0	0	0

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	8,277	9	4	3	5	8	15	31	61	152	206	284	441	726	1,240	1,411	1,273	1,186	779	359	78	6	0
	口腔・咽頭	C00-C14	166	1	0	0	0	0	1	0	2	4	3	4	16	14	28	33	19	14	14	9	3	1	0
	食道	C15	207	0	0	0	0	0	0	0	2	3	1	7	11	22	41	44	42	22	9	3	0	0	0
	胃	C16	1,371	0	0	0	0	0	0	0	2	12	25	40	53	130	252	233	203	227	127	57	9	1	0
	大腸（結腸・直腸）	C18-C20	1,232	0	0	0	0	1	1	2	12	17	19	47	84	119	163	208	188	183	113	56	18	1	0
	結腸	C18	801	0	0	0	0	0	0	1	7	8	6	23	46	79	103	138	128	132	74	43	12	1	0
	直腸	C19-C20	431	0	0	0	0	1	1	1	5	9	13	24	38	40	60	70	60	51	39	13	6	0	0
	肝および肝内胆管	C22	439	1	0	0	0	0	0	0	2	4	4	9	20	24	49	69	93	80	52	26	6	0	0
	胆のう・胆管	C23-C24	189	0	0	0	0	0	0	0	1	0	0	2	6	13	24	30	37	31	20	20	4	1	0
	膵臓	C25	351	0	0	0	0	0	0	0	0	1	1	9	14	32	38	59	55	58	51	27	6	0	0
	喉頭	C32	44	0	0	0	0	0	0	0	0	1	0	2	2	4	11	6	8	8	1	0	1	0	0
	肺	C33-C34	1,141	0	0	0	0	0	0	2	3	8	21	19	40	71	171	222	194	194	139	45	12	0	0
	皮膚	C43-C44	188	0	0	0	0	1	0	0	0	0	3	3	8	13	24	20	25	34	32	22	3	0	0
	乳房	C50	660	0	0	0	0	0	0	6	11	45	64	56	69	82	95	74	65	43	31	15	4	0	0
	子宮	C53-C55	208	0	0	0	0	0	6	6	6	22	26	18	23	23	16	19	12	15	10	6	0	0	0
	子宮頸部	C53	88	0	0	0	0	0	5	5	5	11	9	8	8	10	7	3	2	6	7	2	0	0	0
	子宮体部	C54	113	0	0	0	0	0	1	1	1	11	16	10	15	13	9	16	9	6	2	3	0	0	0
	卵巣	C56	75	0	0	0	2	0	1	2	3	8	5	5	7	11	9	3	6	10	1	2	0	0	0
	前立腺	C61	745	0	0	0	0	0	0	0	0	0	1	9	16	60	137	178	156	103	62	20	2	1	0
	膀胱	C67	210	0	0	0	0	0	0	0	1	0	1	3	5	14	40	38	24	42	26	13	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	211	3	0	0	0	0	0	0	2	6	7	11	16	23	26	34	29	30	17	5	2	0	0
	脳・中枢神経系	C70-C72	31	1	0	0	1	1	2	1	0	1	2	2	1	2	6	5	1	2	2	0	1	0	0
	甲状腺	C73	134	0	0	0	0	3	0	4	3	8	5	9	12	10	22	35	12	5	5	0	0	1	0
	悪性リンパ腫	C81-C85 C96	278	0	2	0	1	1	1	4	5	2	6	12	11	27	40	47	46	41	22	10	0	0	0
	多発性骨髄腫	C88-C90	48	0	0	0	0	0	0	0	0	2	0	0	2	5	12	4	8	8	4	3	0	0	0
	白血病	C91-C95	94	3	2	1	0	1	1	1	2	2	4	5	7	6	11	10	15	11	8	4	0	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	5,216	4	2	2	2	5	7	10	22	43	76	133	264	491	887	1,003	886	745	453	156	23	2	0
	食道	C15 D001	176	0	0	0	0	0	0	0	0	2	0	6	11	21	36	41	37	15	5	2	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	877	0	0	0	0	2	1	2	7	11	19	30	72	110	150	164	135	94	59	16	5	0	0
	結腸 *2	C18 D010	569	0	0	0	0	1	0	1	3	5	9	19	42	73	99	103	92	72	36	10	4	0	0
	直腸 *2	C19-C20 D011-D012	308	0	0	0	0	1	1	1	4	6	10	11	30	37	51	61	43	22	23	6	1	0	0
	肺	C33-C34 D021-D022	794	0	0	0	0	0	0	1	2	4	15	13	29	48	120	159	142	134	93	27	7	0	0
	皮膚	C43-C44 D030-D049	105	0	0	0	0	0	0	0	0	0	0	0	2	4	8	15	14	16	17	20	8	1	0
	乳房	C50 D05	8	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	1	1	0	1	0	0	0
	膀胱	C67 D090	274	0	0	0	0	0	0	0	0	2	1	3	5	13	19	58	43	41	47	31	11	0	0
	女	全部位	C00-C96 D00-D09	3,783	5	2	1	3	6	19	52	62	148	175	189	227	311	472	500	466	506	364	214	56	5
食道		C15 D001	53	0	0	0	0	0	0	0	2	1	1	2	3	5	11	7	7	8	5	1	0	0	0
大腸（結腸・直腸）*2		C18-C20 D010-D012	643	0	0	0	0	0	0	0	6	10	12	32	37	49	77	92	94	115	63	41	14	1	0
結腸 *2		C18 D010	468	0	0	0	0	0	0	0	5	7	7	15	26	38	54	73	72	83	45	33	9	1	0
直腸 *2		C19-C20 D011-D012	175	0	0	0	0	0	0	0	1	3	5	17	11	11	23	19	22	32	18	8	5	0	0
肺		C33-C34 D021-D022	349	0	0	0	0	0	0	1	1	4	6	6	12	23	51	63	52	60	47	18	5	0	0
皮膚		C43-C44 D030-D049	120	0	0	0	0	1	0	0	0	0	3	1	4	8	11	13	13	25	19	19	2	1	0
乳房		C50 D05	724	0	0	0	0	0	0	6	12	54	73	65	74	92	102	83	67	44	33	15	4	0	0
子宮		C53-C55 D06	333	0	0	0	0	2	17	37	26	46	46	24	27	25	18	19	12	17	11	6	0	0	0
子宮頸部		C53 D06	213	0	0	0	0	2	16	36	25	35	29	14	12	12	9	3	2	8	8	2	0	0	0
膀胱	C67 D090	67	0	0	0	0	0	0	0	0	0	0	0	2	1	3	10	13	5	16	9	5	3	0	
総数 *3	全部位	C00-C96 D00-D09	8,999	9	4	3	5	11	26	62	84	191	251	322	491	802	1,359	1,503	1,352	1,251	817	370	79	7	0
	食道	C15 D001	229	0	0	0	0	0	0	0	2	3	1	8	14	26	47	48	44	23	10	3	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,520	0	0	0	0	2	1	2	13	21	31	62	109	159	227	256	229	209	122	57	19	1	0
	結腸 *2	C18 D010	1,037	0	0	0	0	1	0	1	8	12	16	34	68	111	153	176	164	155	81	43	13	1	0
	直腸 *2	C19-C20 D011-D012	483	0	0	0	0	1	1	1	5	9	15	28	41	48	74	80	65	54	41	14	6	0	0
	肺	C33-C34 D021-D022	1,143	0	0	0	0	0	0	2	3	8	21	19	41	71	171	222	194	194	140	45	12	0	0
	皮膚	C43-C44 D030-D049	225	0	0	0	0	1	0	0	0	0	3	3	8	16	26	27	29	42	39	27	3	1	0
	乳房	C50 D05	732	0	0	0	0	0	0	6	12	54	73	66	75	94	103	84	68	44	34	15	4	0	0
	子宮	C53-C55 D06	333	0	0	0	0	2	17	37	26	46	46	24	27	25	18	19	12	17	11	6	0	0	0
	子宮頸部	C53 D06	213	0	0	0	0	2	16	36	25	35	29	14	12	12	9	3	2	8	8	2	0	0	0
膀胱	C67 D090	341	0	0	0	0	0	0	0	2	1	3	7	14	22	68	56	46	63	40	16	3	0	0	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	1,079.7	22.0	10.4	9.3	8.8	21.9	34.1	43.4	77.9	119.6	221.3	412.9	792.5	1,334.5	2,066.1	3,110.6	3,532.7	3,986.6	4,202.3	4,720.2	3,395.1	3,030.3	-
	口腔・咽頭	C00-C14	23.7	5.5	0.0	0.0	0.0	0.0	4.9	0.0	0.0	3.0	6.8	6.9	33.6	32.7	43.7	91.8	50.6	55.9	78.7	93.8	0.0	1,515.2	-
	食道	C15	35.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	20.6	26.9	53.5	79.7	127.8	147.5	83.9	49.2	62.5	0.0	0.0	-
	胃	C16	208.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	12.0	40.8	86.0	120.9	285.3	490.8	550.7	628.1	855.5	738.1	844.0	154.3	0.0	-
	大腸（結腸・直腸）	C18-C20	153.3	0.0	0.0	0.0	0.0	5.5	4.9	8.7	26.0	26.9	37.4	65.4	184.7	240.7	269.8	429.4	480.6	464.1	511.8	500.2	617.3	0.0	-
	結腸	C18	92.5	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.1	9.0	10.2	37.8	94.0	145.6	156.8	258.9	312.0	341.1	305.1	312.6	463.0	0.0	-
	直腸	C19-C20	60.8	0.0	0.0	0.0	0.0	5.5	4.9	4.3	14.8	17.9	27.2	27.5	90.7	95.1	113.1	170.4	168.6	123.0	206.7	187.6	154.3	0.0	-
	肝および肝内胆管	C22	59.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	9.0	13.6	24.1	53.7	53.5	89.9	124.6	219.2	301.9	265.7	312.6	463.0	0.0	-
	胆のう・胆管	C23-C24	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	10.1	20.8	41.1	59.0	63.2	89.5	98.4	250.1	0.0	0.0	-
	膵臓	C25	39.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.4	17.2	36.9	74.3	51.4	114.7	109.6	139.8	216.5	250.1	154.3	0.0	-
	喉頭	C32	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	6.9	6.7	11.9	25.7	19.7	33.7	39.1	9.8	0.0	154.3	0.0	-
	肺	C33-C34	175.9	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.4	12.0	51.1	44.7	97.4	142.7	308.4	521.2	598.6	749.2	905.4	844.0	1,080.2	0.0	-
	皮膚	C43-C44	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	13.4	17.8	33.4	42.6	63.2	89.5	147.6	187.6	154.3	0.0	-
	乳房	C50	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.4	5.9	2.6	3.3	4.2	0.0	9.8	0.0	0.0	0.0	-
	前立腺	C61	165.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	31.0	53.7	178.3	352.1	583.4	657.6	575.9	610.2	625.2	308.6	1,515.2	-
	膀胱	C67	36.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.4	10.3	16.8	41.6	89.9	95.1	92.7	167.7	177.1	250.1	0.0	0.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	32.6	11.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	6.0	13.6	24.1	50.4	53.5	48.8	88.5	71.7	123.0	78.7	125.0	0.0	0.0	-
	脳・中枢神経系	C70-C72	4.2	0.0	0.0	0.0	0.0	0.0	4.9	4.3	0.0	3.0	6.8	3.4	3.4	5.9	10.3	9.8	0.0	11.2	0.0	0.0	154.3	0.0	-
	甲状腺	C73	8.4	0.0	0.0	0.0	0.0	5.5	0.0	4.3	3.7	12.0	3.4	13.8	10.1	8.9	10.3	39.3	12.6	5.6	0.0	0.0	0.0	0.0	-
	悪性リンパ腫	C81-C85 C96	37.0	0.0	10.4	0.0	4.4	5.5	4.9	13.0	0.0	3.0	13.6	17.2	23.5	53.5	51.4	108.2	130.7	145.4	98.4	125.0	0.0	0.0	-
	多発性骨髄腫	C88-C90	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	3.4	3.0	23.1	6.6	29.5	16.8	19.7	31.3	0.0	0.0	-
	白血病	C91-C95	10.4	5.5	0.0	4.6	0.0	5.5	4.9	0.0	3.7	6.0	6.8	3.4	16.8	8.9	12.8	19.7	42.2	22.4	29.5	31.3	0.0	0.0	-



表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	669.2	28.8	10.9	4.9	13.8	21.9	38.7	89.7	148.1	328.4	441.7	503.2	643.0	767.5	1,014.6	1,252.3	1,375.9	1,640.3	1,686.7	1,938.7	1,860.5	569.0	-
	口腔・咽頭	C00-C14	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	8.8	3.1	6.1	18.8	8.3	25.6	13.6	22.1	13.9	28.8	55.9	99.7	0.0	-
	食道	C15	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	2.9	3.1	3.1	9.4	11.1	23.3	13.6	22.1	24.3	19.2	9.3	0.0	0.0	-
	胃	C16	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	23.5	40.7	46.0	53.3	94.2	141.9	176.2	170.8	256.6	249.2	279.6	265.8	142.2	-
	大腸（結腸・直腸）	C18-C20	106.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	23.5	25.1	85.9	91.0	105.3	135.0	208.7	234.1	346.8	292.3	372.8	465.1	142.2	-
	結腸	C18	75.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.8	14.7	9.4	36.8	56.5	83.1	97.7	159.9	170.8	246.2	206.0	307.6	299.0	142.2	-
	直腸	C19-C20	30.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	8.8	15.7	49.1	34.5	22.2	37.2	48.8	63.3	100.6	86.3	65.2	166.1	0.0	-
	肝および肝内胆管	C22	33.4	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	6.1	12.5	16.6	32.6	84.0	129.7	90.2	119.8	149.1	99.7	0.0	-
	胆のう・胆管	C23-C24	18.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	3.1	9.4	16.6	18.6	32.5	69.6	52.0	47.9	111.8	132.9	142.2	-
	膵臓	C25	33.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.3	9.4	19.4	41.9	65.1	91.7	114.4	139.0	177.1	166.1	0.0	-
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	3.5	0.0	0.0	0.0	0.0	-
	肺	C33-C34	68.3	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.7	11.7	18.8	18.4	34.5	63.7	118.7	170.8	164.5	208.1	225.2	167.8	166.1	0.0	-
	皮膚	C43-C44	19.0	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	9.4	3.1	12.5	19.4	25.6	19.0	31.6	62.4	81.5	149.1	66.4	0.0	-
	乳房	C50	128.0	0.0	0.0	0.0	0.0	0.0	0.0	25.6	40.7	131.9	200.5	168.7	213.3	221.6	218.7	197.9	202.4	149.1	143.8	139.8	132.9	0.0	-
	子宮	C53-C55	40.8	0.0	0.0	0.0	0.0	0.0	29.0	25.6	22.2	64.5	81.5	55.2	72.1	63.7	37.2	51.5	38.0	52.0	47.9	55.9	0.0	0.0	-
	子宮頸部	C53	17.3	0.0	0.0	0.0	0.0	0.0	24.2	21.4	18.5	32.3	28.2	24.5	25.1	27.7	16.3	8.1	6.3	20.8	33.5	18.6	0.0	0.0	-
	子宮体部	C54	22.2	0.0	0.0	0.0	0.0	0.0	4.8	4.3	3.7	32.3	50.1	30.7	47.0	36.0	20.9	43.4	28.5	20.8	9.6	28.0	0.0	0.0	-
	卵巣	C56	14.7	0.0	0.0	0.0	9.2	0.0	4.8	8.5	11.1	23.5	15.7	15.3	22.0	30.5	20.9	8.1	19.0	34.7	4.8	18.6	0.0	0.0	-
	膀胱	C67	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.6	24.4	6.3	41.6	38.3	46.6	99.7	0.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	12.6	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	9.4	12.3	3.1	13.9	16.3	19.0	38.0	27.7	43.1	9.3	66.4	0.0	-
	脳・中枢神経系	C70-C72	2.4	5.8	0.0	0.0	4.6	5.5	4.8	0.0	0.0	0.0	0.0	3.1	0.0	0.0	4.7	5.4	3.2	0.0	9.6	0.0	0.0	0.0	-
	甲状腺	C73	18.8	0.0	0.0	0.0	0.0	11.0	0.0	12.8	7.4	11.7	12.5	15.3	28.2	19.4	41.9	62.3	28.5	13.9	24.0	0.0	0.0	142.2	-
	悪性リンパ腫	C81-C85 C96	21.8	0.0	0.0	0.0	0.0	0.0	0.0	4.3	18.5	2.9	6.3	21.5	12.5	24.9	46.5	37.9	47.4	52.0	57.5	55.9	0.0	0.0	-
	多発性骨髄腫	C88-C90	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	11.1	7.0	5.4	3.2	17.3	9.6	18.6	0.0	0.0	-
	白血病	C91-C95	9.2	11.5	10.9	0.0	0.0	0.0	0.0	4.3	3.7	0.0	6.3	12.3	6.3	8.3	14.0	10.8	15.8	24.3	24.0	28.0	0.0	0.0	-

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	862.0	25.3	10.7	7.1	11.2	21.9	36.4	66.7	113.0	225.0	336.1	460.6	715.2	1,041.0	1,514.3	2,093.5	2,300.5	2,538.5	2,510.5	2,577.5	2,132.3	780.2	-
	口腔・咽頭	C00-C14	17.3	2.8	0.0	0.0	0.0	0.0	2.4	0.0	3.7	5.9	4.9	6.5	25.9	20.1	34.2	49.0	34.3	30.0	45.1	64.6	82.0	130.0	-
	食道	C15	21.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	4.4	1.6	11.4	17.8	31.5	50.1	65.3	75.9	47.1	29.0	21.5	0.0	0.0	-
	胃	C16	142.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	17.8	40.8	64.9	85.9	186.4	307.7	345.7	366.8	485.9	409.3	409.2	246.0	130.0	-
	大腸（結腸・直腸）	C18-C20	128.3	0.0	0.0	0.0	0.0	2.7	2.4	4.3	22.2	25.2	31.0	76.2	136.2	170.6	199.1	308.6	339.7	391.7	364.2	402.1	492.1	130.0	-
	結腸	C18	83.4	0.0	0.0	0.0	0.0	0.0	0.0	2.2	13.0	11.8	9.8	37.3	74.6	113.3	125.8	204.7	231.3	282.5	238.5	308.7	328.0	130.0	-
	直腸	C19-C20	44.9	0.0	0.0	0.0	0.0	2.7	2.4	2.2	9.3	13.3	21.2	38.9	61.6	57.4	73.3	103.9	108.4	109.2	125.7	93.3	164.0	0.0	-
	肝および肝内胆管	C22	45.7	2.8	0.0	0.0	0.0	0.0	0.0	0.0	3.7	5.9	6.5	14.6	32.4	34.4	59.8	102.4	168.1	171.2	167.6	186.7	164.0	0.0	-
	胆のう・胆管	C23-C24	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	3.2	9.7	18.6	29.3	44.5	66.9	66.4	64.5	143.6	109.3	130.0	-
	膵臓	C25	36.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	14.6	22.7	45.9	46.4	87.5	99.4	124.1	164.4	193.9	164.0	0.0	-
	喉頭	C32	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.2	3.2	5.7	13.4	8.9	14.5	17.1	3.2	0.0	27.3	0.0	-
	肺	C33-C34	118.8	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.6	11.8	34.3	30.8	64.9	101.8	208.8	329.4	350.6	415.2	448.0	323.1	328.0	0.0	-
	皮膚	C43-C44	19.6	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	4.9	4.9	13.0	18.6	29.3	29.7	45.2	72.8	103.1	158.0	82.0	0.0	-
	乳房	C50	68.7	0.0	0.0	0.0	0.0	0.0	0.0	12.9	20.4	66.6	104.4	90.8	111.9	117.6	116.0	109.8	117.5	92.0	99.9	107.7	109.3	0.0	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	1.6	4.9	8.1	20.1	48.8	56.4	43.4	89.9	83.8	93.3	82.0	0.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.0	8.4	0.0	0.0	0.0	0.0	0.0	0.0	3.7	8.9	11.4	17.8	25.9	33.0	31.8	50.4	52.4	64.2	54.8	35.9	54.7	0.0	-
	脳・中枢神経系	C70-C72	3.2	2.8	0.0	0.0	2.2	2.7	4.9	2.2	0.0	1.5	3.3	3.2	1.6	2.9	7.3	7.4	1.8	4.3	6.4	0.0	27.3	0.0	-
	甲状腺	C73	14.0	0.0	0.0	0.0	0.0	8.2	0.0	8.6	5.6	11.8	8.2	14.6	19.5	14.3	26.9	51.9	21.7	10.7	16.1	0.0	0.0	130.0	-
	悪性リンパ腫	C81-C85 C96	29.0	0.0	5.3	0.0	2.2	2.7	2.4	8.6	9.3	3.0	9.8	19.5	17.8	38.7	48.8	69.7	83.1	87.8	70.9	71.8	0.0	0.0	-
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	3.2	7.2	14.7	5.9	14.5	17.1	12.9	21.5	0.0	0.0	-
	白血病	C91-C95	9.8	8.4	5.3	2.4	0.0	2.7	2.4	2.2	3.7	3.0	6.5	8.1	11.4	8.6	13.4	14.8	27.1	23.5	25.8	28.7	0.0	0.0	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,156.9	22.0	10.4	9.3	8.8	27.3	34.1	43.4	81.6	128.6	258.7	457.6	886.5	1,459.3	2,279.4	3,287.6	3,735.1	4,165.5	4,458.2	4,876.5	3,549.4	3,030.3	-	
	食道	C15 D001	39.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	20.6	36.9	62.4	92.5	134.4	156.0	83.9	49.2	62.5	0.0	0.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	194.5	0.0	0.0	0.0	0.0	10.9	4.9	8.7	26.0	32.9	64.7	103.2	241.8	326.9	385.5	537.5	569.1	525.6	580.7	500.2	771.6	0.0	-	
	結腸 *2	C18 D010	126.2	0.0	0.0	0.0	0.0	5.5	0.0	4.3	11.1	14.9	30.6	65.4	141.0	217.0	254.4	337.6	387.8	402.6	354.3	312.6	617.3	0.0	-	
	直腸 *2	C19-C20 D011-D012	68.3	0.0	0.0	0.0	0.0	5.5	4.9	4.3	14.8	17.9	34.0	37.8	100.7	110.0	131.1	199.9	181.3	123.0	226.4	187.6	154.3	0.0	-	
	肺	C33-C34 D021-D022	176.1	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.4	12.0	51.1	44.7	97.4	142.7	308.4	521.2	598.6	749.2	915.3	844.0	1,080.2	0.0	-	
	皮膚	C43-C44 D030-D049	23.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	13.4	23.8	38.5	45.9	67.5	95.1	196.8	250.1	154.3	0.0	-
	乳房	C50 D05	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.4	5.9	2.6	3.3	4.2	0.0	9.8	0.0	0.0	0.0	-
	膀胱	C67 D090	60.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	3.0	10.2	17.2	43.7	56.5	149.0	140.9	172.8	262.8	305.1	343.9	0.0	0.0	-
女	全部位	C00-C96 D00-D09	742.6	28.8	10.9	4.9	13.8	32.9	91.8	222.1	229.5	433.9	548.3	579.9	712.0	861.7	1,098.3	1,355.3	1,474.0	1,754.8	1,744.2	1,994.6	1,860.5	711.2	-	
	食道	C15 D001	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	2.9	3.1	6.1	9.4	13.9	25.6	19.0	22.1	27.7	24.0	9.3	0.0	0.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	126.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.2	29.3	37.6	98.2	116.0	135.8	179.2	249.4	297.3	398.8	301.9	382.1	465.1	142.2	-	
	結腸 *2	C18 D010	91.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	20.5	21.9	46.0	81.5	105.3	125.7	197.9	227.7	287.8	215.6	307.6	299.0	142.2	-	
	直腸 *2	C19-C20 D011-D012	34.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	8.8	15.7	52.2	34.5	30.5	53.5	51.5	69.6	111.0	86.3	74.6	166.1	0.0	-	
	肺	C33-C34 D021-D022	68.5	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.7	11.7	18.8	18.4	37.6	63.7	118.7	170.8	164.5	208.1	225.2	167.8	166.1	0.0	-	
	皮膚	C43-C44 D030-D049	23.6	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	0.0	9.4	3.1	12.5	22.2	25.6	35.2	41.1	86.7	91.0	177.1	66.4	142.2	-
	乳房	C50 D05	142.1	0.0	0.0	0.0	0.0	0.0	0.0	25.6	44.4	158.3	228.7	199.4	232.1	254.9	237.4	225.0	211.9	152.6	158.1	139.8	132.9	0.0	0.0	-
	子宮	C53-C55 D06	65.4	0.0	0.0	0.0	0.0	11.0	82.2	158.0	96.2	134.9	144.1	73.6	84.7	69.3	41.9	51.5	38.0	59.0	52.7	55.9	0.0	0.0	-	
子宮頸部	C53 D06	41.8	0.0	0.0	0.0	0.0	11.0	77.3	153.7	92.5	102.6	90.9	43.0	37.6	33.2	20.9	8.1	6.3	27.7	38.3	18.6	0.0	0.0	-		
膀胱	C67 D090	13.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	3.1	8.3	23.3	35.2	15.8	55.5	43.1	46.6	99.7	0.0	-		
総数 *3	全部位	C00-C96 D00-D09	937.1	25.3	10.7	7.1	11.2	30.1	63.1	133.5	155.6	282.7	409.5	522.2	796.2	1,150.0	1,659.6	2,230.0	2,443.3	2,677.6	2,632.9	2,656.5	2,159.7	910.3	-	
	食道	C15 D001	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	4.4	1.6	13.0	22.7	37.3	57.4	71.2	79.5	49.2	32.2	21.5	0.0	0.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	158.3	0.0	0.0	0.0	0.0	5.5	2.4	4.3	24.1	31.1	50.6	100.6	176.8	228.0	277.2	379.8	413.8	447.3	393.2	409.2	519.4	130.0	-	
	結腸 *2	C18 D010	108.0	0.0	0.0	0.0	0.0	2.7	0.0	2.2	14.8	17.8	26.1	55.1	110.3	159.2	186.8	261.1	296.4	331.8	261.0	308.7	355.4	130.0	-	
	直腸 *2	C19-C20 D011-D012	50.3	0.0	0.0	0.0	0.0	2.7	2.4	2.2	9.3	13.3	24.5	45.4	66.5	68.8	90.4	118.7	117.5	115.6	132.1	100.5	164.0	0.0	-	
	肺	C33-C34 D021-D022	119.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.6	11.8	34.3	30.8	66.5	101.8	208.8	329.4	350.6	415.2	451.2	323.1	328.0	0.0	-	
	皮膚	C43-C44 D030-D049	23.4	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	4.9	4.9	13.0	22.9	31.8	40.1	52.4	89.9	125.7	193.9	82.0	130.0	-
	乳房	C50 D05	76.2	0.0	0.0	0.0	0.0	0.0	0.0	12.9	22.2	79.9	119.1	107.0	121.6	134.8	125.8	124.6	122.9	94.2	109.6	107.7	109.3	0.0	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	1.5	4.9	11.4	22.7	31.5	83.0	83.1	83.1	134.8	128.9	114.9	82.0	0.0	-	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,079.7	22.0	10.4	9.3	8.8	21.9	34.1	43.4	77.9	119.6	221.3	412.9	792.5	1,334.5	2,066.1	3,110.6	3,532.7	3,986.6	4,277.4	-
	口腔・咽頭	C00-C14	23.7	5.5	0.0	0.0	0.0	0.0	4.9	0.0	0.0	3.0	6.8	6.9	33.6	32.7	43.7	91.8	50.6	55.9	85.3	-
	食道	C15	35.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	20.6	26.9	53.5	79.7	127.8	147.5	83.9	49.7	-
	胃	C16	208.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	12.0	40.8	86.0	120.9	285.3	490.8	550.7	628.1	855.5	731.8	-
	大腸（結腸・直腸）	C18-C20	153.3	0.0	0.0	0.0	0.0	5.5	4.9	8.7	26.0	26.9	37.4	65.4	184.7	240.7	269.8	429.4	480.6	464.1	511.6	-
	結腸	C18	92.5	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.1	9.0	10.2	37.8	94.0	145.6	156.8	258.9	312.0	341.1	312.6	-
	直腸	C19-C20	60.8	0.0	0.0	0.0	0.0	5.5	4.9	4.3	14.8	17.9	27.2	27.5	90.7	95.1	113.1	170.4	168.6	123.0	198.9	-
	肝および肝内胆管	C22	59.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	9.0	13.6	24.1	53.7	53.5	89.9	124.6	219.2	301.9	284.2	-
	胆のう・胆管	C23-C24	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	10.1	20.8	41.1	59.0	63.2	89.5	127.9	-
	膵臓	C25	39.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.4	17.2	36.9	74.3	51.4	114.7	109.6	139.8	220.3	-
	喉頭	C32	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	6.9	6.7	11.9	25.7	19.7	33.7	39.1	14.2	-
	肺	C33-C34	175.9	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.4	12.0	51.1	44.7	97.4	142.7	308.4	521.2	598.6	749.2	895.3	-
	皮膚	C43-C44	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	13.4	17.8	33.4	42.6	63.2	89.5	156.3	-
	乳房	C50	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.4	5.9	2.6	3.3	4.2	0.0	7.1	-
	前立腺	C61	165.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	31.0	53.7	178.3	352.1	583.4	657.6	575.9	604.0	-
	膀胱	C67	36.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.4	10.3	16.8	41.6	89.9	95.1	92.7	167.7	184.7	-
	腎・尿路（膀胱除く）	C64-C66 C68	32.6	11.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	6.0	13.6	24.1	50.4	53.5	48.8	88.5	71.7	123.0	85.3	-
	脳・中枢神経系	C70-C72	4.2	0.0	0.0	0.0	0.0	0.0	4.9	4.3	0.0	3.0	6.8	3.4	3.4	5.9	10.3	9.8	0.0	11.2	7.1	-
	甲状腺	C73	8.4	0.0	0.0	0.0	0.0	5.5	0.0	4.3	3.7	12.0	3.4	13.8	10.1	8.9	10.3	39.3	12.6	5.6	0.0	-
	悪性リンパ腫	C81-C85 C96	37.0	0.0	10.4	0.0	4.4	5.5	4.9	13.0	0.0	3.0	13.6	17.2	23.5	53.5	51.4	108.2	130.7	145.4	99.5	-
	多発性骨髄腫	C88-C90	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	3.4	3.0	23.1	6.6	29.5	16.8	21.3	-
	白血病	C91-C95	10.4	5.5	0.0	4.6	0.0	5.5	4.9	0.0	3.7	6.0	6.8	3.4	16.8	8.9	12.8	19.7	42.2	22.4	28.4	-

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	669.2	28.8	10.9	4.9	13.8	21.9	38.7	89.7	148.1	328.4	441.7	503.2	643.0	767.5	1,014.6	1,252.3	1,375.9	1,640.3	1,755.8	-
	口腔・咽頭	C00-C14	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	8.8	3.1	6.1	18.8	8.3	25.6	13.6	22.1	13.9	42.5	-
	食道	C15	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	2.9	3.1	3.1	9.4	11.1	23.3	13.6	22.1	24.3	14.2	-
	胃	C16	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	23.5	40.7	46.0	53.3	94.2	141.9	176.2	170.8	256.6	257.7	-
	大腸（結腸・直腸）	C18-C20	106.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	23.5	25.1	85.9	91.0	105.3	135.0	208.7	234.1	346.8	328.5	-
	結腸	C18	75.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.8	14.7	9.4	36.8	56.5	83.1	97.7	159.9	170.8	246.2	243.6	-
	直腸	C19-C20	30.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	8.8	15.7	49.1	34.5	22.2	37.2	48.8	63.3	100.6	85.0	-
	肝および肝内胆管	C22	33.4	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	6.1	12.5	16.6	32.6	84.0	129.7	90.2	124.6	-
	胆のう・胆管	C23-C24	18.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	3.1	9.4	16.6	18.6	32.5	69.6	52.0	76.5	-
	膵臓	C25	33.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.3	9.4	19.4	41.9	65.1	91.7	114.4	150.1	-
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	3.5	0.0	-
	肺	C33-C34	68.3	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.7	11.7	18.8	18.4	34.5	63.7	118.7	170.8	164.5	208.1	198.2	-
	皮膚	C43-C44	19.0	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	9.4	3.1	12.5	19.4	25.6	19.0	31.6	62.4	99.1	-
	乳房	C50	128.0	0.0	0.0	0.0	0.0	0.0	0.0	25.6	40.7	131.9	200.5	168.7	213.3	221.6	218.7	197.9	202.4	149.1	138.8	-
	子宮	C53-C55	40.8	0.0	0.0	0.0	0.0	0.0	29.0	25.6	22.2	64.5	81.5	55.2	72.1	63.7	37.2	51.5	38.0	52.0	45.3	-
	子宮頸部	C53	17.3	0.0	0.0	0.0	0.0	0.0	24.2	21.4	18.5	32.3	28.2	24.5	25.1	27.7	16.3	8.1	6.3	20.8	25.5	-
	子宮体部	C54	22.2	0.0	0.0	0.0	0.0	0.0	4.8	4.3	3.7	32.3	50.1	30.7	47.0	36.0	20.9	43.4	28.5	20.8	14.2	-
	卵巣	C56	14.7	0.0	0.0	0.0	9.2	0.0	4.8	8.5	11.1	23.5	15.7	15.3	22.0	30.5	20.9	8.1	19.0	34.7	8.5	-
	膀胱	C67	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.6	24.4	6.3	41.6	45.3	-
	腎・尿路（膀胱除く）	C64-C66 C68	12.6	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	9.4	12.3	3.1	13.9	16.3	19.0	38.0	27.7	34.0	-
	脳・中枢神経系	C70-C72	2.4	5.8	0.0	0.0	4.6	5.5	4.8	0.0	0.0	0.0	0.0	3.1	0.0	0.0	4.7	5.4	3.2	0.0	5.7	-
	甲状腺	C73	18.8	0.0	0.0	0.0	0.0	11.0	0.0	12.8	7.4	11.7	12.5	15.3	28.2	19.4	41.9	62.3	28.5	13.9	17.0	-
	悪性リンパ腫	C81-C85 C96	21.8	0.0	0.0	0.0	0.0	0.0	0.0	4.3	18.5	2.9	6.3	21.5	12.5	24.9	46.5	37.9	47.4	52.0	51.0	-
	多発性骨髄腫	C88-C90	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	11.1	7.0	5.4	3.2	17.3	11.3	-
	白血病	C91-C95	9.2	11.5	10.9	0.0	0.0	0.0	0.0	4.3	3.7	0.0	6.3	12.3	6.3	8.3	14.0	10.8	15.8	24.3	22.7	-

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	862.0	25.3	10.7	7.1	11.2	21.9	36.4	66.7	113.0	225.0	336.1	460.6	715.2	1,041.0	1,514.3	2,093.5	2,300.5	2,538.5	2,474.4	-
	口腔・咽頭	C00-C14	17.3	2.8	0.0	0.0	0.0	0.0	2.4	0.0	3.7	5.9	4.9	6.5	25.9	20.1	34.2	49.0	34.3	30.0	54.7	-
	食道	C15	21.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	4.4	1.6	11.4	17.8	31.5	50.1	65.3	75.9	47.1	24.3	-
	胃	C16	142.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	17.8	40.8	64.9	85.9	186.4	307.7	345.7	366.8	485.9	392.8	-
	大腸（結腸・直腸）	C18-C20	128.3	0.0	0.0	0.0	0.0	2.7	2.4	4.3	22.2	25.2	31.0	76.2	136.2	170.6	199.1	308.6	339.7	391.7	380.7	-
	結腸	C18	83.4	0.0	0.0	0.0	0.0	0.0	0.0	2.2	13.0	11.8	9.8	37.3	74.6	113.3	125.8	204.7	231.3	282.5	263.2	-
	直腸	C19-C20	44.9	0.0	0.0	0.0	0.0	2.7	2.4	2.2	9.3	13.3	21.2	38.9	61.6	57.4	73.3	103.9	108.4	109.2	117.4	-
	肝および肝内胆管	C22	45.7	2.8	0.0	0.0	0.0	0.0	0.0	0.0	3.7	5.9	6.5	14.6	32.4	34.4	59.8	102.4	168.1	171.2	170.1	-
	胆のう・胆管	C23-C24	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	3.2	9.7	18.6	29.3	44.5	66.9	66.4	91.1	-
	膵臓	C25	36.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	14.6	22.7	45.9	46.4	87.5	99.4	124.1	170.1	-
	喉頭	C32	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.2	3.2	5.7	13.4	8.9	14.5	17.1	4.0	-
	肺	C33-C34	118.8	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.6	11.8	34.3	30.8	64.9	101.8	208.8	329.4	350.6	415.2	396.9	-
	皮膚	C43-C44	19.6	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	4.9	4.9	13.0	18.6	29.3	29.7	45.2	72.8	115.4	-
	乳房	C50	68.7	0.0	0.0	0.0	0.0	0.0	0.0	12.9	20.4	66.6	104.4	90.8	111.9	117.6	116.0	109.8	117.5	92.0	101.2	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	1.6	4.9	8.1	20.1	48.8	56.4	43.4	89.9	85.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.0	8.4	0.0	0.0	0.0	0.0	0.0	0.0	3.7	8.9	11.4	17.8	25.9	33.0	31.8	50.4	52.4	64.2	48.6	-
	脳・中枢神経系	C70-C72	3.2	2.8	0.0	0.0	2.2	2.7	4.9	2.2	0.0	1.5	3.3	3.2	1.6	2.9	7.3	7.4	1.8	4.3	6.1	-
	甲状腺	C73	14.0	0.0	0.0	0.0	0.0	8.2	0.0	8.6	5.6	11.8	8.2	14.6	19.5	14.3	26.9	51.9	21.7	10.7	12.1	-
	悪性リンパ腫	C81-C85 C96	29.0	0.0	5.3	0.0	2.2	2.7	2.4	8.6	9.3	3.0	9.8	19.5	17.8	38.7	48.8	69.7	83.1	87.8	64.8	-
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	3.2	7.2	14.7	5.9	14.5	17.1	14.2	-
	白血病	C91-C95	9.8	8.4	5.3	2.4	0.0	2.7	2.4	2.2	3.7	3.0	6.5	8.1	11.4	8.6	13.4	14.8	27.1	23.5	24.3	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,156.9	22.0	10.4	9.3	8.8	27.3	34.1	43.4	81.6	128.6	258.7	457.6	886.5	1,459.3	2,279.4	3,287.6	3,735.1	4,165.5	4,504.8	-	
	食道	C15 D001	39.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	20.6	36.9	62.4	92.5	134.4	156.0	83.9	49.7	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	194.5	0.0	0.0	0.0	0.0	10.9	4.9	8.7	26.0	32.9	64.7	103.2	241.8	326.9	385.5	537.5	569.1	525.6	568.4	-	
	結腸 *2	C18 D010	126.2	0.0	0.0	0.0	0.0	5.5	0.0	4.3	11.1	14.9	30.6	65.4	141.0	217.0	254.4	337.6	387.8	402.6	355.3	-	
	直腸 *2	C19-C20 D011-D012	68.3	0.0	0.0	0.0	0.0	5.5	4.9	4.3	14.8	17.9	34.0	37.8	100.7	110.0	131.1	199.9	181.3	123.0	213.2	-	
	肺	C33-C34 D021-D022	176.1	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.4	12.0	51.1	44.7	97.4	142.7	308.4	521.2	598.6	749.2	902.4	-	
	皮膚	C43-C44 D030-D049	23.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	13.4	23.8	38.5	45.9	67.5	95.1	206.1	-
	乳房	C50 D05	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.4	5.9	2.6	3.3	4.2	0.0	7.1	-
	膀胱	C67 D090	60.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	3.0	10.2	17.2	43.7	56.5	149.0	140.9	172.8	262.8	298.4	-
	女	全部位	C00-C96 D00-D09	742.6	28.8	10.9	4.9	13.8	32.9	91.8	222.1	229.5	433.9	548.3	579.9	712.0	861.7	1,098.3	1,355.3	1,474.0	1,754.8	1,809.6	-
食道		C15 D001	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	2.9	3.1	6.1	9.4	13.9	25.6	19.0	22.1	27.7	17.0	-	
大腸（結腸・直腸）*2		C18-C20 D010-D012	126.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.2	29.3	37.6	98.2	116.0	135.8	179.2	249.4	297.3	398.8	337.0	-	
結腸 *2		C18 D010	91.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	20.5	21.9	46.0	81.5	105.3	125.7	197.9	227.7	287.8	249.2	-	
直腸 *2		C19-C20 D011-D012	34.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	8.8	15.7	52.2	34.5	30.5	53.5	51.5	69.6	111.0	87.8	-	
肺		C33-C34 D021-D022	68.5	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.7	11.7	18.8	18.4	37.6	63.7	118.7	170.8	164.5	208.1	198.2	-	
皮膚		C43-C44 D030-D049	23.6	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	0.0	9.4	3.1	12.5	22.2	25.6	35.2	41.1	86.7	116.1	-
乳房		C50 D05	142.1	0.0	0.0	0.0	0.0	0.0	0.0	25.6	44.4	158.3	228.7	199.4	232.1	254.9	237.4	225.0	211.9	152.6	147.3	-	
子宮		C53-C55 D06	65.4	0.0	0.0	0.0	0.0	11.0	82.2	158.0	96.2	134.9	144.1	73.6	84.7	69.3	41.9	51.5	38.0	59.0	48.1	-	
子宮頸部		C53 D06	41.8	0.0	0.0	0.0	0.0	11.0	77.3	153.7	92.5	102.6	90.9	43.0	37.6	33.2	20.9	8.1	6.3	27.7	28.3	-	
膀胱	C67 D090	13.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	3.1	8.3	23.3	35.2	15.8	55.5	48.1	-	
総数 *3	全部位	C00-C96 D00-D09	937.1	25.3	10.7	7.1	11.2	30.1	63.1	133.5	155.6	282.7	409.5	522.2	796.2	1,150.0	1,659.6	2,230.0	2,443.3	2,677.6	2,577.7	-	
	食道	C15 D001	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	4.4	1.6	13.0	22.7	37.3	57.4	71.2	79.5	49.2	26.3	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	158.3	0.0	0.0	0.0	0.0	5.5	2.4	4.3	24.1	31.1	50.6	100.6	176.8	228.0	277.2	379.8	413.8	447.3	403.0	-	
	結腸 *2	C18 D010	108.0	0.0	0.0	0.0	0.0	2.7	0.0	2.2	14.8	17.8	26.1	55.1	110.3	159.2	186.8	261.1	296.4	331.8	279.4	-	
	直腸 *2	C19-C20 D011-D012	50.3	0.0	0.0	0.0	0.0	2.7	2.4	2.2	9.3	13.3	24.5	45.4	66.5	68.8	90.4	118.7	117.5	115.6	123.5	-	
	肺	C33-C34 D021-D022	119.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.6	11.8	34.3	30.8	66.5	101.8	208.8	329.4	350.6	415.2	398.9	-	
	皮膚	C43-C44 D030-D049	23.4	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	4.9	4.9	13.0	22.9	31.8	40.1	52.4	89.9	141.7	-
	乳房	C50 D05	76.2	0.0	0.0	0.0	0.0	0.0	0.0	12.9	22.2	79.9	119.1	107.0	121.6	134.8	125.8	124.6	122.9	94.2	107.3	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	1.5	4.9	11.4	22.7	31.5	83.0	83.1	83.1	134.8	119.5	-	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

和歌山県

2015年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	7,895	7.4	25.5	0.1	4.1	63.0
口腔・咽頭	C00-C14	157	0.0	13.4	0.0	2.5	84.1
食道	C15	202	7.4	17.3	0.0	3.0	72.3
胃	C16	1,326	11.5	31.2	0.1	2.4	54.8
大腸（結腸・直腸）	C18-C20	1,172	7.8	22.0	0.1	3.3	66.8
結腸	C18	760	7.5	24.9	0.1	3.3	64.2
直腸	C19-C20	412	8.3	16.7	0.0	3.4	71.6
肝および肝内胆管	C22	393	1.0	43.3	0.0	7.6	48.1
胆のう・胆管	C23-C24	177	2.3	18.6	0.0	11.3	67.8
膵臓	C25	326	0.3	23.9	0.6	8.0	67.2
喉頭	C32	42	0.0	14.3	0.0	0.0	85.7
肺	C33-C34	1,070	7.4	34.4	0.0	4.9	53.4
皮膚	C43-C44	186	0.0	8.6	0.0	1.6	89.8
乳房	C50	642	18.7	10.1	0.0	2.8	68.4
乳房（女性のみ）	C50	635	18.9	9.9	0.0	2.8	68.3
子宮	C53-C55	202	8.4	14.9	0.5	5.4	70.8
子宮頸部	C53	87	11.5	9.2	0.0	8.0	71.3
子宮体部	C54	111	6.3	19.8	0.0	3.6	70.3
卵巣	C56	73	1.4	23.3	0.0	2.7	72.6
前立腺	C61	721	7.4	32.0	0.0	1.5	59.1
膀胱	C67	204	3.4	13.7	0.0	2.5	80.4
腎・尿路（膀胱除く）	C64-C66 C68	205	4.4	29.3	0.0	2.9	63.4
脳・中枢神経系	C70-C72	30	3.3	10.0	0.0	10.0	76.7
甲状腺	C73	132	7.6	29.5	0.0	5.3	57.6
悪性リンパ腫	C81-C85 C96	267	2.6	21.3	0.0	6.4	69.7
多発性骨髄腫	C88-C90	45	0.0	40.0	0.0	4.4	55.6
白血病	C91-C95	87	2.3	21.8	0.0	2.3	73.6

\*1 DCOを除く総数



表4. 発見経緯 (%) : 部位別

## B. 上皮内がんを含む

和歌山県

2015年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	8,617	8.5	25.8	0.1	3.8	61.9
食道	C15 D001	224	8.0	21.0	0.0	2.7	68.3
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,460	10.8	26.0	0.1	2.7	60.5
結腸 *2	C18 D010	996	11.4	29.1	0.1	2.5	56.8
直腸 *2	C19-C20 D011-D012	464	9.5	19.2	0.0	3.0	68.3
肺	C33-C34 D021-D022	1,072	7.4	34.4	0.0	4.9	53.3
皮膚	C43-C44 D030-D049	223	0.0	9.0	0.0	1.3	89.7
乳房	C50 D05	714	20.6	9.8	0.0	2.5	67.1
乳房（女性のみ）	C50 D05	707	20.8	9.6	0.0	2.5	67.0
子宮	C53-C55 D06	327	21.1	15.3	0.3	3.4	59.9
子宮頸部	C53 D06	212	29.2	13.2	0.0	3.3	54.2
膀胱	C67 D090	335	3.0	16.4	0.0	1.5	79.1

\*1 DCOを除く総数

\*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

## A. 上皮内がんを除く

和歌山県

2015年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	7,764	46.8	9.0	14.3	17.0	12.8	23.4
口腔・咽頭	C00-C14	157	32.5	16.6	26.8	3.8	20.4	43.3
食道	C15	202	39.6	6.9	27.7	13.4	12.4	34.7
胃	C16	1,326	59.8	9.6	9.2	11.8	9.6	18.8
大腸（結腸・直腸）	C18-C20	1,172	43.0	17.5	11.6	17.0	10.9	29.1
結腸	C18	760	42.4	14.9	13.0	18.2	11.6	27.9
直腸	C19-C20	412	44.2	22.3	9.0	14.8	9.7	31.3
肝および肝内胆管	C22	393	60.3	3.3	10.4	8.4	17.6	13.7
胆のう・胆管	C23-C24	177	22.0	3.4	40.1	19.2	15.3	43.5
膵臓	C25	326	10.1	0.9	37.1	43.3	8.6	38.0
喉頭	C32	42	73.8	7.1	11.9	0.0	7.1	19.0
肺	C33-C34	1,070	30.0	11.4	10.5	36.1	12.1	21.9
皮膚	C43-C44	186	83.9	1.6	4.8	1.1	8.6	6.5
乳房	C50	642	62.6	16.4	3.1	6.4	11.5	19.5
乳房（女性のみ）	C50	635	62.7	16.4	3.1	6.5	11.3	19.5
子宮	C53-C55	202	52.5	3.0	21.3	10.9	12.4	24.3
子宮頸部	C53	87	33.3	2.3	35.6	12.6	16.1	37.9
子宮体部	C54	111	69.4	3.6	10.8	9.9	6.3	14.4
卵巣	C56	73	24.7	2.7	52.1	12.3	8.2	54.8
前立腺	C61	721	54.9	1.1	20.7	12.6	10.7	21.8
膀胱	C67	204	65.2	2.5	12.7	4.9	14.7	15.2
腎・尿路（膀胱除く）	C64-C66 C68	205	50.2	0.5	25.4	11.2	12.7	25.9
脳・中枢神経系	C70-C72	30	80.0	0.0	3.3	0.0	16.7	3.3
甲状腺	C73	132	41.7	31.8	3.0	8.3	15.2	34.8
悪性リンパ腫	C81-C85 C96	264	25.8	1.5	9.5	33.7	29.5	11.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

## B. 上皮内がんを含む

和歌山県

2015年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	8,486	8.3	42.9	8.3	13.1	15.6	11.8	21.4
食道	C15 D001	224	8.9	35.7	6.3	25.0	12.1	12.1	31.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,460	19.7	34.5	14.0	9.3	13.6	8.8	23.4
結腸 *3	C18 D010	996	23.7	32.3	11.3	9.9	13.9	8.8	21.3
直腸 *3	C19-C20 D011-D012	464	11.0	39.2	19.8	8.0	13.1	8.8	27.8
肺	C33-C34 D021-D022	1,072	0.2	29.9	11.4	10.4	36.0	12.0	21.8
皮膚	C43-C44 D030-D049	223	16.6	70.0	1.3	4.0	0.9	7.2	5.4
乳房	C50 D05	714	9.5	56.4	14.7	2.8	5.7	10.8	17.5
乳房 (女性のみ)	C50 D05	707	9.6	56.4	14.7	2.8	5.8	10.6	17.5
子宮	C53-C55 D06	327	37.9	32.4	1.8	13.1	6.7	8.0	15.0
子宮頸部	C53 D06	212	58.5	13.7	0.9	14.6	5.2	7.1	15.6
膀胱	C67 D090	335	37.9	39.7	1.5	7.8	3.0	10.1	9.3

\*1 DC0、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

## A. 上皮内がんを除く

和歌山県

2015年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	7,764	0.5	45.3	8.2	12.7	16.7	16.7	20.9
口腔・咽頭	C00-C14	157	1.3	26.8	14.6	26.8	3.8	26.8	41.4
食道	C15	202	3.0	37.1	6.4	25.7	13.4	14.4	32.2
胃	C16	1,326	0.0	57.5	9.6	7.4	11.5	14.1	17.0
大腸（結腸・直腸）	C18-C20	1,172	1.2	39.2	16.2	10.4	16.5	16.6	26.6
結腸	C18	760	1.3	38.7	13.6	11.2	17.4	17.9	24.7
直腸	C19-C20	412	1.0	40.0	21.1	9.0	14.8	14.1	30.1
肝および肝内胆管	C22	393	0.0	59.3	3.3	10.4	8.1	18.8	13.7
胆のう・胆管	C23-C24	177	0.0	24.3	2.3	37.3	20.3	15.8	39.5
膵臓	C25	326	0.0	9.8	0.9	35.3	42.9	11.0	36.2
喉頭	C32	42	0.0	71.4	7.1	14.3	0.0	7.1	21.4
肺	C33-C34	1,070	0.0	27.9	10.5	9.8	36.1	15.7	20.3
皮膚	C43-C44	186	0.5	82.8	1.1	4.3	1.1	10.2	5.4
乳房	C50	642	1.1	60.4	14.3	3.1	6.1	15.0	17.4
乳房（女性のみ）	C50	635	0.9	60.5	14.5	3.1	6.1	14.8	17.6
子宮	C53-C55	202	3.5	49.5	3.0	19.8	10.4	13.9	22.8
子宮頸部	C53	87	8.0	26.4	1.1	34.5	12.6	17.2	35.6
子宮体部	C54	111	0.0	69.4	4.5	9.0	9.0	8.1	13.5
卵巣	C56	73	0.0	27.4	2.7	38.4	13.7	17.8	41.1
前立腺	C61	721	0.0	56.9	1.0	16.2	12.2	13.7	17.2
膀胱	C67	204	0.5	61.8	2.0	11.3	4.4	20.1	13.2
腎・尿路（膀胱除く）	C64-C66 C68	205	0.5	50.2	0.5	19.0	10.7	19.0	19.5
脳・中枢神経系	C70-C72	30	0.0	80.0	0.0	3.3	0.0	16.7	3.3
甲状腺	C73	132	0.0	50.0	15.9	3.8	7.6	22.7	19.7
悪性リンパ腫	C81-C85 C96	264	0.0	25.0	1.5	8.7	31.4	33.3	10.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

## B. 上皮内がんを含む

和歌山県

2015年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	8,486	7.4	41.9	7.5	11.6	15.3	16.4	19.1
食道	C15 D001	224	11.2	33.9	5.8	23.2	12.1	13.8	29.0
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,460	16.8	31.8	13.0	8.4	13.3	16.8	21.4
結腸 *3	C18 D010	996	20.1	30.0	10.3	8.5	13.4	17.7	18.9
直腸 *3	C19-C20 D011-D012	464	9.7	35.6	18.8	8.0	13.1	14.9	26.7
肺	C33-C34 D021-D022	1,072	0.2	27.9	10.4	9.8	36.0	15.7	20.2
皮膚	C43-C44 D030-D049	223	16.6	69.5	0.9	3.6	0.9	8.5	4.5
乳房	C50 D05	714	9.5	55.2	12.9	2.8	5.5	14.1	15.7
乳房 (女性のみ)	C50 D05	707	9.5	55.2	13.0	2.8	5.5	14.0	15.8
子宮	C53-C55 D06	327	38.2	30.9	1.8	12.2	6.4	10.4	14.1
子宮頸部	C53 D06	212	59.0	11.3	0.5	14.2	5.2	9.9	14.6
膀胱	C67 D090	335	30.1	41.2	1.2	6.9	2.7	17.9	8.1

\*1 DC0、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

## A. 上皮内がんを除く

和歌山県

2015年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	5,050	54.6	10.3	12.0	4.5	18.7	22.3
口腔・咽頭	C00-C14	79	45.6	7.6	11.4	1.3	34.2	19.0
食道	C15	120	55.8	5.8	15.0	1.7	21.7	20.8
胃	C16	1,079	67.1	10.4	8.9	3.3	10.3	19.3
大腸（結腸・直腸）	C18-C20	1,013	46.9	17.9	11.6	11.3	12.3	29.5
結腸	C18	669	45.7	16.1	13.9	11.5	12.7	30.0
直腸	C19-C20	344	49.1	21.2	7.3	10.8	11.6	28.5
肝および肝内胆管	C22	139	37.4	1.4	3.6	2.2	55.4	5.0
胆のう・胆管	C23-C24	85	17.6	5.9	54.1	2.4	20.0	60.0
膵臓	C25	102	15.7	2.0	41.2	8.8	32.4	43.1
喉頭	C32	18	50.0	11.1	11.1	0.0	27.8	22.2
肺	C33-C34	477	51.8	11.7	7.3	4.6	24.5	19.1
皮膚	C43-C44	167	84.4	0.6	4.8	0.0	10.2	5.4
乳房	C50	554	63.2	16.6	2.2	1.1	17.0	18.8
乳房（女性のみ）	C50	549	63.4	16.6	2.2	1.1	16.8	18.8
子宮	C53-C55	155	64.5	2.6	12.9	3.9	16.1	15.5
子宮頸部	C53	51	49.0	3.9	17.6	0.0	29.4	21.6
子宮体部	C54	101	74.3	2.0	10.9	5.9	6.9	12.9
卵巣	C56	62	29.0	3.2	54.8	8.1	4.8	58.1
前立腺	C61	332	51.8	0.0	20.8	0.3	27.1	20.8
膀胱	C67	177	68.9	1.7	10.2	1.7	17.5	11.9
腎・尿路（膀胱除く）	C64-C66 C68	175	51.4	0.6	25.1	3.4	19.4	25.7
脳・中枢神経系	C70-C72	22	68.2	0.0	4.5	0.0	27.3	4.5
甲状腺	C73	115	38.3	33.9	0.9	2.6	24.3	34.8
悪性リンパ腫	C81-C85 C96	40	12.5	2.5	5.0	0.0	80.0	7.5
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

## B. 上皮内がんを含む

和歌山県

2015年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	5,739	11.6	48.1	9.1	10.5	4.0	16.8	19.6
食道	C15 D001	136	11.0	49.3	5.1	13.2	1.5	19.9	18.4
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,300	21.8	36.5	13.9	9.1	8.8	9.9	23.0
結腸 *3	C18 D010	904	25.8	33.8	11.9	10.3	8.5	9.6	22.2
直腸 *3	C19-C20 D011-D012	396	12.6	42.7	18.4	6.3	9.3	10.6	24.7
肺	C33-C34 D021-D022	478	0.2	51.7	11.7	7.3	4.6	24.5	19.0
皮膚	C43-C44 D030-D049	197	14.7	71.6	0.5	4.1	0.0	9.1	4.6
乳房	C50 D05	624	10.1	56.1	14.7	1.9	1.0	16.2	16.7
乳房 (女性のみ)	C50 D05	619	10.2	56.2	14.7	1.9	1.0	16.0	16.6
子宮	C53-C55 D06	273	41.8	36.6	1.5	7.3	2.2	10.6	8.8
子宮頸部	C53 D06	169	67.5	14.8	1.2	5.3	0.0	11.2	6.5
膀胱	C67 D090	303	40.3	40.3	1.0	5.9	1.0	11.6	6.9

\*1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

## A. 上皮内がんを除く

和歌山県

2015年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	7,895	27.3	18.1	11.9	9.1	28.4	8.2	5.3	23.3
口腔・咽頭	C00-C14	157	41.4	0.0	2.5	30.6	45.9	0.0	1.9	30.6
食道	C15	202	7.4	27.2	23.3	22.8	40.6	0.0	4.0	18.8
胃	C16	1,326	21.0	18.9	38.2	0.5	18.2	0.4	0.7	17.3
大腸（結腸・直腸）	C18-C20	1,172	26.5	47.3	11.2	2.5	28.1	0.3	1.6	16.4
結腸	C18	760	27.2	46.1	11.6	0.1	25.7	0.3	1.3	16.7
直腸	C19-C20	412	25.0	49.5	10.4	6.8	32.5	0.2	2.2	15.8
肝および肝内胆管	C22	393	13.2	2.3	1.0	2.5	30.3	0.0	42.5	39.7
胆のう・胆管	C23-C24	177	34.5	2.8	24.9	1.7	24.9	0.0	17.5	28.2
膵臓	C25	326	24.2	2.1	12.6	3.1	41.7	0.3	10.4	36.2
喉頭	C32	42	31.0	0.0	0.0	64.3	45.2	0.0	4.8	14.3
肺	C33-C34	1,070	5.9	28.5	0.3	15.8	42.7	0.1	2.4	31.9
皮膚	C43-C44	186	81.7	0.0	0.0	3.8	4.8	0.0	4.8	16.7
乳房	C50	642	74.8	0.0	0.0	21.5	26.6	47.0	0.9	17.4
乳房（女性のみ）	C50	635	75.0	0.0	0.0	21.6	26.8	46.9	0.9	17.3
子宮	C53-C55	202	63.4	1.0	0.5	19.3	36.6	1.5	3.0	17.3
子宮頸部	C53	87	42.5	0.0	0.0	42.5	34.5	0.0	3.4	24.1
子宮体部	C54	111	82.0	1.8	0.9	1.8	38.7	2.7	2.7	9.9
卵巣	C56	73	83.6	2.7	0.0	0.0	72.6	0.0	8.2	8.2
前立腺	C61	721	16.2	16.8	1.7	12.5	2.4	44.5	2.2	18.7
膀胱	C67	204	14.2	3.4	65.2	4.4	25.0	1.0	19.6	20.6
腎・尿路（膀胱除く）	C64-C66 C68	205	19.5	49.8	2.0	3.4	14.1	0.0	2.4	23.9
脳・中枢神経系	C70-C72	30	56.7	0.0	0.0	46.7	56.7	0.0	6.7	20.0
甲状腺	C73	132	65.2	0.0	1.5	9.1	1.5	9.1	4.5	30.3
悪性リンパ腫	C81-C85 C96	267	4.5	0.7	0.0	7.5	64.0	0.0	1.9	29.6
多発性骨髄腫	C88-C90	45	2.2	0.0	0.0	6.7	53.3	0.0	0.0	44.4
白血病	C91-C95	87	0.0	0.0	0.0	1.1	65.5	0.0	2.3	33.3

\*1 DCOを除く総数

重複を含むため合計は100%にならない



表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2015年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	8,617	27.7	17.0	15.7	8.5	26.5	7.8	5.2	21.8
食道	C15 D001	224	6.7	24.6	28.6	21.4	37.5	0.0	3.6	18.3
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,460	22.1	39.2	26.7	2.0	22.7	0.3	1.4	13.4
結腸 *2	C18 D010	996	21.5	36.4	30.6	0.1	19.7	0.2	1.2	13.1
直腸 *2	C19-C20 D011-D012	464	23.3	45.3	18.3	6.0	29.1	0.4	1.9	14.2
肺	C33-C34 D021-D022	1,072	5.9	28.5	0.3	15.8	42.6	0.1	2.4	31.9
皮膚	C43-C44 D030-D049	223	81.2	0.0	0.0	3.1	4.0	0.0	4.5	17.0
乳房	C50 D05	714	76.3	0.0	0.0	21.1	23.9	45.1	0.8	16.7
乳房 (女性のみ)	C50 D05	707	76.5	0.0	0.0	21.2	24.0	45.0	0.8	16.5
子宮	C53-C55 D06	327	69.4	1.8	4.6	11.9	22.6	1.2	3.1	13.1
子宮頸部	C53 D06	212	64.2	1.9	6.6	17.5	14.2	0.5	3.3	13.7
膀胱	C67 D090	335	9.6	2.4	75.5	2.7	26.0	0.9	17.9	14.0

\*1 DCOを除く総数

\*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

## A. 上皮内がんを除く

和歌山県

2015年

部位	ICD-10	集約対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	4,389	85.7	14.0	0.3
口腔・咽頭	C00-C14	69	82.6	17.4	0.0
食道	C15	116	91.4	8.6	0.0
胃	C16	1,003	90.5	9.3	0.2
大腸（結腸・直腸）	C18-C20	935	85.0	14.9	0.1
結腸	C18	605	84.3	15.7	0.0
直腸	C19-C20	330	86.4	13.3	0.3
肝および肝内胆管	C22	64	87.5	12.5	0.0
胆のう・胆管	C23-C24	100	55.0	44.0	1.0
膵臓	C25	115	59.1	40.0	0.9
喉頭	C32	13	84.6	15.4	0.0
肺	C33-C34	369	90.5	8.9	0.5
皮膚	C43-C44	152	95.4	4.6	0.0
乳房	C50	480	93.1	6.9	0.0
乳房（女性のみ）	C50	476	93.1	6.9	0.0
子宮	C53-C55	131	86.3	13.7	0.0
子宮頸部	C53	37	81.1	18.9	0.0
子宮体部	C54	94	88.3	11.7	0.0
卵巣	C56	62	51.6	46.8	1.6
前立腺	C61	250	80.8	19.2	0.0
膀胱	C67	155	79.4	18.7	1.9
腎・尿路（膀胱除く）	C64-C66 C68	144	89.6	9.7	0.7
脳・中枢神経系	C70-C72	17	52.9	41.2	5.9
甲状腺	C73	88	88.6	11.4	0.0
悪性リンパ腫	C81-C85 C96	14	57.1	35.7	7.1
多発性骨髄腫	C88-C90	1	0.0	100.0	0.0
白血病	C91-C95	0	-	-	-

\*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

和歌山県

2015年

部位	ICD-10	集約対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	5,063	87.1	12.5	0.4
食道	C15 D001	133	91.0	7.5	1.5
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,219	87.9	11.7	0.3
結腸 *2	C18 D010	838	87.9	11.8	0.2
直腸 *2	C19-C20 D011-D012	381	87.9	11.5	0.5
肺	C33-C34 D021-D022	370	90.5	8.9	0.5
皮膚	C43-C44 D030-D049	181	96.1	3.9	0.0
乳房	C50 D05	545	93.6	6.4	0.0
乳房（女性のみ）	C50 D05	541	93.5	6.5	0.0
子宮	C53-C55 D06	246	91.1	8.9	0.0
子宮頸部	C53 D06	152	92.8	7.2	0.0
膀胱	C67 D090	278	84.9	13.7	1.4

\*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

\*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

## A. 上皮内がんを除く

和歌山県

2015年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.41	0.41	0.41	7.8	10.6	9.0	4.0	5.5	4.6	84.8	82.5	83.9	81.2	78.5	80.1
口腔・咽頭	C00-C14	0.54	0.44	0.51	4.7	6.8	5.4	4.7	6.8	5.4	90.7	88.1	89.8	89.7	79.7	86.1
食道	C15	0.52	0.61	0.54	3.7	13.0	5.8	1.2	6.5	2.4	95.0	89.1	93.7	94.4	89.1	93.2
胃	C16	0.29	0.32	0.30	5.4	9.2	6.6	2.5	5.1	3.3	95.2	90.8	93.8	94.9	89.8	93.3
大腸（結腸・直腸）	C18-C20	0.35	0.43	0.39	6.1	12.2	8.8	3.2	7.0	4.9	93.1	85.6	89.8	92.3	84.5	88.9
結腸	C18	0.39	0.46	0.42	6.5	12.2	9.2	3.1	7.3	5.1	92.1	84.1	88.3	91.6	83.1	87.5
直腸	C19-C20	0.29	0.37	0.32	5.5	12.1	7.9	3.3	6.4	4.4	94.5	89.2	92.6	93.4	87.9	91.4
肝および肝内胆管	C22	0.80	0.71	0.77	19.0	19.4	19.1	10.0	11.2	10.5	23.8	18.8	21.9	23.0	17.6	21.0
胆のう・胆管	C23-C24	0.67	0.85	0.76	11.7	21.1	16.4	4.3	8.4	6.3	68.1	55.8	61.9	55.3	45.3	50.3
膵臓	C25	0.80	0.80	0.80	10.6	23.4	16.8	3.9	10.5	7.1	58.3	49.1	53.8	45.0	42.1	43.6
喉頭	C32	0.12	0.00	0.11	4.8	0.0	4.5	4.8	0.0	4.5	92.9	100.0	93.2	92.9	100.0	93.2
肺	C33-C34	0.64	0.59	0.62	13.0	15.2	13.7	6.4	5.7	6.2	79.4	76.7	78.6	67.2	66.4	67.0
皮膚	C43-C44	0.08	0.05	0.06	1.1	2.1	1.6	1.1	1.0	1.1	98.9	96.9	97.9	97.8	94.8	96.3
乳房	C50	0.13	0.17	0.17	12.5	4.3	4.4	12.5	2.6	2.7	87.5	94.9	94.8	87.5	93.6	93.5
子宮	C53-C55	-	0.23	0.23	-	5.3	5.3	-	2.9	2.9	-	94.2	94.2	-	93.3	93.3
子宮頸部	C53	-	0.25	0.25	-	3.4	3.4	-	1.1	1.1	-	94.3	94.3	-	93.2	93.2
子宮体部	C54	-	0.12	0.12	-	3.5	3.5	-	1.8	1.8	-	97.3	97.3	-	96.5	96.5
卵巣	C56	-	0.45	0.45	-	9.3	9.3	-	2.7	2.7	-	90.7	90.7	-	86.7	86.7
前立腺	C61	0.13	-	0.13	4.0	-	4.0	3.2	-	3.2	89.9	-	89.9	89.9	-	89.9
膀胱	C67	0.27	0.48	0.31	3.0	9.1	4.3	1.8	6.8	2.9	93.4	86.4	91.9	91.0	77.3	88.1
腎・尿路（膀胱除く）	C64-C66 C68	0.30	0.31	0.30	6.1	6.3	6.2	3.4	1.6	2.8	86.4	90.6	87.7	83.0	85.9	83.9
脳・中枢神経系	C70-C72	0.47	0.67	0.55	10.5	8.3	9.7	5.3	0.0	3.2	78.9	100.0	87.1	73.7	91.7	80.6
甲状腺	C73	0.16	0.13	0.13	2.6	4.2	3.7	0.0	2.1	1.5	94.7	94.8	94.8	89.5	75.0	79.1
悪性リンパ腫	C81-C85 C96	0.38	0.45	0.41	8.4	7.2	7.9	4.2	3.6	4.0	94.0	88.3	91.7	91.6	87.4	89.9
多発性骨髄腫	C88-C90	0.54	0.75	0.63	3.6	15.0	8.3	3.6	10.0	6.3	92.9	80.0	87.5	89.3	75.0	83.3
白血病	C91-C95	0.89	0.74	0.82	6.4	21.3	13.8	4.3	10.6	7.4	97.9	91.5	94.7	89.4	66.0	77.7

\*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

## B. 上皮内がんを含む

和歌山県

2015年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.39	0.37	0.38	7.4	9.6	8.3	3.8	4.9	4.2	85.8	84.2	85.2	82.4	80.6	81.6
食道	C15 D001	0.48	0.53	0.49	3.4	11.3	5.2	1.1	5.7	2.2	95.5	90.6	94.3	94.9	90.6	93.9
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.28	0.37	0.31	4.9	10.3	7.2	2.5	5.9	3.9	94.5	87.9	91.7	94.0	86.9	91.0
結腸 *2	C18 D010	0.28	0.38	0.33	4.9	10.0	7.2	2.3	6.0	4.0	94.2	87.0	90.9	93.8	86.1	90.4
直腸 *2	C19-C20 D011-D012	0.26	0.33	0.29	4.9	10.9	7.0	2.9	5.7	3.9	95.1	90.3	93.4	94.2	89.1	92.3
肺	C33-C34 D021-D022	0.64	0.58	0.62	13.1	15.2	13.7	6.4	5.7	6.2	79.5	76.8	78.7	67.1	66.5	66.9
皮膚	C43-C44 D030-D049	0.07	0.04	0.05	1.0	1.7	1.3	1.0	0.8	0.9	99.0	97.5	98.2	98.1	95.8	96.9
乳房	C50 D05	0.13	0.15	0.15	12.5	3.9	4.0	12.5	2.3	2.5	87.5	95.4	95.4	87.5	94.2	94.1
子宮	C53-C55 D06	-	0.14	0.14	-	3.3	3.3	-	1.8	1.8	-	96.4	96.4	-	95.8	95.8
子宮頸部	C53 D06	-	0.10	0.10	-	1.4	1.4	-	0.5	0.5	-	97.7	97.7	-	97.2	97.2
膀胱	C67 D090	0.16	0.31	0.19	1.8	6.0	2.6	1.1	4.5	1.8	96.0	91.0	95.0	93.8	85.1	92.1

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

和歌山県

2015年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	2,017	1,388	3,405	100.0	100.0	100.0	449.2	274.0	356.3	176.6	85.8	124.2	120.1	60.3	85.8	12.8	6.2	9.3
口腔・咽頭	C00-C14	58	26	84	2.9	1.9	2.5	12.9	5.1	8.8	5.4	1.3	3.1	3.8	0.9	2.2	0.4	0.0	0.2
食道	C15	84	28	112	4.2	2.0	3.3	18.7	5.5	11.7	8.8	1.8	5.0	6.3	1.2	3.6	0.8	0.1	0.5
胃	C16	276	138	414	13.7	9.9	12.2	61.5	27.2	43.3	23.1	8.3	14.5	15.7	5.9	10.1	1.8	0.6	1.1
大腸（結腸・直腸）	C18-C20	242	235	477	12.0	16.9	14.0	53.9	46.4	49.9	23.0	13.5	17.8	15.8	9.4	12.3	1.7	1.0	1.3
結腸	C18	162	177	339	8.0	12.8	10.0	36.1	34.9	35.5	15.0	10.2	12.4	10.2	7.1	8.5	1.0	0.7	0.9
直腸	C19-C20	80	58	138	4.0	4.2	4.1	17.8	11.4	14.4	8.0	3.3	5.5	5.5	2.3	3.8	0.6	0.3	0.4
肝および肝内胆管	C22	216	120	336	10.7	8.6	9.9	48.1	23.7	35.2	18.6	5.8	11.3	12.4	3.7	7.5	1.3	0.4	0.8
胆のう・胆管	C23-C24	63	81	144	3.1	5.8	4.2	14.0	16.0	15.1	4.9	4.1	4.4	3.2	2.7	2.9	0.4	0.2	0.3
膵臓	C25	144	137	281	7.1	9.9	8.3	32.1	27.0	29.4	14.1	6.5	10.1	10.1	4.2	7.0	1.2	0.4	0.8
喉頭	C32	5	0	5	0.2	0.0	0.1	1.1	0.0	0.5	0.4	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
肺	C33-C34	505	204	709	25.0	14.7	20.8	112.5	40.3	74.2	42.1	11.9	24.6	28.1	8.1	16.6	3.1	0.9	1.9
皮膚	C43-C44	7	5	12	0.3	0.4	0.4	1.6	1.0	1.3	0.5	0.3	0.4	0.3	0.2	0.2	0.0	0.0	0.0
乳房	C50	1	112	113	0.0	8.1	3.3	0.2	22.1	11.8	0.1	10.6	5.7	0.0	7.9	4.2	0.0	0.9	0.5
子宮	C53-C55	-	48	48	-	3.5	1.4	-	9.5	-	-	5.0	-	-	3.9	-	-	0.4	-
子宮頸部	C53	-	22	22	-	1.6	0.6	-	4.3	-	-	2.5	-	-	2.0	-	-	0.2	-
子宮体部	C54	-	13	13	-	0.9	0.4	-	2.6	-	-	1.3	-	-	1.0	-	-	0.1	-
卵巣	C56	-	34	34	-	2.4	1.0	-	6.7	-	-	3.1	-	-	2.2	-	-	0.2	-
前立腺	C61	99	-	99	4.9	-	2.9	22.1	-	-	6.4	-	-	3.8	-	-	0.2	-	-
膀胱	C67	44	21	65	2.2	1.5	1.9	9.8	4.1	6.8	3.2	0.9	1.8	2.1	0.5	1.2	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	44	20	64	2.2	1.4	1.9	9.8	3.9	6.7	3.7	1.0	2.2	2.5	0.7	1.5	0.2	0.1	0.1
脳・中枢神経系	C70-C72	9	8	17	0.4	0.6	0.5	2.0	1.6	1.8	1.0	0.7	0.8	0.6	0.5	0.6	0.1	0.0	0.1
甲状腺	C73	6	12	18	0.3	0.9	0.5	1.3	2.4	1.9	0.4	0.5	0.5	0.2	0.4	0.3	0.0	0.1	0.0
悪性リンパ腫	C81-C85 C96	64	50	114	3.2	3.6	3.3	14.3	9.9	11.9	5.7	2.8	4.0	3.7	1.9	2.7	0.4	0.2	0.3
多発性骨髄腫	C88-C90	15	15	30	0.7	1.1	0.9	3.3	3.0	3.1	1.4	0.8	1.1	0.9	0.5	0.7	0.1	0.0	0.1
白血病	C91-C95	42	35	77	2.1	2.5	2.3	9.4	6.9	8.1	4.3	2.6	3.4	3.1	2.3	2.6	0.3	0.2	0.2

\*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	2,017	0	0	0	0	2	1	1	6	7	19	26	60	154	248	319	328	391	309	121	23	2	0
	口腔・咽頭	C00-C14	58	0	0	0	0	0	1	0	0	0	2	1	1	3	10	8	6	14	9	3	0	0	0
	食道	C15	84	0	0	0	0	0	0	0	0	1	2	2	6	9	18	16	10	11	5	4	0	0	0
	胃	C16	276	0	0	0	0	0	0	0	0	0	1	2	4	26	39	46	42	52	45	17	2	0	0
	大腸（結腸・直腸）	C18-C20	242	0	0	0	0	0	0	0	1	4	3	5	10	21	35	32	51	39	30	9	2	0	0
	結腸	C18	162	0	0	0	0	0	0	0	1	3	2	3	4	14	21	20	37	25	22	8	2	0	0
	直腸	C19-C20	80	0	0	0	0	0	0	0	0	1	1	2	6	7	14	12	14	14	8	1	0	0	0
	肝および肝内胆管	C22	216	0	0	0	0	0	0	0	1	0	2	5	7	14	23	30	29	56	36	10	3	0	0
	胆のう・胆管	C23-C24	63	0	0	0	0	0	0	0	0	0	0	0	1	3	7	14	6	14	9	8	1	0	0
	膵臓	C25	144	0	0	0	0	0	0	0	2	0	1	4	5	22	19	28	16	21	19	6	1	0	0
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	0	1	0	0
	肺	C33-C34	505	0	0	0	0	0	0	0	0	0	2	2	20	32	58	88	83	96	86	32	6	0	0
	皮膚	C43-C44	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	5	0	0	0	0	0
	乳房	C50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	前立腺	C61	99	0	0	0	0	0	0	0	0	0	0	0	0	0	3	8	19	29	24	13	1	2	0
	膀胱	C67	44	0	0	0	0	0	0	0	0	0	1	0	0	1	3	6	7	8	10	5	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	44	0	0	0	0	0	0	0	0	0	0	0	1	6	7	3	8	9	6	3	1	0	0
	脳・中枢神経系	C70-C72	9	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	3	1	0	0	0	0	0
	甲状腺	C73	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	0	0	0	0
	悪性リンパ腫	C81-C85 C96	64	0	0	0	0	0	0	1	0	0	1	0	2	4	5	10	13	18	7	3	0	0	0
	多発性骨髄腫	C88-C90	15	0	0	0	0	0	0	0	0	0	0	1	0	0	3	2	6	2	1	0	0	0	0
	白血病	C91-C95	42	0	0	0	0	2	0	0	0	0	0	0	1	3	7	4	14	6	4	1	0	0	0

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,388	0	1	0	2	0	0	1	2	11	22	28	44	71	138	137	179	263	268	163	51	7	0
	口腔・咽頭	C00-C14	26	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	4	6	5	6	1	1	0
	食道	C15	28	0	0	0	0	0	0	0	0	1	0	0	1	1	4	3	5	4	8	1	0	0	0
	胃	C16	138	0	0	0	0	0	0	0	0	2	3	1	5	8	14	12	15	22	29	17	9	1	0
	大腸（結腸・直腸）	C18-C20	235	0	0	0	0	0	0	0	0	1	2	5	6	14	23	24	24	48	41	30	16	1	0
	結腸	C18	177	0	0	0	0	0	0	0	0	1	2	3	5	10	16	18	22	33	32	23	11	1	0
	直腸	C19-C20	58	0	0	0	0	0	0	0	0	0	0	2	1	4	7	6	2	15	9	7	5	0	0
	肝および肝内胆管	C22	120	0	0	0	0	0	0	0	0	0	0	0	1	3	8	15	26	20	30	13	4	0	0
	胆のう・胆管	C23-C24	81	0	0	0	0	0	0	0	1	0	1	1	1	2	4	6	12	18	19	12	3	1	0
	膵臓	C25	137	0	0	0	0	0	0	0	0	0	0	1	2	4	11	12	20	31	33	17	5	1	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	204	0	0	0	0	0	0	0	0	1	2	4	6	9	21	22	25	43	43	21	6	1	0
	皮膚	C43-C44	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	2	0	0
	乳房	C50	112	0	0	0	0	0	0	0	0	4	6	4	9	12	15	18	13	13	12	6	0	0	0
	子宮	C53-C55	48	0	0	0	0	0	0	0	1	1	3	6	2	5	8	6	1	4	3	6	2	0	0
	子宮頸部	C53	22	0	0	0	0	0	0	0	0	1	1	4	1	4	4	2	0	1	1	2	1	0	0
	子宮体部	C54	13	0	0	0	0	0	0	0	0	0	0	2	1	1	3	3	1	0	0	2	0	0	0
	卵巣	C56	34	0	0	0	0	0	0	0	0	0	1	2	3	6	4	1	6	7	3	1	0	0	0
	膀胱	C67	21	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	6	5	3	0	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	20	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	3	3	3	5	2	0	0
	脳・中枢神経系	C70-C72	8	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	5	0	0	0	0	0	0
	甲状腺	C73	12	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	2	3	2	0	1	0
	悪性リンパ腫	C81-C85 C96	50	0	0	0	0	0	0	1	0	0	0	1	1	3	3	3	5	12	11	10	0	0	0
	多発性骨髄腫	C88-C90	15	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	7	1	2	0	0	0
	白血病	C91-C95	35	0	1	0	1	0	0	0	0	0	1	1	1	0	6	0	4	8	8	4	0	0	0



表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	3,405	0	1	0	2	2	1	2	8	18	41	54	104	225	386	456	507	654	577	284	74	9	0
	口腔・咽頭	C00-C14	84	0	0	0	0	0	1	0	0	1	2	2	2	3	10	8	10	20	14	9	1	1	0
	食道	C15	112	0	0	0	0	0	0	0	0	2	2	2	7	10	22	19	15	15	13	5	0	0	0
	胃	C16	414	0	0	0	0	0	0	0	0	2	4	3	9	34	53	58	57	74	74	34	11	1	0
	大腸（結腸・直腸）	C18-C20	477	0	0	0	0	0	0	0	1	5	5	10	16	35	58	56	75	87	71	39	18	1	0
	結腸	C18	339	0	0	0	0	0	0	0	1	4	4	6	9	24	37	38	59	58	54	31	13	1	0
	直腸	C19-C20	138	0	0	0	0	0	0	0	0	1	1	4	7	11	21	18	16	29	17	8	5	0	0
	肝および肝内胆管	C22	336	0	0	0	0	0	0	0	1	0	2	5	8	17	31	45	55	76	66	23	7	0	0
	胆のう・胆管	C23-C24	144	0	0	0	0	0	0	0	1	0	1	1	2	5	11	20	18	32	28	20	4	1	0
	膵臓	C25	281	0	0	0	0	0	0	0	2	0	1	5	7	26	30	40	36	52	52	23	6	1	0
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	0	1	0	0
	肺	C33-C34	709	0	0	0	0	0	0	0	0	1	4	6	26	41	79	110	108	139	129	53	12	1	0
	皮膚	C43-C44	12	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	5	1	0	2	0	0
	乳房	C50	113	0	0	0	0	0	0	0	0	4	6	4	9	12	15	18	14	13	12	6	0	0	0
	子宮	C53-C55	48	0	0	0	0	0	0	0	1	1	3	6	2	5	8	6	1	4	3	6	2	0	0
	子宮頸部	C53	22	0	0	0	0	0	0	0	0	1	1	4	1	4	4	2	0	1	1	2	1	0	0
	子宮体部	C54	13	0	0	0	0	0	0	0	0	0	0	2	1	1	3	3	1	0	0	2	0	0	0
	卵巣	C56	34	0	0	0	0	0	0	0	0	0	1	2	3	6	4	1	6	7	3	1	0	0	0
	前立腺	C61	99	0	0	0	0	0	0	0	0	0	0	0	0	0	3	8	19	29	24	13	1	2	0
	膀胱	C67	65	0	0	0	0	0	0	0	0	0	1	0	0	1	4	8	11	14	15	8	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	64	0	0	0	0	0	0	0	0	0	1	0	1	6	8	5	11	12	9	8	3	0	0
	脳・中枢神経系	C70-C72	17	0	0	0	0	0	0	0	0	0	2	0	0	0	3	3	8	1	0	0	0	0	0
	甲状腺	C73	18	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	4	5	2	0	1	0
	悪性リンパ腫	C81-C85 C96	114	0	0	0	0	0	0	2	0	0	1	1	3	7	8	13	18	30	18	13	0	0	0
	多発性骨髄腫	C88-C90	30	0	0	0	0	0	0	0	0	0	0	1	1	1	3	3	8	9	2	2	0	0	0
	白血病	C91-C95	77	0	1	0	1	2	0	0	0	0	1	1	2	3	13	4	18	14	12	5	0	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
男	全部位	C00-C97	449.2	0.0	0.0	0.0	0.0	11.1	4.9	4.4	22.4	21.0	65.0	89.8	202.1	459.1	638.9	1,049.0	1,385.8	2,190.4	3,046.4	3,787.2	3,560.4	3,030.3	-
	口腔・咽頭	C00-C14	12.9	0.0	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0	6.8	3.5	3.4	8.9	25.8	26.3	25.3	78.4	88.7	93.9	0.0	0.0	-
	食道	C15	18.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.8	6.9	20.2	26.8	46.4	52.6	42.2	61.6	49.3	125.2	0.0	0.0	-
	胃	C16	61.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.9	13.5	77.5	100.5	151.3	177.4	291.3	443.7	532.1	309.6	0.0	-
	大腸（結腸・直腸）	C18-C20	53.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	12.0	10.3	17.3	33.7	62.6	90.2	105.2	215.5	218.5	295.8	281.7	309.6	0.0	-
	結腸	C18	36.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	9.0	6.8	10.4	13.5	41.7	54.1	65.8	156.3	140.0	216.9	250.4	309.6	0.0	-
	直腸	C19-C20	17.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.4	6.9	20.2	20.9	36.1	39.5	59.1	78.4	78.9	31.3	0.0	0.0	-
	肝および肝内胆管	C22	48.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	6.8	17.3	23.6	41.7	59.3	98.7	122.5	313.7	354.9	313.0	464.4	0.0	-
	胆のう・胆管	C23-C24	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	8.9	18.0	46.0	25.3	78.4	88.7	250.4	154.8	0.0	-
	膵臓	C25	32.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	0.0	3.4	13.8	16.8	65.6	48.9	92.1	67.6	117.6	187.3	187.8	154.8	0.0	-
	喉頭	C32	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	11.2	9.9	0.0	154.8	0.0	-
	肺	C33-C34	112.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	6.9	67.4	95.4	149.4	289.4	350.7	537.8	847.9	1,001.6	928.8	0.0	-
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	28.0	0.0	0.0	0.0	0.0	-
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	-
	前立腺	C61	22.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	26.3	80.3	162.5	236.6	406.9	154.8	3,030.3	-
	膀胱	C67	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	3.0	7.7	19.7	29.6	44.8	98.6	156.5	464.4	0.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	17.9	18.0	9.9	33.8	50.4	59.2	93.9	154.8	0.0	-
	脳・中枢神経系	C70-C72	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	5.2	6.6	12.7	5.6	0.0	0.0	0.0	0.0	-
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4	11.2	19.7	0.0	0.0	0.0	-
	悪性リンパ腫	C81-C85 C96	14.3	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	3.4	0.0	6.7	11.9	12.9	32.9	54.9	100.8	69.0	93.9	0.0	0.0	-
	多発性骨髄腫	C88-C90	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	7.7	6.6	25.3	11.2	9.9	0.0	0.0	0.0	-
	白血病	C91-C95	9.4	0.0	0.0	0.0	0.0	11.1	0.0	0.0	0.0	0.0	0.0	0.0	3.4	8.9	18.0	13.2	59.1	33.6	39.4	31.3	0.0	0.0	-

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
女	全部位	C00-C97	274.0	0.0	5.5	0.0	9.2	0.0	0.0	4.3	7.5	32.6	69.6	86.6	138.8	197.6	322.3	373.0	568.0	913.9	1,285.6	1,520.5	1,694.9	995.7	.	
	口腔・咽頭	C00-C14	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	3.1	3.2	0.0	0.0	0.0	12.7	20.8	24.0	56.0	33.2	142.2	.	
	食道	C15	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	3.2	2.8	9.3	8.2	15.9	13.9	38.4	9.3	0.0	0.0	.	
	胃	C16	27.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	9.5	3.1	15.8	22.3	32.7	32.7	47.6	76.4	139.1	158.6	299.1	142.2	.	
	大腸（結腸・直腸）	C18-C20	46.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.3	15.5	18.9	39.0	53.7	65.3	76.2	166.8	196.7	279.9	531.7	142.2	.	
	結腸	C18	34.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.3	9.3	15.8	27.8	37.4	49.0	69.8	114.7	153.5	214.6	365.6	142.2	.	
	直腸	C19-C20	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	3.2	11.1	16.3	16.3	6.3	52.1	43.2	65.3	166.2	0.0	.	
	肝および肝内胆管	C22	23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	8.3	18.7	40.8	82.5	69.5	143.9	121.3	132.9	0.0	.	
	胆のう・胆管	C23-C24	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.2	3.1	3.2	5.6	9.3	16.3	38.1	62.5	91.1	111.9	99.7	142.2	.	
	膵臓	C25	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	6.3	11.1	25.7	32.7	63.5	107.7	158.3	158.6	166.2	142.2	.	
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.	
	肺	C33-C34	40.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.3	12.4	18.9	25.0	49.0	59.9	79.3	149.4	206.3	195.9	199.4	142.2	.	
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	0.0	0.0	0.0	4.8	0.0	66.5	0.0	.	
	乳房	C50	22.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	19.0	12.4	28.4	33.4	35.0	49.0	41.3	45.2	57.6	56.0	0.0	0.0	.	
	子宮	C53-C55	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.0	9.5	18.5	6.3	13.9	18.7	16.3	3.2	13.9	14.4	56.0	66.5	0.0	.	
	子宮頸部	C53	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.2	12.4	3.2	11.1	9.3	5.4	0.0	3.5	4.8	18.7	33.2	0.0	.	
	子宮体部	C54	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	3.2	2.8	7.0	8.2	3.2	0.0	0.0	18.7	0.0	0.0	.	
	卵巣	C56	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.2	9.5	16.7	9.3	2.7	19.0	24.3	14.4	9.3	0.0	0.0	.	
	膀胱	C67	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5.4	12.7	20.8	24.0	28.0	0.0	0.0	.	
	腎・尿路（膀胱除く）	C64-C66 C68	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	2.3	5.4	9.5	10.4	14.4	46.6	66.5	0.0	.	
	脳・中枢神経系	C70-C72	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	2.3	2.7	15.9	0.0	0.0	0.0	0.0	0.0	.	
	甲状腺	C73	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	5.4	0.0	6.9	14.4	18.7	0.0	142.2	.	
	悪性リンパ腫	C81-C85 C96	9.9	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	3.1	3.2	8.3	7.0	8.2	15.9	41.7	52.8	93.3	0.0	0.0	.	
	多発性骨髄腫	C88-C90	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.8	0.0	2.7	6.3	24.3	4.8	18.7	0.0	0.0	.
	白血病	C91-C95	6.9	0.0	5.5	0.0	4.6	0.0	0.0	0.0	0.0	0.0	3.2	3.1	3.2	0.0	14.0	0.0	12.7	27.8	38.4	37.3	0.0	0.0	.	

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
総数 *2	全部位	C00-C97	356.3	0.0	2.7	0.0	4.5	5.5	2.5	4.3	15.0	26.8	67.4	88.1	169.4	323.9	472.8	679.2	918.8	1,402.5	1,862.0	2,041.0	2,024.6	1,170.4	・
	口腔・咽頭	C00-C14	8.8	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	1.5	3.3	3.3	3.3	4.3	12.2	11.9	18.1	42.9	45.2	64.7	27.4	130.0	・
	食道	C15	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.3	3.3	11.4	14.4	26.9	28.3	27.2	32.2	42.0	35.9	0.0	0.0	・
	胃	C16	43.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.6	4.9	14.7	48.9	64.9	86.4	103.3	158.7	238.8	244.3	301.0	130.0	・
	大腸（結腸・直腸）	C18-C20	49.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	7.5	8.2	16.3	26.1	50.4	71.0	83.4	135.9	186.6	229.1	280.3	492.5	130.0	・
	結腸	C18	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	6.0	6.6	9.8	14.7	34.5	45.3	56.6	106.9	124.4	174.3	222.8	355.7	130.0	・
	直腸	C19-C20	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	6.5	11.4	15.8	25.7	26.8	29.0	62.2	54.9	57.5	136.8	0.0	・
	肝および肝内胆管	C22	35.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	3.3	8.2	13.0	24.5	38.0	67.0	99.7	163.0	213.0	165.3	191.5	0.0	・
	胆のう・胆管	C23-C24	15.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	1.6	1.6	3.3	7.2	13.5	29.8	32.6	68.6	90.4	143.7	109.4	130.0	・
	膵臓	C25	29.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	1.6	8.2	11.4	37.4	36.7	59.6	65.2	111.5	167.8	165.3	164.2	130.0	・
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	4.3	3.2	0.0	27.4	0.0	・
	肺	C33-C34	74.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.6	9.8	42.3	59.0	96.8	163.8	195.7	298.1	416.3	380.9	328.3	130.0	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	3.0	0.0	10.7	3.2	0.0	54.7	0.0	・
	乳房	C50	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	9.9	6.5	14.7	17.3	18.4	26.8	25.4	27.9	38.7	43.1	0.0	0.0	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.4	4.9	11.9	19.9	30.0	48.4	57.5	82.1	0.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.6	8.6	9.8	7.4	19.9	25.7	29.0	57.5	82.1	0.0	・
	脳・中枢神経系	C70-C72	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	3.7	4.5	14.5	2.1	0.0	0.0	0.0	0.0	・
	甲状腺	C73	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	3.0	3.6	8.6	16.1	14.4	0.0	130.0	・
	悪性リンパ腫	C81-C85 C96	11.9	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	1.6	1.6	4.9	10.1	9.8	19.4	32.6	64.3	58.1	93.4	0.0	0.0	・
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.4	3.7	4.5	14.5	19.3	6.5	14.4	0.0	0.0	・
	白血病	C91-C95	8.1	0.0	2.7	0.0	2.3	5.5	0.0	0.0	0.0	0.0	1.6	1.6	3.3	4.3	15.9	6.0	32.6	30.0	38.7	35.9	0.0	0.0	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C97	449.2	0.0	0.0	0.0	0.0	11.1	4.9	4.4	22.4	21.0	65.0	89.8	202.1	459.1	638.9	1,049.0	1,385.8	2,190.4	3,238.4	.	
	口腔・咽頭	C00-C14	12.9	0.0	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0	6.8	3.5	3.4	8.9	25.8	26.3	25.3	78.4	85.4	.	
	食道	C15	18.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.8	6.9	20.2	26.8	46.4	52.6	42.2	61.6	64.1	.	
	胃	C16	61.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.9	13.5	77.5	100.5	151.3	177.4	291.3	455.5	.	
	大腸（結腸・直腸）	C18-C20	53.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	12.0	10.3	17.3	33.7	62.6	90.2	105.2	215.5	218.5	291.8	.	
	結腸	C18	36.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	9.0	6.8	10.4	13.5	41.7	54.1	65.8	156.3	140.0	227.8	.	
	直腸	C19-C20	17.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.4	6.9	20.2	20.9	36.1	39.5	59.1	78.4	64.1	.	
	肝および肝内胆管	C22	48.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	6.8	17.3	23.6	41.7	59.3	98.7	122.5	313.7	348.8	.	
	胆のう・胆管	C23-C24	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	8.9	18.0	46.0	25.3	78.4	128.1	.	
	膵臓	C25	32.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5	0.0	3.4	13.8	16.8	65.6	48.9	92.1	67.6	117.6	185.1	.	
	喉頭	C32	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	11.2	14.2	.	
	肺	C33-C34	112.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	6.9	67.4	95.4	149.4	289.4	350.7	537.8	882.6	.	
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	28.0	0.0	.	
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	.
	前立腺	C61	22.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	26.3	80.3	162.5	284.7	.	
	膀胱	C67	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	3.0	7.7	19.7	29.6	44.8	128.1	.	
	腎・尿路（膀胱除く）	C64-C66 C68	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	17.9	18.0	9.9	33.8	50.4	71.2	.	
	脳・中枢神経系	C70-C72	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	5.2	6.6	12.7	5.6	0.0	.	
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4	11.2	14.2	.	
	悪性リンパ腫	C81-C85 C96	14.3	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	3.4	0.0	6.7	11.9	12.9	32.9	54.9	100.8	71.2	.	
	多発性骨髄腫	C88-C90	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	7.7	6.6	25.3	11.2	7.1	.	
	白血病	C91-C95	9.4	0.0	0.0	0.0	0.0	11.1	0.0	0.0	0.0	0.0	0.0	0.0	3.4	8.9	18.0	13.2	59.1	33.6	35.6	.	

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	274.0	0.0	5.5	0.0	9.2	0.0	0.0	4.3	7.5	32.6	69.6	86.6	138.8	197.6	322.3	373.0	568.0	913.9	1,386.1	.
	口腔・咽頭	C00-C14	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	3.1	3.2	0.0	0.0	0.0	12.7	20.8	36.9	.
	食道	C15	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	3.2	2.8	9.3	8.2	15.9	13.9	25.5	.
	胃	C16	27.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	9.5	3.1	15.8	22.3	32.7	32.7	47.6	76.4	158.7	.
	大腸（結腸・直腸）	C18-C20	46.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.3	15.5	18.9	39.0	53.7	65.3	76.2	166.8	249.4	.
	結腸	C18	34.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.3	9.3	15.8	27.8	37.4	49.0	69.8	114.7	189.9	.
	直腸	C19-C20	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	3.2	11.1	16.3	16.3	6.3	52.1	59.5	.
	肝および肝内胆管	C22	23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	8.3	18.7	40.8	82.5	69.5	133.2	.
	胆のう・胆管	C23-C24	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.2	3.1	3.2	5.6	9.3	16.3	38.1	62.5	99.2	.
	膵臓	C25	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	6.3	11.1	25.7	32.7	63.5	107.7	158.7	.
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.
	肺	C33-C34	40.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.3	12.4	18.9	25.0	49.0	59.9	79.3	149.4	201.3	.
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.3	0.0	0.0	0.0	8.5	.
	乳房	C50	22.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	19.0	12.4	28.4	33.4	35.0	49.0	41.3	45.2	51.0	.
	子宮	C53-C55	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.0	9.5	18.5	6.3	13.9	18.7	16.3	3.2	13.9	31.2	.
	子宮頸部	C53	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.2	12.4	3.2	11.1	9.3	5.4	0.0	3.5	11.3	.
	子宮体部	C54	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	3.2	2.8	7.0	8.2	3.2	0.0	5.7	.
	卵巣	C56	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.2	9.5	16.7	9.3	2.7	19.0	24.3	11.3	.
	膀胱	C67	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5.4	12.7	20.8	22.7	.
	腎・尿路（膀胱除く）	C64-C66 C68	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	2.3	5.4	9.5	10.4	28.3	.
	脳・中枢神経系	C70-C72	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	2.3	2.7	15.9	0.0	0.0	.
	甲状腺	C73	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	5.4	0.0	6.9	17.0	.
	悪性リンパ腫	C81-C85 C96	9.9	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	3.1	3.2	8.3	7.0	8.2	15.9	41.7	59.5	.
	多発性骨髄腫	C88-C90	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	2.8	0.0	2.7	6.3	24.3	8.5	.
	白血病	C91-C95	6.9	0.0	5.5	0.0	4.6	0.0	0.0	0.0	0.0	0.0	3.2	3.1	3.2	0.0	14.0	0.0	12.7	27.8	34.0	.

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	356.3	0.0	2.7	0.0	4.5	5.5	2.5	4.3	15.0	26.8	67.4	88.1	169.4	323.9	472.8	679.2	918.8	1,402.5	1,913.7	.
	口腔・咽頭	C00-C14	8.8	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	1.5	3.3	3.3	3.3	4.3	12.2	11.9	18.1	42.9	50.7	.
	食道	C15	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.3	3.3	11.4	14.4	26.9	28.3	27.2	32.2	36.5	.
	胃	C16	43.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.6	4.9	14.7	48.9	64.9	86.4	103.3	158.7	243.3	.
	大腸（結腸・直腸）	C18-C20	49.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	7.5	8.2	16.3	26.1	50.4	71.0	83.4	135.9	186.6	261.5	.
	結腸	C18	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	6.0	6.6	9.8	14.7	34.5	45.3	56.6	106.9	124.4	200.7	.
	直腸	C19-C20	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	6.5	11.4	15.8	25.7	26.8	29.0	62.2	60.8	.
	肝および肝内胆管	C22	35.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	3.3	8.2	13.0	24.5	38.0	67.0	99.7	163.0	194.6	.
	胆のう・胆管	C23-C24	15.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	1.6	1.6	3.3	7.2	13.5	29.8	32.6	68.6	107.4	.
	膵臓	C25	29.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	1.6	8.2	11.4	37.4	36.7	59.6	65.2	111.5	166.2	.
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	4.3	4.1	.
	肺	C33-C34	74.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.6	9.8	42.3	59.0	96.8	163.8	195.7	298.1	395.3	.
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	3.0	0.0	10.7	6.1	.
	乳房	C50	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	9.9	6.5	14.7	17.3	18.4	26.8	25.4	27.9	36.5	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.4	4.9	11.9	19.9	30.0	52.7	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.6	8.6	9.8	7.4	19.9	25.7	40.5	.
	脳・中枢神経系	C70-C72	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	3.7	4.5	14.5	2.1	0.0	.
	甲状腺	C73	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	3.0	3.6	8.6	16.2	.
	悪性リンパ腫	C81-C85 C96	11.9	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	1.6	1.6	4.9	10.1	9.8	19.4	32.6	64.3	62.8	.
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.4	3.7	4.5	14.5	19.3	8.1	.
	白血病	C91-C95	8.1	0.0	2.7	0.0	2.3	5.5	0.0	0.0	0.0	0.0	1.6	1.6	3.3	4.3	15.9	6.0	32.6	30.0	34.5	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計





付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

和歌山県

2015年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	348	374	722	6.5	9.5	7.8	77.2	73.4	75.2	38.6	59.8	48.7	28.4	47.4	37.6	3.5	4.6	4.0
口腔、食道および胃	D00	17	16	33	0.3	0.4	0.4	3.8	3.1	3.4	2.0	1.4	1.7	1.4	1.0	1.2	0.2	0.1	0.2
食道	D001	15	7	22	0.3	0.2	0.2	3.3	1.4	2.3	1.8	0.6	1.2	1.4	0.5	0.9	0.2	0.1	0.1
その他および部位不明の消化器	D01	195	108	303	3.7	2.8	3.3	43.3	21.2	31.6	23.7	11.0	16.9	17.9	8.0	12.6	2.3	0.9	1.6
結腸	D010	152	84	236	2.9	2.1	2.6	33.7	16.5	24.6	18.4	8.4	13.1	13.9	6.1	9.8	1.8	0.7	1.2
直腸S状結腸移行部	D011	6	3	9	0.1	0.1	0.1	1.3	0.6	0.9	0.6	0.3	0.4	0.4	0.2	0.3	0.1	0.0	0.0
直腸	D012	28	15	43	0.5	0.4	0.5	6.2	2.9	4.5	3.7	1.3	2.4	2.9	0.9	1.9	0.4	0.1	0.2
中耳および呼吸器系	D02	4	1	5	0.1	0.0	0.1	0.9	0.2	0.5	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
上皮内黒色腫	D03	1	2	3	0.0	0.1	0.0	0.2	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
皮膚のその他	D04	13	21	34	0.2	0.5	0.4	2.9	4.1	3.5	0.9	1.1	1.0	0.7	0.7	0.7	0.1	0.1	0.1
乳房	D05	0	72	72	0.0	1.8	0.8	0.0	14.1	7.5	0.0	10.7	5.6	0.0	8.4	4.4	0.0	0.9	0.5
子宮頸部	D06	-	125	125	-	3.2	1.4	-	24.5	-	-	32.9	-	-	27.3	-	-	2.2	-
その他および部位不明の性器	D07	0	2	2	0.0	0.1	0.0	0.0	0.4	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
その他および部位不明	D09	118	27	145	2.2	0.7	1.6	26.2	5.3	15.1	11.5	2.4	6.4	8.0	1.8	4.6	0.9	0.2	0.6
膀胱	D090	108	23	131	2.0	0.6	1.4	24.0	4.5	13.6	10.6	2.1	5.8	7.4	1.5	4.1	0.8	0.2	0.5
良性腫瘍	D32-D35	32	74	106	0.6	1.9	1.1	7.1	14.5	11.0	3.9	8.6	6.4	2.8	6.8	4.9	0.3	0.7	0.5
髄膜	D32	19	57	76	0.4	1.5	0.8	4.2	11.2	7.9	1.9	5.9	4.0	1.3	4.4	2.9	0.2	0.5	0.3
脳および中枢神経系	D33	6	8	14	0.1	0.2	0.2	1.3	1.6	1.5	0.7	1.3	1.0	0.5	1.3	0.9	0.0	0.1	0.1
下垂体	D352	7	9	16	0.1	0.2	0.2	1.6	1.8	1.7	1.2	1.4	1.3	1.0	1.1	1.1	0.1	0.1	0.1
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	58	45	103	1.1	1.1	1.1	12.9	8.8	10.7	6.4	3.4	4.7	5.1	2.5	3.7	0.5	0.3	0.4
髄膜	D42	0	2	2	0.0	0.1	0.0	0.0	0.4	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	11	13	24	0.2	0.3	0.3	2.4	2.6	2.5	1.9	0.9	1.4	1.9	0.7	1.3	0.1	0.1	0.1
下垂体	D443	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	5	1	6	0.1	0.0	0.1	1.1	0.2	0.6	0.4	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
骨髄異形成症候群	D46	33	23	56	0.6	0.6	0.6	7.3	4.5	5.8	3.0	1.6	2.2	2.1	1.1	1.5	0.2	0.1	0.2
慢性骨髄増殖性疾患	D471	2	2	4	0.0	0.1	0.0	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	6	4	10	0.1	0.1	0.1	1.3	0.8	1.0	0.5	0.4	0.5	0.4	0.3	0.3	0.0	0.0	0.0

\*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別 和歌山県 2015年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率			累積死亡率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口		世界人口		男	女	総数 *1		
											男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	000-C97 000-D47	2,063	1,441	3,504	100.0	100.0	100.0	459.5	284.5	366.7	180.1	88.4	127.1	122.5	62.2	87.8	13.0	6.4	9.5
全部位	000-C97	2,017	1,388	3,405	97.8	96.3	97.2	449.2	274.0	356.3	176.6	85.8	124.2	120.1	60.3	85.8	12.8	6.2	9.3
口唇	000	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	2	0	2	0.1	0.0	0.1	0.4	0.0	0.2	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
その他および部位不明の舌	002	5	7	12	0.2	0.5	0.3	1.1	1.4	1.3	0.6	0.4	0.5	0.5	0.3	0.4	0.0	0.0	0.0
歯肉	003	7	5	12	0.3	0.3	0.3	1.6	1.0	1.3	0.6	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0
口腔底	004	2	0	2	0.1	0.0	0.1	0.4	0.0	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
口蓋	005	0	2	2	0.0	0.1	0.1	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	006	5	4	9	0.2	0.3	0.3	1.1	0.8	0.9	0.4	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
耳下腺	007	3	1	4	0.1	0.1	0.1	0.7	0.2	0.4	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
扁桃	009	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
中咽頭	010	7	1	8	0.3	0.1	0.2	1.6	0.2	0.8	0.5	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
鼻<上>咽頭	011	7	2	9	0.3	0.1	0.3	1.6	0.4	0.9	0.8	0.3	0.5	0.6	0.2	0.4	0.1	0.0	0.0
梨状陥凹<洞>	012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下咽頭	013	13	1	14	0.6	0.1	0.4	2.9	0.2	1.5	1.1	0.2	0.6	0.8	0.1	0.4	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	6	2	8	0.3	0.1	0.2	1.3	0.4	0.8	0.6	0.1	0.3	0.4	0.0	0.2	0.1	0.0	0.0
食道	015	84	28	112	4.1	1.9	3.2	18.7	5.5	11.7	8.8	1.8	5.0	6.3	1.2	3.6	0.8	0.1	0.5
胃	016	276	138	414	13.4	9.6	11.8	61.5	27.2	43.3	23.1	8.3	14.5	15.7	5.9	10.1	1.8	0.6	1.1
小腸	017	10	3	13	0.5	0.2	0.4	2.2	0.6	1.4	1.2	0.1	0.6	0.9	0.0	0.4	0.1	0.0	0.0
結腸	018	162	177	339	7.9	12.3	9.7	36.1	34.9	35.5	15.0	10.2	12.4	10.2	7.1	8.5	1.0	0.7	0.9
直腸S状結腸移行部	019	8	1	9	0.4	0.1	0.3	1.8	0.2	0.9	0.8	0.0	0.4	0.6	0.0	0.3	0.1	0.0	0.0
直腸	020	72	57	129	3.5	4.0	3.7	16.0	11.3	13.5	7.2	3.3	5.1	5.0	2.3	3.5	0.6	0.3	0.4
肛門および肛門管	021	2	1	3	0.1	0.1	0.1	0.4	0.2	0.3	0.4	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
肝および肝内胆管	022	216	120	336	10.5	8.3	9.6	48.1	27.7	35.2	18.6	5.8	11.3	12.4	3.7	7.5	1.3	0.4	0.8
胆のう	023	18	29	47	0.9	2.0	1.3	4.0	5.7	4.9	1.3	1.9	1.6	0.9	1.3	1.1	0.1	0.1	0.1
その他および部位不明の胆道	024	45	52	97	2.2	3.6	2.8	10.0	10.3	10.2	3.6	2.2	2.8	2.3	1.5	1.8	0.3	0.1	0.2
膵臓	025	144	137	281	7.0	9.5	8.0	32.1	27.0	29.4	14.1	6.5	10.1	10.1	4.2	7.0	1.2	0.4	0.8
その他および部位不明の消化器	026	4	5	9	0.2	0.3	0.3	0.9	1.0	0.9	0.2	0.4	0.3	0.1	0.3	0.2	0.0	0.1	0.0
鼻腔および中耳	030	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
副鼻腔	031	2	0	2	0.1	0.0	0.1	0.4	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
喉頭	032	5	0	5	0.2	0.0	0.1	1.1	0.0	0.5	0.4	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
気管	033	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	505	204	709	24.5	14.2	20.2	112.5	40.3	74.2	42.1	11.9	24.6	28.1	8.1	16.6	3.1	0.9	1.9
胸腺	037	3	0	3	0.1	0.0	0.1	0.7	0.0	0.3	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
心臓、縦隔および胸腺	038	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
皮膚の悪性黒色腫	043	2	3	5	0.1	0.2	0.1	0.4	0.6	0.5	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0
皮膚のその他	044	5	2	7	0.2	0.1	0.2	1.1	0.4	0.7	0.3	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0
中皮腫	045	12	1	13	0.6	0.1	0.4	2.7	0.2	1.4	1.0	0.1	0.5	0.7	0.0	0.3	0.1	0.0	0.0
カボジ肉腫	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	048	3	9	12	0.1	0.6	0.3	0.7	1.8	1.3	0.4	0.9	0.7	0.3	0.7	0.5	0.0	0.1	0.1
その他の結合組織および軟部組織	049	5	4	9	0.2	0.3	0.3	1.1	0.8	0.9	0.8	0.5	0.6	0.6	0.4	0.5	0.1	0.1	0.1
乳房	050	1	112	113	0.0	7.8	3.2	0.2	22.1	11.8	0.1	10.6	5.7	0.0	7.9	4.2	0.0	0.9	0.5
外陰	051	-	1	1	-	0.1	0.0	-	0.2	-	-	0.1	-	-	0.1	-	-	0.0	-
陰	052	-	1	1	-	0.1	0.0	-	0.2	-	-	0.0	-	-	0.0	-	-	0.0	-
子宮頸部	053	-	22	22	-	1.5	0.6	-	4.3	-	-	2.5	-	2.0	-	-	-	0.2	-
子宮体部	054	-	13	13	-	0.9	0.4	-	2.6	-	-	1.3	-	1.0	-	-	-	0.1	-
子宮部位不明	055	-	13	13	-	0.9	0.4	-	2.6	-	-	1.1	-	0.9	-	-	-	0.1	-
卵巣	056	-	34	34	-	2.4	1.0	-	6.7	-	-	3.1	-	2.2	-	-	-	0.2	-
その他および部位不明の女性性器	057	-	1	1	-	0.1	0.0	-	0.2	-	-	0.0	-	0.0	-	-	-	0.0	-
胎盤	058	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	0.0	-	-	-	0.0	-
陰茎	060	1	-	1	0.0	-	0.0	0.2	-	-	0.1	-	-	0.0	-	-	-	0.0	-
前立腺	061	99	-	99	4.8	-	2.8	22.1	-	-	6.4	-	-	3.8	-	-	-	0.2	-
精巣	062	1	-	1	0.0	-	0.0	0.2	-	-	0.2	-	-	0.2	-	-	-	0.0	-
その他および部位不明の男性性器	063	0	-	0	0.0	-	0.0	0.0	-	-	0.0	-	-	0.0	-	-	-	0.0	-
腎盂を除く腎	064	24	11	35	1.2	0.8	1.0	5.3	2.2	3.7	2.1	0.5	1.2	1.5	0.3	0.8	0.2	0.0	0.1
腎盂	065	9	6	15	0.4	0.4	0.4	2.0	1.2	1.6	0.7	0.4	0.5	0.5	0.3	0.4	0.0	0.0	0.0
尿管	066	7	3	10	0.3	0.2	0.3	1.6	0.6	1.0	0.6	0.1	0.3	0.4	0.0	0.2	0.0	0.0	0.0
膀胱	067	44	21	65	2.1	1.5	1.9	9.8	4.1	6.8	3.2	0.9	1.8	2.1	0.5	1.2	0.2	0.0	0.1
その他および部位不明の泌尿器	068	4	0	4	0.2	0.0	0.1	0.9	0.0	0.4	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
眼および付属器	069	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
髄膜	070	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%): 詳細部位別、性別

和歌山県

2015年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率			累積死亡率(0-74歳)				
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口		世界人口		男	女	総数 *1	
											男	女	総数 *1	男				女
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	0	2	2	0.0	0.1	0.1	0.0	0.4	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
髄膜	D32	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D332	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	35	30	65	1.7	2.1	1.9	7.8	5.9	6.8	2.7	1.7	2.1	1.8	1.4	1.5	0.2	0.1
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	9	15	24	0.4	1.0	0.7	2.0	3.0	2.5	0.6	0.6	0.6	0.4	0.4	0.4	0.0	0.0
下垂体	D443	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	25	13	38	1.2	0.9	1.1	5.6	2.6	4.0	2.0	1.0	1.4	1.4	0.9	1.0	0.1	0.1
慢性骨髄増殖性疾患	D471	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2015年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +その他
全部位	C00-C96	7,895	25.5	8.8	1.1	1.8	12.3	3.6	1.1	0.7	14.9	1.1	2.7	3.0	23.3
口腔・咽頭	C00-C14	157	14.6	1.9	0.0	3.8	6.4	14.6	0.0	2.5	15.3	0.0	8.9	1.3	30.6
食道	C15	202	14.9	17.8	0.5	3.0	5.9	11.4	0.0	2.0	17.8	0.5	4.0	3.5	18.8
胃	C16	1,326	26.5	35.0	2.2	0.2	6.3	0.2	0.2	0.0	11.6	0.2	0.1	0.4	17.3
大腸（結腸・直腸）	C18-C20	1,172	44.0	6.6	3.5	0.1	2.7	0.6	0.0	0.3	22.7	0.6	1.5	1.0	16.4
結腸	C18	760	46.3	6.7	3.6	0.0	3.2	0.0	0.0	0.1	22.1	0.3	0.0	1.1	16.7
直腸	C19-C20	412	39.8	6.3	3.4	0.2	1.9	1.7	0.0	0.5	23.8	1.2	4.4	1.0	15.8
肝および肝内胆管	C22	393	7.4	0.5	0.0	0.8	5.9	0.0	15.3	0.0	3.3	0.8	0.0	26.5	39.7
胆のう・胆管	C23-C24	177	18.6	12.4	1.1	0.6	5.1	0.0	2.8	1.1	15.3	6.2	0.0	8.5	28.2
膵臓	C25	326	8.3	5.2	0.9	0.0	19.3	1.2	0.9	0.0	18.1	1.5	0.6	7.7	36.2
喉頭	C32	42	19.0	0.0	0.0	16.7	2.4	35.7	0.0	2.4	0.0	0.0	9.5	0.0	14.3
肺	C33-C34	1,070	18.6	0.0	0.1	4.7	17.8	9.4	0.4	0.6	13.5	0.1	1.1	2.0	31.9
皮膚	C43-C44	186	72.0	0.0	0.0	0.0	1.1	0.5	0.0	2.2	1.6	4.3	1.1	0.5	16.7
乳房	C50	642	16.2	0.0	0.0	0.0	6.9	0.9	0.0	1.7	37.4	0.3	18.8	0.3	17.4
乳房（女性のみ）	C50	635	16.2	0.0	0.0	0.0	6.8	0.9	0.0	1.7	37.5	0.3	18.9	0.3	17.3
子宮	C53-C55	202	34.2	0.5	0.0	6.4	3.0	6.9	0.0	2.0	23.3	1.0	3.5	2.0	17.3
子宮頸部	C53	87	20.7	0.0	0.0	13.8	2.3	16.1	0.0	4.6	8.0	2.3	6.9	1.1	24.1
子宮体部	C54	111	45.9	0.9	0.0	0.9	2.7	0.0	0.0	0.0	36.0	0.0	0.9	2.7	9.9
卵巣	C56	73	13.7	0.0	0.0	0.0	1.4	0.0	1.4	0.0	68.5	1.4	0.0	5.5	8.2
前立腺	C61	721	29.5	0.8	0.0	4.9	32.6	7.4	1.2	0.1	3.7	0.4	0.0	0.6	18.7
膀胱	C67	204	3.9	28.4	3.4	1.5	0.5	0.5	0.0	1.5	19.1	14.2	1.0	5.4	20.6
腎・尿路（膀胱除く）	C64-C66 C68	205	57.6	1.0	0.5	1.0	4.4	0.0	0.0	0.0	7.3	1.5	2.0	1.0	23.9
脳・中枢神経系	C70-C72	30	16.7	0.0	0.0	0.0	3.3	16.7	0.0	0.0	6.7	3.3	30.0	3.3	20.0
甲状腺	C73	132	48.5	0.8	0.0	0.8	1.5	0.0	0.0	5.3	6.1	3.0	3.0	0.8	30.3
悪性リンパ腫	C81-C85 C96	267	3.4	0.0	0.0	1.5	56.6	5.2	0.7	0.4	1.1	0.0	0.4	1.1	29.6
多発性骨髄腫	C88-C90	45	2.2	0.0	0.0	0.0	46.7	6.7	0.0	0.0	0.0	0.0	0.0	0.0	44.4
白血病	C91-C95	87	0.0	0.0	0.0	0.0	63.2	1.1	1.1	0.0	0.0	0.0	0.0	1.1	33.3

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが1:あり

\*3 化学療法、内分泌療法のいずれかが1:あり

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2015年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +その他
全部位	C00-C96 D00-D09	8,617	26.0	12.2	1.1	1.6	11.3	3.4	1.0	0.7	14.3	1.2	2.6	2.8	21.8
食道	C15 D001	224	13.4	23.7	0.4	2.7	5.4	11.2	0.0	1.8	16.1	0.4	3.6	3.1	18.3
大腸 (結腸・直腸) *4	C18-C20 D010-D012	1,460	36.9	22.5	3.2	0.1	2.2	0.5	0.0	0.2	18.4	0.6	1.2	0.8	13.4
結腸 *4	C18 D010	996	36.8	26.3	3.1	0.0	2.4	0.0	0.0	0.1	17.0	0.4	0.0	0.8	13.1
直腸 *4	C19-C20 D011-D012	464	37.1	14.2	3.2	0.2	1.7	1.5	0.0	0.4	21.6	1.1	3.9	0.9	14.2
肺	C33-C34 D021-D022	1,072	18.7	0.0	0.1	4.7	17.7	9.4	0.4	0.6	13.4	0.1	1.1	2.0	31.9
皮膚	C43-C44 D030-D049	223	73.1	0.0	0.0	0.0	0.9	0.4	0.0	1.8	1.3	3.6	0.9	0.9	17.0
乳房	C50 D05	714	19.7	0.0	0.0	0.0	6.2	0.8	0.0	2.7	35.7	0.3	17.6	0.3	16.7
乳房 (女性のみ)	C50 D05	707	19.8	0.0	0.0	0.0	6.1	0.8	0.0	2.7	35.8	0.3	17.7	0.3	16.5
子宮	C53-C55 D06	327	51.7	4.0	0.0	4.0	1.8	4.3	0.0	1.2	14.7	1.2	2.1	1.8	13.1
子宮頸部	C53 D06	212	55.7	5.7	0.0	5.7	0.9	6.6	0.0	1.9	3.8	1.9	2.8	1.4	13.7
膀胱	C67 D090	335	3.0	38.8	2.4	0.9	0.3	0.3	0.0	0.9	20.9	11.9	0.6	6.0	14.0

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが1:あり

\*3 化学療法、内分泌療法のいずれかが1:あり

\*4 粘膜がんを含む

医療種別、保健所種別罹患数 : 部位別、性別

A. 上皮内がんを除く

和歌山県

2015年

医療種別/保健所	全部位 O00-O98			胃 O16			大腸(結腸・直腸) O18-O20			膵臓 O18			胆臓 O19-O20			肝及び肝内胆管 O22			肺 O33-O34			乳房 O60			子宮 O63-O65		子宮頸部 O63		子宮体部 O64		前立腺 O61
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	男	女	男		
和歌山県	4,868	3,409	8,277	938	433	1,371	691	541	1,232	417	384	801	274	157	431	269	170	439	793	348	1,141	8	652	660	208	88	113		745		
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
和歌山	2,150	1,545	3,695	450	203	653	306	259	565	195	200	395	111	59	170	120	68	188	361	163	524	2	307	309	113	46	64		295		
那賀	530	358	888	101	45	146	73	59	132	43	39	82	30	20	50	40	27	67	78	29	107	1	73	74	20	12	7		82		
橋本	497	313	810	103	46	149	66	33	99	32	21	53	34	12	46	21	15	36	72	32	104	1	61	62	19	1	18		78		
有田	376	283	659	71	30	101	52	38	90	30	20	50	22	18	40	19	17	36	67	29	96	1	53	54	8	6	1		47		
御坊	278	201	479	59	18	77	35	23	58	22	18	40	13	5	18	16	11	27	46	22	68	0	36	36	11	4	7		37		
田辺	658	442	1,100	96	64	160	94	67	161	54	48	102	40	19	59	27	22	49	112	49	161	3	77	80	22	14	8		137		
新宮	379	267	646	58	27	85	65	62	127	41	38	79	24	24	48	26	10	36	57	24	81	0	45	45	15	5	8		69		
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
和歌山市	1,730	1,290	3,020	347	165	512	252	216	326	158	168	326	94	48	142	109	54	163	296	144	440	2	262	264	97	38	57		222		
海南	420	255	675	103	38	141	54	43	69	37	32	69	17	11	28	11	14	25	65	19	84	0	45	45	16	8	7		73		
岩出	530	358	888	101	45	146	73	59	132	43	39	82	30	20	50	40	27	67	78	29	107	1	73	74	20	12	7		82		
橋本	497	313	810	103	46	149	66	33	99	32	21	53	34	12	46	21	15	36	72	32	104	1	61	62	19	1	18		78		
湯浅	376	283	659	71	30	101	52	38	90	30	20	50	22	18	40	19	17	36	67	29	96	1	53	54	8	6	1		47		
御坊	278	201	479	59	18	77	35	23	58	22	18	40	13	5	18	16	11	27	46	22	68	0	36	36	11	4	7		37		
田辺	658	442	1,100	96	64	160	94	67	161	54	48	102	40	19	59	27	22	49	112	49	161	3	77	80	22	14	8		137		
新宮	379	267	646	58	27	85	65	62	127	41	38	79	24	24	48	26	10	36	57	24	81	0	45	45	15	5	8		69		

医療圏別、保健所圏別罹患数 : 部位別、性別

B. 上皮内がんを含む

和歌山県 2015年

医療圏／保健所	全部位 C00-C96			大腸(結腸・直腸)*1 C18-C20			結腸*1 C18			直腸*1 C19-C20			肺 C33-C34			乳房 C50			子宮 C53-C55		子宮頸部 C53	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	
和歌山県	5,216	3,783	8,999	877	643	1,520	569	468	1,037	308	175	483	794	349	1,143	8	724	732		333		213
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		0
和歌山	2,302	1,707	4,009	379	304	683	255	238	493	124	66	190	362	164	526	2	344	346		157		90
那賀	588	405	993	107	69	176	72	47	119	35	22	57	78	29	107	1	82	83		42		34
橋本	517	347	864	82	42	124	43	30	73	39	12	51	72	32	104	1	63	64		34		16
有田	405	304	709	67	45	112	42	26	68	25	19	44	67	29	96	1	59	60		13		11
御坊	298	219	517	42	26	68	26	19	45	16	7	23	46	22	68	0	41	41		18		11
田辺	700	511	1,211	116	83	199	72	59	131	44	24	68	112	49	161	3	86	89		53		45
新宮	406	290	696	84	74	158	59	49	108	25	25	50	57	24	81	0	49	49		16		6
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		0
和歌山市	1,856	1,429	3,285	317	257	574	211	203	414	106	54	160	296	145	441	2	295	297		133		74
海南	446	278	724	62	47	109	44	35	79	18	12	30	66	19	85	0	49	49		24		16
岩出	588	405	993	107	69	176	72	47	119	35	22	57	78	29	107	1	82	83		42		34
橋本	517	347	864	82	42	124	43	30	73	39	12	51	72	32	104	1	63	64		34		16
湯浅	405	304	709	67	45	112	42	26	68	25	19	44	67	29	96	1	59	60		13		11
御坊	298	219	517	42	26	68	26	19	45	16	7	23	46	22	68	0	41	41		18		11
田辺	700	511	1,211	116	83	199	72	59	131	44	24	68	112	49	161	3	86	89		53		45
新宮	406	290	696	84	74	158	59	49	108	25	25	50	57	24	81	0	49	49		16		6