

標準集計表

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	5,042	3,692	8,734	100.0	100.0	100.0	1,122.9	731.1	915.5	503.5	355.2	418.1	359.6	267.6	306.6	43.2	29.4	35.8
口腔・咽頭	C00-C14	105	55	160	2.1	1.5	1.8	23.4	10.9	16.8	12.0	4.4	8.0	9.0	3.1	5.9	1.2	0.3	0.7
食道	C15	189	35	224	3.7	0.9	2.6	42.1	6.9	23.5	19.3	2.9	10.4	13.8	2.1	7.5	1.9	0.3	1.1
胃	C16	936	441	1,377	18.6	11.9	15.8	208.5	87.3	144.3	92.4	32.6	59.7	64.9	22.8	42.1	8.3	2.7	5.4
大腸(結腸・直腸)	C18-C20	724	616	1,340	14.4	16.7	15.3	161.2	122.0	140.5	76.6	48.5	61.4	55.3	34.7	44.3	6.7	4.2	5.4
結腸	C18	453	441	894	9.0	11.9	10.2	100.9	87.3	93.7	46.0	31.8	38.3	32.8	22.4	27.1	3.8	2.7	3.2
直腸	C19-C20	271	175	446	5.4	4.7	5.1	60.4	34.7	46.8	30.6	16.7	23.2	22.6	12.4	17.1	2.9	1.5	2.2
肝および肝内胆管	C22	315	160	475	6.2	4.3	5.4	70.2	31.7	49.8	30.7	8.6	18.6	21.3	5.5	12.8	2.6	0.6	1.5
胆のう・胆管	C23-C24	111	77	188	2.2	2.1	2.2	24.7	15.2	19.7	9.3	4.0	6.3	6.2	2.6	4.2	0.7	0.2	0.5
膵臓	C25	183	160	343	3.6	4.3	3.9	40.8	31.7	36.0	18.0	11.1	14.3	12.8	7.9	10.2	1.6	0.9	1.2
喉頭	C32	38	4	42	0.8	0.1	0.5	8.5	0.8	4.4	3.6	0.1	1.7	2.6	0.1	1.2	0.3	0.0	0.1
肺	C33-C34	808	364	1,172	16.0	9.9	13.4	180.0	72.1	122.9	74.7	26.1	47.7	51.4	18.4	33.2	6.1	2.2	4.0
皮膚	C43-C44	107	110	217	2.1	3.0	2.5	23.8	21.8	22.7	9.7	9.2	9.3	6.8	6.7	6.6	0.7	0.7	0.7
乳房	C50	2	745	747	0.0	20.2	8.6	0.4	147.5	78.3	0.3	95.2	50.3	0.3	73.2	38.5	0.0	8.1	4.3
子宮	C53-C55	-	203	203	-	5.5	2.3	-	40.2	-	-	30.0	-	-	23.6	-	-	2.6	-
子宮頸部	C53	-	85	85	-	2.3	1.0	-	16.8	-	-	13.7	-	-	11.0	-	-	1.1	-
子宮体部	C54	-	113	113	-	3.1	1.3	-	22.4	-	-	15.9	-	-	12.3	-	-	1.4	-
卵巣	C56	-	111	111	-	3.0	1.3	-	22.0	-	-	17.5	-	-	14.3	-	-	1.4	-
前立腺	C61	708	-	708	14.0	-	8.1	157.7	-	-	61.9	-	-	41.6	-	-	5.3	-	-
膀胱	C67	157	51	208	3.1	1.4	2.4	35.0	10.1	21.8	13.7	3.0	7.7	9.2	2.0	5.2	1.1	0.2	0.6
腎・尿路(膀胱除く)	C64-C66 C68	172	64	236	3.4	1.7	2.7	38.3	12.7	24.7	19.6	5.1	11.8	14.5	3.6	8.7	1.7	0.4	1.0
脳・中枢神経系	C70-C72	20	28	48	0.4	0.8	0.5	4.5	5.5	5.0	3.1	3.2	3.2	2.6	3.1	2.8	0.2	0.2	0.2
甲状腺	C73	33	133	166	0.7	3.6	1.9	7.3	26.3	17.4	5.5	20.9	13.5	4.5	17.2	11.1	0.5	1.7	1.1
悪性リンパ腫	C81-C85 C96	163	128	291	3.2	3.5	3.3	36.3	25.3	30.5	17.0	13.5	14.9	12.9	10.2	11.4	1.4	1.0	1.2
多発性骨髄腫	C88-C90	32	35	67	0.6	0.9	0.8	7.1	6.9	7.0	3.4	1.8	2.6	2.6	1.2	1.9	0.3	0.1	0.2
白血病	C91-C95	72	54	126	1.4	1.5	1.4	16.0	10.7	13.2	8.8	7.8	8.1	7.4	7.5	7.3	0.7	0.6	0.6

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	5,498	4,177	9,675	100.0	100.0	100.0	1,224.5	827.1	1,014.2	551.7	437.9	483.0	394.3	334.7	357.3	47.7	35.6	41.1
食道	C15 D001	212	43	255	3.9	1.0	2.6	47.2	8.5	26.7	21.9	3.5	12.0	15.7	2.6	8.7	2.2	0.3	1.2
大腸（結腸・直腸）*2	C18-C20 D010-D012	913	722	1,635	16.6	17.3	16.9	203.3	143.0	171.4	99.4	59.2	77.7	72.1	42.5	56.3	9.0	5.1	7.0
結腸 *2	C18 D010	595	517	1,112	10.8	12.4	11.5	132.5	102.4	116.6	62.5	39.6	50.1	44.8	28.1	35.8	5.5	3.4	4.4
直腸 *2	C19-C20 D011-D012	318	205	523	5.8	4.9	5.4	70.8	40.6	54.8	36.8	19.6	27.7	27.3	14.5	20.5	3.5	1.8	2.6
肺	C33-C34 D021-D022	808	365	1,173	14.7	8.7	12.1	180.0	72.3	123.0	74.7	26.2	47.7	51.4	18.4	33.2	6.1	2.2	4.0
皮膚	C43-C44 D030-D049	135	147	282	2.5	3.5	2.9	30.1	29.1	29.6	12.7	11.9	12.1	9.1	8.6	8.7	1.0	0.9	1.0
乳房	C50 D05	3	841	844	0.1	20.1	8.7	0.7	166.5	88.5	0.4	110.2	58.1	0.3	84.8	44.6	0.0	9.3	4.9
子宮	C53-C55 D06	-	380	380	-	9.1	3.9	-	75.2	-	-	77.5	-	-	64.0	-	-	5.8	-
子宮頸部	C53 D06	-	262	262	-	6.3	2.7	-	51.9	-	-	61.2	-	-	51.4	-	-	4.3	-
膀胱	C67 D090	306	76	382	5.6	1.8	3.9	68.2	15.0	40.0	27.6	5.8	15.5	19.0	4.3	10.8	2.3	0.4	1.3

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	5,042	4	3	3	2	9	5	11	20	34	69	138	242	459	955	831	847	763	439	178	24	6	0
	口腔・咽頭	C00-C14	105	0	0	0	0	0	0	0	0	0	3	10	6	11	32	16	11	7	7	1	1	0	0
	食道	C15	189	0	0	0	0	0	0	0	0	1	3	4	10	16	54	41	30	20	8	2	0	0	0
	胃	C16	936	0	0	0	0	0	0	1	2	3	7	26	52	92	189	168	149	150	77	17	3	0	0
	大腸（結腸・直腸）	C18-C20	724	0	0	0	0	0	0	2	3	2	22	21	55	86	140	103	113	90	49	35	2	1	0
	結腸	C18	453	0	0	0	0	0	0	2	0	2	16	10	30	47	73	66	73	67	34	30	2	1	0
	直腸	C19-C20	271	0	0	0	0	0	0	0	3	0	6	11	25	39	67	37	40	23	15	5	0	0	0
	肝および肝内胆管	C22	315	0	0	0	0	0	0	0	2	2	3	15	13	21	51	57	53	54	32	10	2	0	0
	胆のう・胆管	C23-C24	111	0	0	0	0	0	0	0	0	0	2	1	1	7	13	22	19	22	16	6	1	1	0
	膵臓	C25	183	0	0	0	0	1	0	0	0	3	3	2	8	19	38	29	24	37	13	3	3	0	0
	喉頭	C32	38	0	0	0	0	0	0	0	0	0	0	2	1	5	5	6	8	4	5	2	0	0	0
	肺	C33-C34	808	0	0	0	0	0	0	0	3	5	6	17	32	63	143	126	154	135	86	34	2	2	0
	皮膚	C43-C44	107	0	0	0	0	0	0	0	1	0	1	4	6	8	13	14	9	23	16	10	2	0	0
	乳房	C50	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0
	前立腺	C61	708	0	0	0	0	0	0	0	0	0	1	3	15	52	138	139	161	111	59	24	3	2	0
	膀胱	C67	157	0	0	0	0	0	0	1	0	2	0	3	2	10	26	25	26	33	17	8	4	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	172	0	1	0	0	0	0	0	1	3	3	10	13	23	31	26	25	22	8	6	0	0	0
	脳・中枢神経系	C70-C72	20	0	1	0	0	1	0	0	1	2	0	1	0	2	2	4	4	2	0	0	0	0	0
	甲状腺	C73	33	0	0	1	0	0	1	1	1	2	1	1	8	5	7	2	1	1	1	0	0	0	0
	悪性リンパ腫	C81-C85 C96	163	1	0	1	2	1	1	0	0	1	2	3	9	11	24	32	26	28	14	6	1	0	0
	多発性骨髄腫	C88-C90	32	0	0	0	0	0	0	0	0	1	0	2	3	3	10	3	1	3	5	1	0	0	0
	白血病	C91-C95	72	2	1	0	0	0	0	1	3	0	3	3	2	7	7	9	12	8	9	5	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	3,692	4	1	4	2	9	17	36	49	96	158	178	228	287	492	459	486	502	394	223	55	12	0
	口腔・咽頭	C00-C14	55	0	0	0	0	0	0	0	1	0	4	2	2	3	3	7	10	9	8	5	1	0	0
	食道	C15	35	0	0	0	0	0	0	0	0	0	0	3	2	3	6	7	2	3	5	1	3	0	0
	胃	C16	441	0	0	0	0	0	0	2	4	2	7	8	22	24	62	65	68	79	58	31	7	2	0
	大腸（結腸・直腸）	C18-C20	616	0	0	0	0	0	0	1	2	6	13	25	26	49	86	91	96	94	66	49	11	1	0
	結腸	C18	441	0	0	0	0	0	0	0	1	2	6	15	17	30	59	63	71	73	57	37	9	1	0
	直腸	C19-C20	175	0	0	0	0	0	0	1	1	4	7	10	9	19	27	28	25	21	9	12	2	0	0
	肝および肝内胆管	C22	160	0	0	0	0	0	0	0	0	0	0	0	1	8	18	16	32	38	31	13	2	1	0
	胆のう・胆管	C23-C24	77	0	0	0	0	0	0	0	1	0	1	0	3	0	4	6	17	10	21	11	1	2	0
	膵臓	C25	160	0	0	0	0	0	0	2	0	1	5	4	3	9	19	19	22	28	32	11	5	0	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	0	0
	肺	C33-C34	364	0	0	0	0	0	0	0	0	1	6	13	10	24	56	54	61	56	44	33	4	2	0
	皮膚	C43-C44	110	0	0	0	0	0	0	1	3	3	2	4	7	7	13	10	7	24	13	9	4	3	0
	乳房	C50	745	0	0	0	0	0	2	8	14	47	72	67	73	86	102	83	65	63	39	22	2	0	0
	子宮	C53-C55	203	0	0	0	0	2	1	5	9	16	19	20	27	19	22	28	8	7	13	7	0	0	0
	子宮頸部	C53	85	0	0	0	0	2	1	4	5	9	12	8	4	3	10	11	5	3	3	5	0	0	0
	子宮体部	C54	113	0	0	0	0	0	0	1	4	6	7	12	23	16	12	15	3	4	8	2	0	0	0
	卵巣	C56	111	0	0	1	1	3	2	5	2	7	11	7	18	7	17	8	10	6	3	2	1	0	0
	膀胱	C67	51	0	0	0	0	0	0	0	1	0	0	0	1	4	3	4	9	12	6	4	7	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	64	0	0	0	0	0	0	0	1	1	2	2	2	4	12	5	10	16	4	4	1	0	0
	脳・中枢神経系	C70-C72	28	1	0	1	0	0	1	1	1	0	0	1	1	1	2	3	4	4	5	2	0	0	0
	甲状腺	C73	133	0	0	0	0	4	7	6	4	9	5	10	11	14	18	19	15	8	1	1	1	0	0
	悪性リンパ腫	C81-C85 C96	128	0	0	1	0	0	1	3	4	1	6	8	7	10	18	10	20	22	11	5	1	0	0
	多発性骨髄腫	C88-C90	35	0	0	0	0	0	0	0	0	0	0	0	0	2	2	6	6	7	9	2	0	1	0
	白血病	C91-C95	54	2	1	1	1	0	3	1	0	1	1	2	6	4	7	8	11	2	1	1	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	8,734	8	4	7	4	18	22	47	69	130	227	316	470	746	1,447	1,290	1,333	1,265	833	401	79	18	0
	口腔・咽頭	C00-C14	160	0	0	0	0	0	0	0	1	0	7	12	8	14	35	23	21	16	15	6	2	0	0
	食道	C15	224	0	0	0	0	0	0	0	0	1	3	7	12	19	60	48	32	23	13	3	3	0	0
	胃	C16	1,377	0	0	0	0	0	0	3	6	5	14	34	74	116	251	233	217	229	135	48	10	2	0
	大腸（結腸・直腸）	C18-C20	1,340	0	0	0	0	0	0	3	5	8	35	46	81	135	226	194	209	184	115	84	13	2	0
	結腸	C18	894	0	0	0	0	0	0	2	1	4	22	25	47	77	132	129	144	140	91	67	11	2	0
	直腸	C19-C20	446	0	0	0	0	0	0	1	4	4	13	21	34	58	94	65	65	44	24	17	2	0	0
	肝および肝内胆管	C22	475	0	0	0	0	0	0	0	2	2	3	15	14	29	69	73	85	92	63	23	4	1	0
	胆のう・胆管	C23-C24	188	0	0	0	0	0	0	0	1	0	3	1	4	7	17	28	36	32	37	17	2	3	0
	膵臓	C25	343	0	0	0	0	1	0	2	0	4	8	6	11	28	57	48	46	65	45	14	8	0	0
	喉頭	C32	42	0	0	0	0	0	0	0	0	0	0	2	1	5	5	6	8	7	5	3	0	0	0
	肺	C33-C34	1,172	0	0	0	0	0	0	0	3	6	12	30	42	87	199	180	215	191	130	67	6	4	0
	皮膚	C43-C44	217	0	0	0	0	0	0	1	4	3	3	8	13	15	26	24	16	47	29	19	6	3	0
	乳房	C50	747	0	0	0	0	0	2	8	14	48	72	67	73	86	103	83	65	63	39	22	2	0	0
	子宮	C53-C55	203	0	0	0	0	2	1	5	9	16	19	20	27	19	22	28	8	7	13	7	0	0	0
	子宮頸部	C53	85	0	0	0	0	2	1	4	5	9	12	8	4	3	10	11	5	3	3	5	0	0	0
	子宮体部	C54	113	0	0	0	0	0	0	1	4	6	7	12	23	16	12	15	3	4	8	2	0	0	0
	卵巣	C56	111	0	0	1	1	3	2	5	2	7	11	7	18	7	17	8	10	6	3	2	1	0	0
	前立腺	C61	708	0	0	0	0	0	0	0	0	0	1	3	15	52	138	139	161	111	59	24	3	2	0
	膀胱	C67	208	0	0	0	0	0	0	1	1	2	0	3	3	14	29	29	35	45	23	12	11	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	236	0	1	0	0	0	0	0	2	4	5	12	15	27	43	31	35	38	12	10	1	0	0
	脳・中枢神経系	C70-C72	48	1	1	1	0	1	1	1	2	2	0	2	1	3	4	7	8	6	5	2	0	0	0
	甲状腺	C73	166	0	0	1	0	4	8	7	5	11	6	11	19	19	25	21	16	9	2	1	1	0	0
	悪性リンパ腫	C81-C85 C96	291	1	0	2	2	1	2	3	4	2	8	11	16	21	42	42	46	50	25	11	2	0	0
	多発性骨髄腫	C88-C90	67	0	0	0	0	0	0	0	0	1	0	2	3	5	12	9	7	10	14	3	0	1	0
	白血病	C91-C95	126	4	2	1	1	0	3	2	3	1	4	5	8	11	14	17	23	10	10	6	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	5,498	4	3	3	2	9	5	12	22	39	79	152	270	506	1,055	915	915	821	470	185	25	6	0	
	食道	C15 D001	212	0	0	0	0	0	0	0	0	1	3	4	13	20	60	47	33	21	8	2	0	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	913	0	0	0	0	0	0	2	5	7	29	29	72	104	186	146	139	102	53	35	3	1	0	
	結腸 *2	C18 D010	595	0	0	0	0	0	0	2	1	6	21	16	39	60	106	101	94	78	37	30	3	1	0	
	直腸 *2	C19-C20 D011-D012	318	0	0	0	0	0	0	0	4	1	8	13	33	44	80	45	45	24	16	5	0	0	0	
	肺	C33-C34 D021-D022	808	0	0	0	0	0	0	0	0	3	5	6	17	32	63	143	126	154	135	86	34	2	2	0
	皮膚	C43-C44 D030-D049	135	0	0	0	0	0	0	0	1	1	0	2	5	9	10	17	17	11	25	23	12	2	0	0
	乳房	C50 D05	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0
	膀胱	C67 D090	306	0	0	0	0	0	0	0	1	0	2	1	6	6	28	56	48	54	58	30	12	4	0	0
	女	全部位	C00-C96 D00-D09	4,177	4	1	4	2	19	37	61	88	149	212	210	259	319	536	495	527	538	413	234	57	12	0
食道		C15 D001	43	0	0	0	0	0	0	0	0	0	1	3	2	4	8	7	2	5	7	1	3	0	0	0
大腸（結腸・直腸）*2		C18-C20 D010-D012	722	0	0	0	0	0	0	1	4	7	17	27	38	62	102	108	119	103	72	50	11	1	0	0
結腸 *2		C18 D010	517	0	0	0	0	0	0	0	2	3	9	17	25	40	71	75	89	78	61	37	9	1	0	0
直腸 *2		C19-C20 D011-D012	205	0	0	0	0	0	0	1	2	4	8	10	13	22	31	33	30	25	11	13	2	0	0	0
肺		C33-C34 D021-D022	365	0	0	0	0	0	0	0	0	1	6	13	10	24	56	54	62	56	44	33	4	2	0	0
皮膚		C43-C44 D030-D049	147	0	0	0	0	0	0	0	1	3	4	4	6	7	8	17	15	11	30	17	15	6	3	0
乳房		C50 D05	841	0	0	0	0	0	2	8	15	64	92	77	80	94	114	88	72	69	42	22	2	0	0	0
子宮		C53-C55 D06	380	0	0	0	0	11	20	30	44	50	43	35	36	20	25	29	8	8	14	7	0	0	0	0
子宮頸部		C53 D06	262	0	0	0	0	11	20	29	40	43	36	23	13	4	13	12	5	4	4	5	0	0	0	0
膀胱	C67 D090	76	0	0	0	0	0	1	0	1	0	2	2	3	7	6	7	12	16	6	6	7	0	0	0	
総数 *3	全部位	C00-C96 D00-D09	9,675	8	4	7	4	28	42	73	110	188	291	362	529	825	1,591	1,410	1,442	1,359	883	419	82	18	0	
	食道	C15 D001	255	0	0	0	0	0	0	0	0	1	4	7	15	24	68	54	35	26	15	3	3	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,635	0	0	0	0	0	0	3	9	14	46	56	110	166	288	254	258	205	125	85	14	2	0	0
	結腸 *2	C18 D010	1,112	0	0	0	0	0	0	2	3	9	30	33	64	100	177	176	183	156	98	67	12	2	0	0
	直腸 *2	C19-C20 D011-D012	523	0	0	0	0	0	0	1	6	5	16	23	46	66	111	78	75	49	27	18	2	0	0	0
	肺	C33-C34 D021-D022	1,173	0	0	0	0	0	0	0	3	6	12	30	42	87	199	180	216	191	130	67	6	4	0	0
	皮膚	C43-C44 D030-D049	282	0	0	0	0	0	0	2	4	4	6	11	16	18	34	32	22	55	40	27	8	3	0	0
	乳房	C50 D05	844	0	0	0	0	0	2	8	15	65	92	77	80	94	115	88	73	69	42	22	2	0	0	0
	子宮	C53-C55 D06	380	0	0	0	0	11	20	30	44	50	43	35	36	20	25	29	8	8	14	7	0	0	0	0
	子宮頸部	C53 D06	262	0	0	0	0	11	20	29	40	43	36	23	13	4	13	12	5	4	4	5	0	0	0	0
	膀胱	C67 D090	382	0	0	0	0	0	1	1	1	2	3	8	9	35	62	55	66	74	36	18	11	0	0	0

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	1,122.9	22.2	15.0	14.3	8.3	50.0	25.0	47.8	80.0	103.0	222.6	492.9	834.5	1,434.4	2,329.3	2,967.9	3,388.0	4,015.8	2,926.7
	口腔・咽頭	C00-C14	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	35.7	20.7	34.4	78.0	57.1	44.0	36.8	46.7
	食道	C15	42.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	9.7	14.3	34.5	50.0	131.7	146.4	120.0	105.3	53.3
	胃	C16	208.5	0.0	0.0	0.0	0.0	0.0	0.0	4.3	8.0	9.1	22.6	92.9	179.3	287.5	461.0	600.0	596.0	789.5	513.3
	大腸（結腸・直腸）	C18-C20	161.2	0.0	0.0	0.0	0.0	0.0	0.0	8.7	12.0	6.1	71.0	75.0	189.7	268.8	341.5	367.9	452.0	473.7	326.7
	結腸	C18	100.9	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	6.1	51.6	35.7	103.4	146.9	178.0	235.7	292.0	352.6	226.7
	直腸	C19-C20	60.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	19.4	39.3	86.2	121.9	163.4	132.1	160.0	121.1	100.0
	肝および肝内胆管	C22	70.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	6.1	9.7	53.6	44.8	65.6	124.4	203.6	212.0	284.2	213.3
	胆のう・胆管	C23-C24	24.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	3.6	3.4	21.9	31.7	78.6	76.0	115.8	106.7
	膵臓	C25	40.8	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	9.1	9.7	7.1	27.6	59.4	92.7	103.6	96.0	194.7	86.7
	喉頭	C32	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.4	15.6	12.2	21.4	32.0	21.1	33.3
	肺	C33-C34	180.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	15.2	19.4	60.7	110.3	196.9	348.8	450.0	616.0	710.5	573.3
	皮膚	C43-C44	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	3.2	14.3	20.7	25.0	31.7	50.0	36.0	121.1	106.7
	乳房	C50	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0
	前立腺	C61	157.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	10.7	51.7	162.5	336.6	496.4	644.0	584.2	393.3
	膀胱	C67	35.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	6.1	0.0	10.7	6.9	31.3	63.4	89.3	104.0	173.7	113.3
	腎・尿路（膀胱除く）	C64-C66 C68	38.3	0.0	5.0	0.0	0.0	0.0	0.0	0.0	4.0	9.1	9.7	35.7	44.8	71.9	75.6	92.9	100.0	115.8	53.3
	脳・中枢神経系	C70-C72	4.5	0.0	5.0	0.0	0.0	5.6	0.0	0.0	4.0	6.1	0.0	3.6	0.0	6.3	4.9	14.3	16.0	10.5	0.0
	甲状腺	C73	7.3	0.0	0.0	4.8	0.0	0.0	5.0	4.3	4.0	6.1	3.2	3.6	27.6	15.6	17.1	7.1	4.0	5.3	6.7
	悪性リンパ腫	C81-C85 C96	36.3	5.6	0.0	4.8	8.3	5.6	5.0	0.0	0.0	3.0	6.5	10.7	31.0	34.4	58.5	114.3	104.0	147.4	93.3
	多発性骨髄腫	C88-C90	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	7.1	10.3	9.4	24.4	10.7	4.0	15.8	33.3
	白血病	C91-C95	16.0	11.1	5.0	0.0	0.0	0.0	0.0	4.3	12.0	0.0	9.7	10.7	6.9	21.9	17.1	32.1	48.0	42.1	60.0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	731.1	23.5	5.3	20.0	8.7	50.0	85.0	156.5	188.5	282.4	464.7	574.2	735.5	844.1	1,093.3	1,350.0	1,518.8	1,731.0	1,125.7
	口腔・咽頭	C00-C14	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	11.8	6.5	6.5	8.8	6.7	20.6	31.3	31.0	22.9
	食道	C15	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	6.5	8.8	13.3	20.6	6.3	10.3	14.3
	胃	C16	87.3	0.0	0.0	0.0	0.0	0.0	0.0	8.7	15.4	5.9	20.6	25.8	71.0	70.6	137.8	191.2	212.5	272.4	165.7
	大腸（結腸・直腸）	C18-C20	122.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.7	17.6	38.2	80.6	83.9	144.1	191.1	267.6	300.0	324.1	188.6
	結腸	C18	87.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	5.9	17.6	48.4	54.8	88.2	131.1	185.3	221.9	251.7	162.9
	直腸	C19-C20	34.7	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.8	11.8	20.6	32.3	29.0	55.9	60.0	82.4	78.1	72.4	25.7
	肝および肝内胆管	C22	31.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	23.5	40.0	47.1	100.0	131.0	88.6
	胆のう・胆管	C23-C24	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	2.9	0.0	9.7	0.0	8.9	17.6	53.1	34.5	60.0
	膵臓	C25	31.7	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	2.9	14.7	12.9	9.7	26.5	42.2	55.9	68.8	96.6	91.4
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	0.0
	肺	C33-C34	72.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	17.6	41.9	32.3	70.6	124.4	158.8	190.6	193.1	125.7
	皮膚	C43-C44	21.8	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.5	8.8	5.9	12.9	22.6	20.6	28.9	29.4	21.9	82.8	37.1
	乳房	C50	147.5	0.0	0.0	0.0	0.0	0.0	10.0	34.8	53.8	138.2	211.8	216.1	235.5	252.9	226.7	244.1	203.1	217.2	111.4
	子宮	C53-C55	40.2	0.0	0.0	0.0	0.0	11.1	5.0	21.7	34.6	47.1	55.9	64.5	87.1	55.9	48.9	82.4	25.0	24.1	37.1
	子宮頸部	C53	16.8	0.0	0.0	0.0	0.0	11.1	5.0	17.4	19.2	26.5	35.3	25.8	12.9	8.8	22.2	32.4	15.6	10.3	8.6
	子宮体部	C54	22.4	0.0	0.0	0.0	0.0	0.0	0.0	4.3	15.4	17.6	20.6	38.7	74.2	47.1	26.7	44.1	9.4	13.8	22.9
	卵巣	C56	22.0	0.0	0.0	5.0	4.3	16.7	10.0	21.7	7.7	20.6	32.4	22.6	58.1	20.6	37.8	23.5	31.3	20.7	8.6
	膀胱	C67	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	3.2	11.8	6.7	11.8	28.1	41.4	17.1
	腎・尿路（膀胱除く）	C64-C66 C68	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.9	5.9	6.5	6.5	11.8	26.7	14.7	31.3	55.2	11.4
	脳・中枢神経系	C70-C72	5.5	5.9	0.0	5.0	0.0	0.0	5.0	4.3	3.8	0.0	0.0	3.2	3.2	2.9	4.4	8.8	12.5	13.8	14.3
	甲状腺	C73	26.3	0.0	0.0	0.0	0.0	22.2	35.0	26.1	15.4	26.5	14.7	32.3	35.5	41.2	40.0	55.9	46.9	27.6	2.9
	悪性リンパ腫	C81-C85 C96	25.3	0.0	0.0	5.0	0.0	0.0	5.0	13.0	15.4	2.9	17.6	25.8	22.6	29.4	40.0	29.4	62.5	75.9	31.4
	多発性骨髄腫	C88-C90	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	4.4	17.6	18.8	24.1	25.7
	白血病	C91-C95	10.7	11.8	5.3	5.0	4.3	0.0	15.0	4.3	0.0	2.9	2.9	6.5	19.4	11.8	15.6	23.5	34.4	6.9	2.9

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	915.5	22.9	10.3	17.1	8.5	50.0	55.0	102.2	135.3	194.0	349.2	535.6	783.3	1,130.3	1,682.6	2,080.6	2,338.6	2,635.4	1,666.0
	口腔・咽頭	C00-C14	16.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	10.8	20.3	13.3	21.2	40.7	37.1	36.8	33.3	30.0
	食道	C15	23.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.6	11.9	20.0	28.8	69.8	77.4	56.1	47.9	26.0
	胃	C16	144.3	0.0	0.0	0.0	0.0	0.0	0.0	6.5	11.8	7.5	21.5	57.6	123.3	175.8	291.9	375.8	380.7	477.1	270.0
	大腸（結腸・直腸）	C18-C20	140.5	0.0	0.0	0.0	0.0	0.0	0.0	6.5	9.8	11.9	53.8	78.0	135.0	204.5	262.8	312.9	366.7	383.3	230.0
	結腸	C18	93.7	0.0	0.0	0.0	0.0	0.0	0.0	4.3	2.0	6.0	33.8	42.4	78.3	116.7	153.5	208.1	252.6	291.7	182.0
	直腸	C19-C20	46.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.8	6.0	20.0	35.6	56.7	87.9	109.3	104.8	114.0	91.7	48.0
	肝および肝内胆管	C22	49.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.0	4.6	25.4	23.3	43.9	80.2	117.7	149.1	191.7	126.0
	胆のう・胆管	C23-C24	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	4.6	1.7	6.7	10.6	19.8	45.2	63.2	66.7	74.0
	膵臓	C25	36.0	0.0	0.0	0.0	0.0	2.8	0.0	4.3	0.0	6.0	12.3	10.2	18.3	42.4	66.3	77.4	80.7	135.4	90.0
	喉頭	C32	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	1.7	7.6	5.8	9.7	14.0	14.6	10.0
	肺	C33-C34	122.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	9.0	18.5	50.8	70.0	131.8	231.4	290.3	377.2	397.9	260.0
	皮膚	C43-C44	22.7	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.8	4.5	4.6	13.6	21.7	22.7	30.2	38.7	28.1	97.9	58.0
	乳房	C50	78.3	0.0	0.0	0.0	0.0	0.0	5.0	17.4	27.5	71.6	110.8	113.6	121.7	130.3	119.8	133.9	114.0	131.3	78.0
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	21.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.0	3.0	0.0	5.1	5.0	21.2	33.7	46.8	61.4	93.8	46.0
	腎・尿路（膀胱除く）	C64-C66 C68	24.7	0.0	2.6	0.0	0.0	0.0	0.0	0.0	3.9	6.0	7.7	20.3	25.0	40.9	50.0	50.0	61.4	79.2	24.0
	脳・中枢神経系	C70-C72	5.0	2.9	2.6	2.4	0.0	2.8	2.5	2.2	3.9	3.0	0.0	3.4	1.7	4.5	4.7	11.3	14.0	12.5	10.0
	甲状腺	C73	17.4	0.0	0.0	2.4	0.0	11.1	20.0	15.2	9.8	16.4	9.2	18.6	31.7	28.8	29.1	33.9	28.1	18.8	4.0
	悪性リンパ腫	C81-C85 C96	30.5	2.9	0.0	4.9	4.3	2.8	5.0	6.5	7.8	3.0	12.3	18.6	26.7	31.8	48.8	67.7	80.7	104.2	50.0
	多発性骨髄腫	C88-C90	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.4	5.0	7.6	14.0	14.5	12.3	20.8	28.0
	白血病	C91-C95	13.2	11.4	5.1	2.4	2.1	0.0	7.5	4.3	5.9	1.5	6.2	8.5	13.3	16.7	16.3	27.4	40.4	20.8	20.0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,224.5	22.2	15.0	14.3	8.3	50.0	25.0	52.2	88.0	118.2	254.8	542.9	931.0	1,581.3	2,573.2	3,267.9	3,660.0	4,321.1	3,133.3	-	-	-	-	
	食道	C15 D001	47.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	9.7	14.3	44.8	62.5	146.3	167.9	132.0	110.5	53.3	-	-	-	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	203.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	20.0	21.2	93.5	103.6	248.3	325.0	453.7	521.4	556.0	536.8	353.3	-	-	-	-
	結腸 *2	C18 D010	132.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7	4.0	18.2	67.7	57.1	134.5	187.5	258.5	360.7	376.0	410.5	246.7	-	-	-	-
	直腸 *2	C19-C20 D011-D012	70.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	3.0	25.8	46.4	113.8	137.5	195.1	160.7	180.0	126.3	106.7	-	-	-	-	
	肺	C33-C34 D021-D022	180.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	15.2	19.4	60.7	110.3	196.9	348.8	450.0	616.0	710.5	573.3	-	-	-	-	-
	皮膚	C43-C44 D030-D049	30.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	4.0	0.0	6.5	17.9	31.0	31.3	41.5	60.7	44.0	131.6	153.3	-	-	-	-
	乳房	C50 D05	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	2.4	0.0	4.0	0.0	0.0	-	-	-	-
	膀胱	C67 D090	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	6.1	3.2	21.4	20.7	87.5	136.6	171.4	216.0	305.3	200.0	-	-	-	-
女	全部位	C00-C96 D00-D09	827.1	23.5	5.3	20.0	8.7	105.6	185.0	265.2	338.5	438.2	623.5	677.4	835.5	938.2	1,191.1	1,455.9	1,646.9	1,855.2	1,180.0	-	-	-	-	
	食道	C15 D001	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	9.7	6.5	11.8	17.8	20.6	6.3	17.2	20.0	-	-	-	-	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	143.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	15.4	20.6	50.0	87.1	122.6	182.4	226.7	317.6	371.9	355.2	205.7	-	-	-	-	-
	結腸 *2	C18 D010	102.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	8.8	26.5	54.8	80.6	117.6	157.8	220.6	278.1	269.0	174.3	-	-	-	-	-
	直腸 *2	C19-C20 D011-D012	40.6	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.7	11.8	23.5	32.3	41.9	64.7	68.9	97.1	93.8	86.2	31.4	-	-	-	-	-
	肺	C33-C34 D021-D022	72.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	17.6	41.9	32.3	70.6	124.4	158.8	193.8	193.1	125.7	-	-	-	-	-
	皮膚	C43-C44 D030-D049	29.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.5	11.8	11.8	19.4	22.6	23.5	37.8	44.1	34.4	103.4	48.6	-	-	-	-
	乳房	C50 D05	166.5	0.0	0.0	0.0	0.0	0.0	10.0	34.8	57.7	188.2	270.6	248.4	258.1	276.5	253.3	258.8	225.0	237.9	120.0	-	-	-	-	-
	子宮	C53-C55 D06	75.2	0.0	0.0	0.0	0.0	0.0	61.1	100.0	130.4	169.2	147.1	126.5	112.9	116.1	58.8	55.6	85.3	25.0	27.6	40.0	-	-	-	-
子宮頸部	C53 D06	51.9	0.0	0.0	0.0	0.0	0.0	61.1	100.0	126.1	153.8	126.5	105.9	74.2	41.9	11.8	28.9	35.3	15.6	13.8	11.4	-	-	-	-	
膀胱	C67 D090	15.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	3.8	0.0	5.9	6.5	9.7	20.6	13.3	20.6	37.5	55.2	17.1	-	-	-	-	
総数 *3	全部位	C00-C96 D00-D09	1,014.2	22.9	10.3	17.1	8.5	77.8	105.0	158.7	215.7	280.6	447.7	613.6	881.7	1,250.0	1,850.0	2,274.2	2,529.8	2,831.3	1,766.0	-	-	-	-	
	食道	C15 D001	26.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.2	11.9	25.0	36.4	79.1	87.1	61.4	54.2	30.0	-	-	-	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	171.4	0.0	0.0	0.0	0.0	0.0	0.0	6.5	17.6	20.9	70.8	94.9	183.3	251.5	334.9	409.7	452.6	427.1	250.0	-	-	-	-	
	結腸 *2	C18 D010	116.6	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.9	13.4	46.2	55.9	106.7	151.5	205.8	283.9	321.1	325.0	196.0	-	-	-	-	
	直腸 *2	C19-C20 D011-D012	54.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	11.8	7.5	24.6	39.0	76.7	100.0	129.1	125.8	131.6	102.1	54.0	-	-	-	-	
	肺	C33-C34 D021-D022	123.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	9.0	18.5	50.8	70.0	131.8	231.4	290.3	378.9	397.9	260.0	-	-	-	-	
	皮膚	C43-C44 D030-D049	29.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.8	6.0	9.2	18.6	26.7	27.3	39.5	51.6	38.6	114.6	80.0	-	-	-	-
	乳房	C50 D05	88.5	0.0	0.0	0.0	0.0	0.0	5.0	17.4	29.4	97.0	141.5	130.5	133.3	142.4	133.7	141.9	128.1	143.8	84.0	-	-	-	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	40.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.2	2.0	3.0	4.6	13.6	15.0	53.0	72.1	88.7	115.8	154.2	72.0	-	-	-	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,122.9	22.2	15.0	14.3	8.3	50.0	25.0	47.8	80.0	103.0	222.6	492.9	834.5	1,434.4	2,329.3	2,967.9	3,388.0	4,015.8	4,313.3	-
	口腔・咽頭	C00-C14	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	35.7	20.7	34.4	78.0	57.1	44.0	36.8	60.0	-
	食道	C15	42.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	9.7	14.3	34.5	50.0	131.7	146.4	120.0	105.3	66.7	-
	胃	C16	208.5	0.0	0.0	0.0	0.0	0.0	0.0	4.3	8.0	9.1	22.6	92.9	179.3	287.5	461.0	600.0	596.0	789.5	646.7	-
	大腸（結腸・直腸）	C18-C20	161.2	0.0	0.0	0.0	0.0	0.0	0.0	8.7	12.0	6.1	71.0	75.0	189.7	268.8	341.5	367.9	452.0	473.7	580.0	-
	結腸	C18	100.9	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	6.1	51.6	35.7	103.4	146.9	178.0	235.7	292.0	352.6	446.7	-
	直腸	C19-C20	60.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	19.4	39.3	86.2	121.9	163.4	132.1	160.0	121.1	133.3	-
	肝および肝内胆管	C22	70.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	6.1	9.7	53.6	44.8	65.6	124.4	203.6	212.0	284.2	293.3	-
	胆のう・胆管	C23-C24	24.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	3.6	3.4	21.9	31.7	78.6	76.0	115.8	160.0	-
	膵臓	C25	40.8	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	9.1	9.7	7.1	27.6	59.4	92.7	103.6	96.0	194.7	126.7	-
	喉頭	C32	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.4	15.6	12.2	21.4	32.0	21.1	46.7	-
	肺	C33-C34	180.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	15.2	19.4	60.7	110.3	196.9	348.8	450.0	616.0	710.5	826.7	-
	皮膚	C43-C44	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	3.2	14.3	20.7	25.0	31.7	50.0	36.0	121.1	186.7	-
	乳房	C50	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	-
	前立腺	C61	157.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	10.7	51.7	162.5	336.6	496.4	644.0	584.2	586.7	-
	膀胱	C67	35.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	6.1	0.0	10.7	6.9	31.3	63.4	89.3	104.0	173.7	193.3	-
	腎・尿路（膀胱除く）	C64-C66 C68	38.3	0.0	5.0	0.0	0.0	0.0	0.0	0.0	4.0	9.1	9.7	35.7	44.8	71.9	75.6	92.9	100.0	115.8	93.3	-
	脳・中枢神経系	C70-C72	4.5	0.0	5.0	0.0	0.0	5.6	0.0	0.0	4.0	6.1	0.0	3.6	0.0	6.3	4.9	14.3	16.0	10.5	0.0	-
	甲状腺	C73	7.3	0.0	0.0	4.8	0.0	0.0	5.0	4.3	4.0	6.1	3.2	3.6	27.6	15.6	17.1	7.1	4.0	5.3	6.7	-
	悪性リンパ腫	C81-C85 C96	36.3	5.6	0.0	4.8	8.3	5.6	5.0	0.0	0.0	3.0	6.5	10.7	31.0	34.4	58.5	114.3	104.0	147.4	140.0	-
	多発性骨髄腫	C88-C90	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	7.1	10.3	9.4	24.4	10.7	4.0	15.8	40.0	-
	白血病	C91-C95	16.0	11.1	5.0	0.0	0.0	0.0	0.0	4.3	12.0	0.0	9.7	10.7	6.9	21.9	17.1	32.1	48.0	42.1	93.3	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	731.1	23.5	5.3	20.0	8.7	50.0	85.0	156.5	188.5	282.4	464.7	574.2	735.5	844.1	1,093.3	1,350.0	1,518.8	1,731.0	1,954.3	-
	口腔・咽頭	C00-C14	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	11.8	6.5	6.5	8.8	6.7	20.6	31.3	31.0	40.0	-
	食道	C15	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	6.5	8.8	13.3	20.6	6.3	10.3	25.7	-
	胃	C16	87.3	0.0	0.0	0.0	0.0	0.0	0.0	8.7	15.4	5.9	20.6	25.8	71.0	70.6	137.8	191.2	212.5	272.4	280.0	-
	大腸（結腸・直腸）	C18-C20	122.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.7	17.6	38.2	80.6	83.9	144.1	191.1	267.6	300.0	324.1	362.9	-
	結腸	C18	87.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	5.9	17.6	48.4	54.8	88.2	131.1	185.3	221.9	251.7	297.1	-
	直腸	C19-C20	34.7	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.8	11.8	20.6	32.3	29.0	55.9	60.0	82.4	78.1	72.4	65.7	-
	肝および肝内胆管	C22	31.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	23.5	40.0	47.1	100.0	131.0	134.3	-
	胆のう・胆管	C23-C24	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	2.9	0.0	9.7	0.0	8.9	17.6	53.1	34.5	100.0	-
	膵臓	C25	31.7	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	2.9	14.7	12.9	9.7	26.5	42.2	55.9	68.8	96.6	137.1	-
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	2.9	-
	肺	C33-C34	72.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	17.6	41.9	32.3	70.6	124.4	158.8	190.6	193.1	237.1	-
	皮膚	C43-C44	21.8	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.5	8.8	5.9	12.9	22.6	20.6	28.9	29.4	21.9	82.8	82.9	-
	乳房	C50	147.5	0.0	0.0	0.0	0.0	0.0	10.0	34.8	53.8	138.2	211.8	216.1	235.5	252.9	226.7	244.1	203.1	217.2	180.0	-
	子宮	C53-C55	40.2	0.0	0.0	0.0	0.0	11.1	5.0	21.7	34.6	47.1	55.9	64.5	87.1	55.9	48.9	82.4	25.0	24.1	57.1	-
	子宮頸部	C53	16.8	0.0	0.0	0.0	0.0	11.1	5.0	17.4	19.2	26.5	35.3	25.8	12.9	8.8	22.2	32.4	15.6	10.3	22.9	-
	子宮体部	C54	22.4	0.0	0.0	0.0	0.0	0.0	0.0	4.3	15.4	17.6	20.6	38.7	74.2	47.1	26.7	44.1	9.4	13.8	28.6	-
	卵巣	C56	22.0	0.0	0.0	5.0	4.3	16.7	10.0	21.7	7.7	20.6	32.4	22.6	58.1	20.6	37.8	23.5	31.3	20.7	17.1	-
	膀胱	C67	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	3.2	11.8	6.7	11.8	28.1	41.4	48.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	12.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.9	5.9	6.5	6.5	11.8	26.7	14.7	31.3	55.2	25.7	-
	脳・中枢神経系	C70-C72	5.5	5.9	0.0	5.0	0.0	0.0	5.0	4.3	3.8	0.0	0.0	3.2	3.2	2.9	4.4	8.8	12.5	13.8	20.0	-
	甲状腺	C73	26.3	0.0	0.0	0.0	0.0	22.2	35.0	26.1	15.4	26.5	14.7	32.3	35.5	41.2	40.0	55.9	46.9	27.6	8.6	-
	悪性リンパ腫	C81-C85 C96	25.3	0.0	0.0	5.0	0.0	0.0	5.0	13.0	15.4	2.9	17.6	25.8	22.6	29.4	40.0	29.4	62.5	75.9	48.6	-
	多発性骨髄腫	C88-C90	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	4.4	17.6	18.8	24.1	34.3	-
	白血病	C91-C95	10.7	11.8	5.3	5.0	4.3	0.0	15.0	4.3	0.0	2.9	2.9	6.5	19.4	11.8	15.6	23.5	34.4	6.9	8.6	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	915.5	22.9	10.3	17.1	8.5	50.0	55.0	102.2	135.3	194.0	349.2	535.6	783.3	1,130.3	1,682.6	2,080.6	2,338.6	2,635.4	2,662.0	-
	口腔・咽頭	C00-C14	16.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	10.8	20.3	13.3	21.2	40.7	37.1	36.8	33.3	46.0	-
	食道	C15	23.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.6	11.9	20.0	28.8	69.8	77.4	56.1	47.9	38.0	-
	胃	C16	144.3	0.0	0.0	0.0	0.0	0.0	0.0	6.5	11.8	7.5	21.5	57.6	123.3	175.8	291.9	375.8	380.7	477.1	390.0	-
	大腸（結腸・直腸）	C18-C20	140.5	0.0	0.0	0.0	0.0	0.0	0.0	6.5	9.8	11.9	53.8	78.0	135.0	204.5	262.8	312.9	366.7	383.3	428.0	-
	結腸	C18	93.7	0.0	0.0	0.0	0.0	0.0	0.0	4.3	2.0	6.0	33.8	42.4	78.3	116.7	153.5	208.1	252.6	291.7	342.0	-
	直腸	C19-C20	46.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.8	6.0	20.0	35.6	56.7	87.9	109.3	104.8	114.0	91.7	86.0	-
	肝および肝内胆管	C22	49.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.0	4.6	25.4	23.3	43.9	80.2	117.7	149.1	191.7	182.0	-
	胆のう・胆管	C23-C24	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	4.6	1.7	6.7	10.6	19.8	45.2	63.2	66.7	118.0	-
	膵臓	C25	36.0	0.0	0.0	0.0	0.0	2.8	0.0	4.3	0.0	6.0	12.3	10.2	18.3	42.4	66.3	77.4	80.7	135.4	134.0	-
	喉頭	C32	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	1.7	7.6	5.8	9.7	14.0	14.6	16.0	-
	肺	C33-C34	122.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	9.0	18.5	50.8	70.0	131.8	231.4	290.3	377.2	397.9	414.0	-
	皮膚	C43-C44	22.7	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.8	4.5	4.6	13.6	21.7	22.7	30.2	38.7	28.1	97.9	114.0	-
	乳房	C50	78.3	0.0	0.0	0.0	0.0	0.0	5.0	17.4	27.5	71.6	110.8	113.6	121.7	130.3	119.8	133.9	114.0	131.3	126.0	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	21.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.0	3.0	0.0	5.1	5.0	21.2	33.7	46.8	61.4	93.8	92.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	24.7	0.0	2.6	0.0	0.0	0.0	0.0	0.0	3.9	6.0	7.7	20.3	25.0	40.9	50.0	50.0	61.4	79.2	46.0	-
	脳・中枢神経系	C70-C72	5.0	2.9	2.6	2.4	0.0	2.8	2.5	2.2	3.9	3.0	0.0	3.4	1.7	4.5	4.7	11.3	14.0	12.5	14.0	-
	甲状腺	C73	17.4	0.0	0.0	2.4	0.0	11.1	20.0	15.2	9.8	16.4	9.2	18.6	31.7	28.8	29.1	33.9	28.1	18.8	8.0	-
	悪性リンパ腫	C81-C85 C96	30.5	2.9	0.0	4.9	4.3	2.8	5.0	6.5	7.8	3.0	12.3	18.6	26.7	31.8	48.8	67.7	80.7	104.2	76.0	-
	多発性骨髄腫	C88-C90	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.4	5.0	7.6	14.0	14.5	12.3	20.8	36.0	-
	白血病	C91-C95	13.2	11.4	5.1	2.4	2.1	0.0	7.5	4.3	5.9	1.5	6.2	8.5	13.3	16.7	16.3	27.4	40.4	20.8	34.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,224.5	22.2	15.0	14.3	8.3	50.0	25.0	52.2	88.0	118.2	254.8	542.9	931.0	1,581.3	2,573.2	3,267.9	3,660.0	4,321.1	4,573.3	-	
	食道	C15 D001	47.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	9.7	14.3	44.8	62.5	146.3	167.9	132.0	110.5	66.7	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	203.3	0.0	0.0	0.0	0.0	0.0	0.0	8.7	20.0	21.2	93.5	103.6	248.3	325.0	453.7	521.4	556.0	536.8	613.3	-	
	結腸 *2	C18 D010	132.5	0.0	0.0	0.0	0.0	0.0	0.0	8.7	4.0	18.2	67.7	57.1	134.5	187.5	258.5	360.7	376.0	410.5	473.3	-	
	直腸 *2	C19-C20 D011-D012	70.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	3.0	25.8	46.4	113.8	137.5	195.1	160.7	180.0	126.3	140.0	-	
	肺	C33-C34 D021-D022	180.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	15.2	19.4	60.7	110.3	196.9	348.8	450.0	616.0	710.5	826.7	-
	皮膚	C43-C44 D030-D049	30.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	4.0	0.0	6.5	17.9	31.0	31.3	41.5	60.7	44.0	131.6	246.7	-
	乳房	C50 D05	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	2.4	0.0	4.0	0.0	0.0	-
	膀胱	C67 D090	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	6.1	3.2	21.4	20.7	87.5	136.6	171.4	216.0	305.3	306.7	-
女	全部位	C00-C96 D00-D09	827.1	23.5	5.3	20.0	8.7	105.6	185.0	265.2	338.5	438.2	623.5	677.4	835.5	938.2	1,191.1	1,455.9	1,646.9	1,855.2	2,045.7	-	
	食道	C15 D001	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	9.7	6.5	11.8	17.8	20.6	6.3	17.2	31.4	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	143.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	15.4	20.6	50.0	87.1	122.6	182.4	226.7	317.6	371.9	355.2	382.9	-	
	結腸 *2	C18 D010	102.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	8.8	26.5	54.8	80.6	117.6	157.8	220.6	278.1	269.0	308.6	-	
	直腸 *2	C19-C20 D011-D012	40.6	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.7	11.8	23.5	32.3	41.9	64.7	68.9	97.1	93.8	86.2	74.3	-	
	肺	C33-C34 D021-D022	72.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	17.6	41.9	32.3	70.6	124.4	158.8	193.8	193.1	237.1	-
	皮膚	C43-C44 D030-D049	29.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	11.5	11.8	11.8	19.4	22.6	23.5	37.8	44.1	34.4	103.4	117.1	-
	乳房	C50 D05	166.5	0.0	0.0	0.0	0.0	0.0	10.0	34.8	57.7	188.2	270.6	248.4	258.1	276.5	253.3	258.8	225.0	237.9	188.6	-	
	子宮	C53-C55 D06	75.2	0.0	0.0	0.0	0.0	61.1	100.0	130.4	169.2	147.1	126.5	112.9	116.1	58.8	55.6	85.3	25.0	27.6	60.0	-	
子宮頸部	C53 D06	51.9	0.0	0.0	0.0	0.0	61.1	100.0	126.1	153.8	126.5	105.9	74.2	41.9	11.8	28.9	35.3	15.6	13.8	25.7	-		
膀胱	C67 D090	15.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	3.8	0.0	5.9	6.5	9.7	20.6	13.3	20.6	37.5	55.2	54.3	-		
総数 *3	全部位	C00-C96 D00-D09	1,014.2	22.9	10.3	17.1	8.5	77.8	105.0	158.7	215.7	280.6	447.7	613.6	881.7	1,250.0	1,850.0	2,274.2	2,529.8	2,831.3	2,804.0	-	
	食道	C15 D001	26.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.2	11.9	25.0	36.4	79.1	87.1	61.4	54.2	42.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	171.4	0.0	0.0	0.0	0.0	0.0	0.0	6.5	17.6	20.9	70.8	94.9	183.3	251.5	334.9	409.7	452.6	427.1	452.0	-	
	結腸 *2	C18 D010	116.6	0.0	0.0	0.0	0.0	0.0	0.0	4.3	5.9	13.4	46.2	55.9	106.7	151.5	205.8	283.9	321.1	325.0	358.0	-	
	直腸 *2	C19-C20 D011-D012	54.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	11.8	7.5	24.6	39.0	76.7	100.0	129.1	125.8	131.6	102.1	94.0	-	
	肺	C33-C34 D021-D022	123.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	9.0	18.5	50.8	70.0	131.8	231.4	290.3	378.9	397.9	414.0	-
	皮膚	C43-C44 D030-D049	29.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.8	6.0	9.2	18.6	26.7	27.3	39.5	51.6	38.6	114.6	156.0	-
	乳房	C50 D05	88.5	0.0	0.0	0.0	0.0	0.0	5.0	17.4	29.4	97.0	141.5	130.5	133.3	142.4	133.7	141.9	128.1	143.8	132.0	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	40.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.2	2.0	3.0	4.6	13.6	15.0	53.0	72.1	88.7	115.8	154.2	130.0	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	8,446	11.5	33.1	0.0	50.8	4.6
口腔・咽頭	C00-C14	153	1.3	24.2	0.0	71.2	3.3
食道	C15	219	17.4	22.8	0.0	56.2	3.7
胃	C16	1,353	21.0	31.5	0.0	43.7	3.8
大腸（結腸・直腸）	C18-C20	1,285	14.2	23.9	0.0	56.0	6.0
結腸	C18	853	14.8	27.4	0.0	51.6	6.2
直腸	C19-C20	432	13.0	16.9	0.0	64.6	5.6
肝および肝内胆管	C22	442	1.6	59.5	0.0	33.5	5.4
胆のう・胆管	C23-C24	173	1.2	32.4	0.6	64.2	1.7
膵臓	C25	328	2.1	30.2	0.0	65.2	2.4
喉頭	C32	40	5.0	12.5	0.0	70.0	12.5
肺	C33-C34	1,114	9.9	44.4	0.0	42.3	3.4
皮膚	C43-C44	213	0.9	15.5	0.0	80.8	2.8
乳房	C50	746	24.0	11.0	0.0	58.3	6.7
乳房（女性のみ）	C50	744	24.1	11.0	0.0	58.2	6.7
子宮	C53-C55	200	9.0	11.0	0.0	75.0	5.0
子宮頸部	C53	84	10.7	4.8	0.0	81.0	3.6
子宮体部	C54	112	7.1	16.1	0.0	72.3	4.5
卵巣	C56	107	1.9	32.7	0.0	60.7	4.7
前立腺	C61	695	8.9	54.4	0.0	32.1	4.6
膀胱	C67	203	2.5	25.6	0.0	65.0	6.9
腎・尿路（膀胱除く）	C64-C66 C68	233	5.2	51.9	0.0	39.9	3.0
脳・中枢神経系	C70-C72	47	0.0	21.3	0.0	74.5	4.3
甲状腺	C73	164	11.6	53.0	0.6	26.2	8.5
悪性リンパ腫	C81-C85 C96	280	5.4	31.1	0.0	59.6	3.9
多発性骨髄腫	C88-C90	63	1.6	50.8	0.0	41.3	6.3
白血病	C91-C95	119	3.4	40.3	0.0	52.9	3.4

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	9,387	12.5	33.4	0.0	49.7	4.4
食道	C15 D001	250	18.4	26.8	0.0	51.2	3.6
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,580	16.9	26.8	0.0	51.1	5.2
結腸 *2	C18 D010	1,071	17.7	30.0	0.0	47.1	5.2
直腸 *2	C19-C20 D011-D012	509	15.1	20.0	0.0	59.7	5.1
肺	C33-C34 D021-D022	1,115	9.9	44.5	0.0	42.2	3.4
皮膚	C43-C44 D030-D049	278	0.7	16.2	0.0	79.9	3.2
乳房	C50 D05	843	26.1	10.9	0.0	56.9	6.0
乳房（女性のみ）	C50 D05	840	26.2	11.0	0.0	56.8	6.1
子宮	C53-C55 D06	377	20.4	27.6	0.0	48.5	3.4
子宮頸部	C53 D06	261	26.1	33.0	0.0	38.7	2.3
膀胱	C67 D090	377	3.7	27.3	0.0	64.5	4.5

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2016年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,267	47.4	9.0	13.6	18.0	11.9	22.6
口腔・咽頭	C00-C14	153	35.9	17.0	32.7	2.6	11.8	49.7
食道	C15	219	43.8	10.0	20.5	11.4	14.2	30.6
胃	C16	1,353	60.2	9.5	7.5	15.4	7.2	17.0
大腸（結腸・直腸）	C18-C20	1,285	45.5	17.4	10.4	16.9	9.6	27.9
結腸	C18	853	45.5	16.3	11.7	17.1	9.3	28.0
直腸	C19-C20	432	45.6	19.7	7.9	16.4	10.4	27.5
肝および肝内胆管	C22	442	61.3	2.9	11.8	7.5	16.5	14.7
胆のう・胆管	C23-C24	173	25.4	2.9	43.9	20.2	7.5	46.8
膵臓	C25	328	9.5	1.5	32.0	46.6	10.4	33.5
喉頭	C32	40	67.5	10.0	10.0	0.0	12.5	20.0
肺	C33-C34	1,114	31.2	9.2	9.2	38.3	12.0	18.4
皮膚	C43-C44	213	83.1	2.3	4.2	3.3	7.0	6.6
乳房	C50	746	62.7	14.9	2.8	7.4	12.2	17.7
乳房（女性のみ）	C50	744	62.6	14.9	2.8	7.4	12.2	17.7
子宮	C53-C55	200	46.0	5.5	29.0	11.5	8.0	34.5
子宮頸部	C53	84	28.6	7.1	40.5	16.7	7.1	47.6
子宮体部	C54	112	60.7	4.5	21.4	8.0	5.4	25.9
卵巣	C56	107	41.1	2.8	37.4	11.2	7.5	40.2
前立腺	C61	695	53.7	1.4	21.2	13.1	10.6	22.6
膀胱	C67	203	42.4	2.5	16.3	3.9	31.5	18.7
腎・尿路（膀胱除く）	C64-C66 C68	233	57.5	0.9	16.7	13.3	11.6	17.6
脳・中枢神経系	C70-C72	47	70.2	0.0	6.4	6.4	17.0	6.4
甲状腺	C73	164	45.1	34.8	4.3	3.0	12.8	39.0
悪性リンパ腫	C81-C85 C96	280	28.6	0.7	15.4	38.2	17.1	16.1
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,208	9.7	42.8	8.1	12.2	16.1	11.0	20.4
食道	C15 D001	250	11.2	38.4	8.8	18.0	10.0	13.6	26.8
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,580	18.5	37.0	14.2	8.5	13.7	8.1	22.7
結腸 *3	C18 D010	1,071	20.3	36.2	13.0	9.3	13.6	7.6	22.3
直腸 *3	C19-C20 D011-D012	509	14.7	38.7	16.7	6.7	13.9	9.2	23.4
肺	C33-C34 D021-D022	1,115	0.1	31.2	9.2	9.1	38.3	12.0	18.4
皮膚	C43-C44 D030-D049	278	23.0	63.7	1.8	3.2	2.5	5.8	5.0
乳房	C50 D05	843	11.0	55.5	13.3	2.5	6.5	11.2	15.8
乳房 (女性のみ)	C50 D05	840	11.0	55.5	13.3	2.5	6.5	11.2	15.8
子宮	C53-C55 D06	377	46.2	24.4	2.9	15.4	6.1	5.0	18.3
子宮頸部	C53 D06	261	66.7	9.2	2.3	13.0	5.4	3.4	15.3
膀胱	C67 D090	377	46.7	22.8	1.3	8.8	2.1	18.3	10.1

*1 DC0、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,267	1.3	45.4	7.7	11.2	17.1	17.3	18.9
口腔・咽頭	C00-C14	153	0.0	33.3	18.3	30.7	2.0	15.7	49.0
食道	C15	219	6.4	39.7	7.3	20.1	11.4	15.1	27.4
胃	C16	1,353	0.4	59.7	7.3	6.7	13.5	12.3	14.0
大腸（結腸・直腸）	C18-C20	1,285	2.7	40.5	18.1	7.3	15.3	16.2	25.4
結腸	C18	853	2.8	39.7	17.2	7.7	15.5	17.0	25.0
直腸	C19-C20	432	2.5	41.9	19.7	6.5	14.8	14.6	26.2
肝および肝内胆管	C22	442	0.0	59.5	2.7	11.5	7.5	18.8	14.3
胆のう・胆管	C23-C24	173	0.0	21.4	1.7	37.0	18.5	21.4	38.7
膵臓	C25	328	0.0	11.0	1.2	30.2	45.4	12.2	31.4
喉頭	C32	40	0.0	62.5	10.0	10.0	0.0	17.5	20.0
肺	C33-C34	1,114	0.1	29.7	8.4	8.8	37.9	15.1	17.2
皮膚	C43-C44	213	2.3	72.8	1.9	4.2	2.8	16.0	6.1
乳房	C50	746	2.5	61.9	11.8	2.9	7.1	13.7	14.7
乳房（女性のみ）	C50	744	2.6	61.8	11.8	3.0	7.1	13.7	14.8
子宮	C53-C55	200	2.5	40.0	2.0	23.5	12.0	20.0	25.5
子宮頸部	C53	84	4.8	26.2	2.4	38.1	16.7	11.9	40.5
子宮体部	C54	112	0.9	51.8	1.8	13.4	8.9	23.2	15.2
卵巣	C56	107	0.0	20.6	3.7	20.6	7.5	47.7	24.3
前立腺	C61	695	0.0	59.9	1.0	13.7	13.2	12.2	14.7
膀胱	C67	203	6.9	41.9	1.0	11.8	4.4	34.0	12.8
腎・尿路（膀胱除く）	C64-C66 C68	233	0.9	56.2	1.3	8.2	12.4	21.0	9.4
脳・中枢神経系	C70-C72	47	0.0	61.7	0.0	8.5	6.4	23.4	8.5
甲状腺	C73	164	0.0	43.3	15.2	3.7	4.3	33.5	18.9
悪性リンパ腫	C81-C85 C96	280	0.0	26.1	0.4	15.7	36.8	21.1	16.1
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,208	8.2	41.7	6.9	10.1	15.4	17.7	17.0
食道	C15 D001	250	16.4	35.2	6.4	17.6	10.0	14.4	24.0
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,580	11.4	34.2	14.7	5.9	12.4	21.3	20.6
結腸 *3	C18 D010	1,071	12.3	33.1	13.7	6.2	12.3	22.3	19.9
直腸 *3	C19-C20 D011-D012	509	9.4	36.5	16.7	5.5	12.6	19.3	22.2
肺	C33-C34 D021-D022	1,115	0.1	29.8	8.4	8.8	37.8	15.1	17.2
皮膚	C43-C44 D030-D049	278	20.9	56.8	1.4	3.2	2.2	15.5	4.7
乳房	C50 D05	843	10.0	57.7	10.6	2.6	6.3	12.9	13.2
乳房 (女性のみ)	C50 D05	840	9.9	57.6	10.6	2.6	6.3	13.0	13.2
子宮	C53-C55 D06	377	45.4	21.5	1.1	12.5	6.4	13.3	13.5
子宮頸部	C53 D06	261	65.1	8.8	0.8	12.3	5.4	7.7	13.0
膀胱	C67 D090	377	43.0	26.3	0.5	6.6	2.4	21.2	7.2

*1 DCO、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2016年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	5,356	54.8	10.0	10.4	4.1	20.7	20.4
口腔・咽頭	C00-C14	64	46.9	9.4	14.1	1.6	28.1	23.4
食道	C15	118	61.9	7.6	5.9	0.0	23.7	13.6
胃	C16	1,087	68.1	9.7	6.8	3.6	11.9	16.5
大腸（結腸・直腸）	C18-C20	1,106	48.7	18.1	10.9	10.0	12.2	29.0
結腸	C18	756	47.9	17.9	12.6	10.2	11.5	30.4
直腸	C19-C20	350	50.6	18.6	7.4	9.7	13.7	26.0
肝および肝内胆管	C22	156	41.7	0.6	7.1	0.6	50.0	7.7
胆のう・胆管	C23-C24	92	27.2	2.2	44.6	3.3	22.8	46.7
膵臓	C25	99	15.2	3.0	30.3	5.1	46.5	33.3
喉頭	C32	13	46.2	7.7	15.4	0.0	30.8	23.1
肺	C33-C34	523	51.4	7.5	5.9	2.1	33.1	13.4
皮膚	C43-C44	192	86.5	2.1	3.1	1.0	7.3	5.2
乳房	C50	598	66.6	13.5	2.0	1.8	16.1	15.6
乳房（女性のみ）	C50	596	66.4	13.6	2.0	1.8	16.1	15.6
子宮	C53-C55	139	61.2	7.2	17.3	0.0	14.4	24.5
子宮頸部	C53	41	48.8	12.2	14.6	0.0	24.4	26.8
子宮体部	C54	95	68.4	5.3	18.9	0.0	7.4	24.2
卵巣	C56	94	46.8	2.1	37.2	5.3	8.5	39.4
前立腺	C61	292	46.2	1.0	20.2	0.0	32.5	21.2
膀胱	C67	176	31.3	1.7	13.1	1.1	52.8	14.8
腎・尿路（膀胱除く）	C64-C66 C68	192	63.0	1.0	17.2	4.7	14.1	18.2
脳・中枢神経系	C70-C72	35	65.7	0.0	5.7	2.9	25.7	5.7
甲状腺	C73	149	40.9	37.6	3.4	2.7	15.4	40.9
悪性リンパ腫	C81-C85 C96	68	25.0	1.5	2.9	11.8	58.8	4.4
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,231	13.0	47.5	8.6	9.0	3.5	18.5	17.6
食道	C15 D001	144	18.1	50.7	6.3	4.9	0.0	20.1	11.1
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,401	20.8	38.5	14.3	8.6	7.9	9.9	22.9
結腸 *3	C18 D010	974	22.2	37.2	13.9	9.8	7.9	9.1	23.6
直腸 *3	C19-C20 D011-D012	427	17.6	41.5	15.2	6.1	8.0	11.7	21.3
肺	C33-C34 D021-D022	524	0.2	51.3	7.4	5.9	2.1	33.0	13.4
皮膚	C43-C44 D030-D049	249	21.3	66.7	1.6	2.4	0.8	7.2	4.0
乳房	C50 D05	689	12.5	57.8	11.8	1.7	1.6	14.7	13.5
乳房 (女性のみ)	C50 D05	686	12.5	57.7	11.8	1.7	1.6	14.6	13.6
子宮	C53-C55 D06	296	50.0	28.7	3.4	8.1	0.0	9.8	11.5
子宮頸部	C53 D06	198	74.7	10.1	2.5	3.0	0.0	9.6	5.6
膀胱	C67 D090	339	44.8	16.2	0.9	6.8	0.6	30.7	7.7

*1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2016年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	8,446	25.5	20.2	10.4	9.2	28.4	8.4	4.2	23.3
口腔・咽頭	C00-C14	153	52.3	0.0	0.7	36.6	55.6	0.0	0.0	17.0
食道	C15	219	5.5	28.8	23.7	19.6	39.3	0.0	1.8	21.9
胃	C16	1,353	17.0	21.3	36.5	0.1	19.1	0.1	0.9	17.7
大腸（結腸・直腸）	C18-C20	1,285	18.7	52.5	12.6	2.3	28.1	0.0	1.9	17.2
結腸	C18	853	20.2	52.3	12.0	0.2	26.3	0.0	2.0	17.6
直腸	C19-C20	432	15.7	53.0	13.9	6.3	31.7	0.0	1.6	16.4
肝および肝内胆管	C22	442	13.6	5.9	0.5	2.3	31.2	0.0	44.8	36.2
胆のう・胆管	C23-C24	173	32.4	9.8	1.7	0.0	22.0	0.0	4.6	42.2
膵臓	C25	328	20.7	0.6	0.9	3.4	49.1	0.6	1.8	41.8
喉頭	C32	40	32.5	0.0	0.0	50.0	37.5	0.0	2.5	22.5
肺	C33-C34	1,114	5.2	27.1	0.0	15.2	40.4	0.2	1.1	34.0
皮膚	C43-C44	213	85.0	0.0	0.0	3.8	6.1	0.0	1.9	9.4
乳房	C50	746	73.1	0.0	0.0	23.2	24.7	46.9	0.9	14.6
乳房（女性のみ）	C50	744	73.0	0.0	0.0	23.3	24.7	47.0	0.9	14.7
子宮	C53-C55	200	60.5	2.5	1.0	24.5	42.0	1.0	0.0	16.5
子宮頸部	C53	84	42.9	1.2	1.2	56.0	51.2	1.2	0.0	13.1
子宮体部	C54	112	75.9	3.6	0.9	1.8	36.6	0.9	0.0	16.1
卵巣	C56	107	84.1	7.5	0.0	0.9	64.5	0.0	0.0	7.5
前立腺	C61	695	7.6	23.0	1.3	13.4	2.2	47.3	0.9	20.0
膀胱	C67	203	17.2	2.0	68.5	3.0	19.2	1.0	18.2	20.2
腎・尿路（膀胱除く）	C64-C66 C68	233	12.4	57.9	0.9	2.6	13.3	0.4	3.0	19.7
脳・中枢神経系	C70-C72	47	61.7	0.0	0.0	31.9	42.6	0.0	2.1	29.8
甲状腺	C73	164	76.8	0.0	0.0	14.0	1.2	10.4	0.0	22.0
悪性リンパ腫	C81-C85 C96	280	8.2	2.5	0.7	9.6	56.8	1.8	4.3	30.0
多発性骨髄腫	C88-C90	63	0.0	0.0	0.0	6.3	65.1	1.6	3.2	31.7
白血病	C91-C95	119	0.0	0.0	0.0	1.7	68.9	0.0	4.2	29.4

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2016年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	9,387	26.3	18.9	14.3	8.6	26.1	7.9	4.3	21.7
食道	C15 D001	250	4.8	25.2	31.2	17.6	34.8	0.0	1.6	20.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,580	15.6	44.7	26.5	1.8	22.9	0.0	1.5	14.2
結腸 *2	C18 D010	1,071	16.3	44.0	27.4	0.2	20.9	0.0	1.6	14.1
直腸 *2	C19-C20 D011-D012	509	13.9	46.4	24.8	5.3	27.1	0.0	1.4	14.3
肺	C33-C34 D021-D022	1,115	5.2	27.2	0.0	15.2	40.4	0.2	1.1	34.0
皮膚	C43-C44 D030-D049	278	84.2	0.0	0.0	2.9	5.0	0.0	2.2	10.4
乳房	C50 D05	843	75.2	0.0	0.0	23.7	21.9	44.5	0.8	13.8
乳房（女性のみ）	C50 D05	840	75.1	0.0	0.0	23.8	22.0	44.6	0.8	13.8
子宮	C53-C55 D06	377	67.9	2.4	2.9	13.3	22.5	0.5	1.6	14.9
子宮頸部	C53 D06	261	65.5	1.9	3.8	18.4	16.9	0.4	2.3	13.0
膀胱	C67 D090	377	9.5	1.1	79.0	1.6	20.4	2.1	20.2	12.7

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2016年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	4,616	88.3	10.0	1.6
口腔・咽頭	C00-C14	81	88.9	9.9	1.2
食道	C15	125	93.6	6.4	0.0
胃	C16	991	93.2	5.1	1.6
大腸（結腸・直腸）	C18-C20	1,008	87.5	10.6	1.9
結腸	C18	676	87.1	11.2	1.6
直腸	C19-C20	332	88.3	9.3	2.4
肝および肝内胆管	C22	88	93.2	6.8	0.0
胆のう・胆管	C23-C24	73	87.7	6.8	5.5
膵臓	C25	72	87.5	12.5	0.0
喉頭	C32	13	100.0	0.0	0.0
肺	C33-C34	359	93.3	6.4	0.3
皮膚	C43-C44	181	97.2	2.2	0.6
乳房	C50	545	94.9	4.2	0.9
乳房（女性のみ）	C50	543	95.0	4.1	0.9
子宮	C53-C55	127	90.6	6.3	3.1
子宮頸部	C53	38	89.5	10.5	0.0
子宮体部	C54	89	91.0	4.5	4.5
卵巣	C56	96	79.2	15.6	5.2
前立腺	C61	222	84.7	14.9	0.5
膀胱	C67	157	31.8	67.5	0.6
腎・尿路（膀胱除く）	C64-C66 C68	166	91.6	8.4	0.0
脳・中枢神経系	C70-C72	29	72.4	24.1	3.4
甲状腺	C73	126	91.3	7.1	1.6
悪性リンパ腫	C81-C85 C96	32	59.4	28.1	12.5
多発性骨髄腫	C88-C90	0	-	-	-
白血病	C91-C95	0	-	-	-

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1 : あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

和歌山県

2016年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	5,460	89.3	9.2	1.5
食道	C15 D001	151	92.7	7.3	0.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,300	89.8	8.5	1.6
結腸 *2	C18 D010	893	89.7	8.8	1.5
直腸 *2	C19-C20 D011-D012	407	90.2	7.9	2.0
肺	C33-C34 D021-D022	360	93.3	6.4	0.3
皮膚	C43-C44 D030-D049	234	97.4	1.7	0.9
乳房	C50 D05	634	94.5	4.6	0.9
乳房（女性のみ）	C50 D05	631	94.8	4.3	1.0
子宮	C53-C55 D06	275	92.0	5.5	2.5
子宮頸部	C53 D06	186	92.5	5.9	1.6
膀胱	C67 D090	317	61.5	38.2	0.3

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

和歌山県

2016年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.40	0.36	0.38	5.0	7.6	6.1	2.8	4.0	3.3	84.6	83.4	84.1	82.1	80.8	81.5
口腔・咽頭	C00-C14	0.42	0.38	0.41	4.8	5.5	5.0	4.8	3.6	4.4	93.3	92.7	93.1	92.4	92.7	92.5
食道	C15	0.46	0.57	0.47	3.7	11.4	4.9	1.6	5.7	2.2	93.1	82.9	91.5	92.6	82.9	91.1
胃	C16	0.29	0.32	0.30	3.1	5.9	4.0	1.1	3.2	1.7	96.5	93.9	95.6	96.3	93.9	95.5
大腸（結腸・直腸）	C18-C20	0.33	0.32	0.33	4.0	8.9	6.3	2.8	5.7	4.1	91.6	85.7	88.9	91.3	84.9	88.4
結腸	C18	0.31	0.33	0.32	3.8	10.0	6.8	2.6	6.6	4.6	90.7	84.1	87.5	90.3	83.2	86.8
直腸	C19-C20	0.36	0.31	0.34	4.4	6.3	5.2	3.0	3.4	3.1	93.0	89.7	91.7	93.0	89.1	91.5
肝および肝内胆管	C22	0.68	0.61	0.65	9.5	17.5	12.2	5.4	10.0	6.9	32.7	21.3	28.8	32.7	21.3	28.8
胆のう・胆管	C23-C24	0.57	0.86	0.69	4.5	26.0	13.3	2.7	15.6	8.0	69.4	46.8	60.1	60.4	40.3	52.1
膵臓	C25	0.85	0.87	0.86	7.7	13.8	10.5	3.8	5.0	4.4	67.8	53.1	60.9	58.5	47.5	53.4
喉頭	C32	0.24	0.75	0.29	2.6	25.0	4.8	2.6	25.0	4.8	92.1	50.0	88.1	92.1	50.0	88.1
肺	C33-C34	0.62	0.50	0.58	9.3	13.5	10.6	4.6	5.8	4.9	76.1	75.0	75.8	69.2	67.6	68.7
皮膚	C43-C44	0.07	0.14	0.10	0.9	4.5	2.8	0.9	2.7	1.8	99.1	95.5	97.2	99.1	95.5	97.2
乳房	C50	2.00	0.14	0.14	0.0	1.1	1.1	0.0	0.1	0.1	100.0	95.2	95.2	100.0	94.6	94.6
子宮	C53-C55	-	0.28	0.28	-	2.0	2.0	-	1.5	1.5	-	94.6	94.6	-	93.1	93.1
子宮頸部	C53	-	0.27	0.27	-	1.2	1.2	-	1.2	1.2	-	97.6	97.6	-	97.6	97.6
子宮体部	C54	-	0.18	0.18	-	1.8	1.8	-	0.9	0.9	-	94.7	94.7	-	92.0	92.0
卵巣	C56	-	0.38	0.38	-	6.3	6.3	-	3.6	3.6	-	91.0	91.0	-	87.4	87.4
前立腺	C61	0.16	-	0.16	2.3	-	2.3	1.8	-	1.8	90.5	-	90.5	90.3	-	90.3
膀胱	C67	0.18	0.65	0.30	1.9	15.7	5.3	0.6	7.8	2.4	95.5	76.5	90.9	92.4	74.5	88.0
腎・尿路（膀胱除く）	C64-C66 C68	0.33	0.33	0.33	2.3	4.7	3.0	1.2	1.6	1.3	88.4	85.9	87.7	84.9	81.3	83.9
脳・中枢神経系	C70-C72	0.55	0.32	0.42	0.0	3.6	2.1	0.0	3.6	2.1	75.0	64.3	68.8	75.0	64.3	68.8
甲状腺	C73	0.18	0.09	0.11	0.0	1.5	1.2	0.0	1.5	1.2	97.0	97.7	97.6	81.8	91.7	89.8
悪性リンパ腫	C81-C85 C96	0.42	0.39	0.41	6.1	8.6	7.2	4.3	3.1	3.8	87.7	89.1	88.3	86.5	86.7	86.6
多発性骨髄腫	C88-C90	0.63	0.54	0.58	9.4	14.3	11.9	6.3	5.7	6.0	84.4	74.3	79.1	81.3	57.1	68.7
白血病	C91-C95	0.75	0.44	0.62	8.3	3.7	6.3	8.3	1.9	5.6	95.8	98.1	96.8	73.6	75.9	74.6

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

和歌山県

2016年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.37	0.31	0.34	4.6	6.7	5.5	2.6	3.5	3.0	85.9	85.3	85.7	83.5	83.0	83.3
食道	C15 D001	0.41	0.47	0.42	3.3	9.3	4.3	1.4	4.7	2.0	93.9	86.0	92.5	93.4	86.0	92.2
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.26	0.28	0.27	3.2	7.6	5.1	2.2	4.8	3.4	93.3	87.8	90.9	93.1	87.1	90.5
結腸 *2	C18 D010	0.23	0.28	0.26	2.9	8.5	5.5	2.0	5.6	3.7	92.9	86.5	89.9	92.6	85.7	89.4
直腸 *2	C19-C20 D011-D012	0.31	0.26	0.29	3.8	5.4	4.4	2.5	2.9	2.7	94.0	91.2	92.9	94.0	90.7	92.7
肺	C33-C34 D021-D022	0.62	0.50	0.58	9.3	13.4	10.6	4.6	5.8	4.9	76.1	75.1	75.8	69.2	67.7	68.7
皮膚	C43-C44 D030-D049	0.05	0.10	0.08	0.7	3.4	2.1	0.7	2.0	1.4	99.3	96.6	97.9	99.3	96.6	97.9
乳房	C50 D05	1.33	0.12	0.12	0.0	1.0	0.9	0.0	0.1	0.1	100.0	95.7	95.7	100.0	95.2	95.3
子宮	C53-C55 D06	-	0.15	0.15	-	1.1	1.1	-	0.8	0.8	-	97.1	97.1	-	96.3	96.3
子宮頸部	C53 D06	-	0.09	0.09	-	0.4	0.4	-	0.4	0.4	-	99.2	99.2	-	99.2	99.2
膀胱	C67 D090	0.09	0.43	0.16	1.0	10.5	2.9	0.3	5.3	1.3	97.7	84.2	95.0	96.1	81.6	93.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

和歌山県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	2,017	1,312	3,329	100.0	100.0	100.0	451.2	261.4	350.8	172.1	83.1	121.0	116.0	58.8	83.3	12.5	6.2	9.1
口腔・咽頭	C00-C14	44	21	65	2.2	1.6	2.0	9.8	4.2	6.8	4.0	1.2	2.4	2.8	0.8	1.7	0.3	0.1	0.2
食道	C15	86	20	106	4.3	1.5	3.2	19.2	4.0	11.2	8.4	1.4	4.6	5.8	1.0	3.2	0.8	0.1	0.4
胃	C16	271	139	410	13.4	10.6	12.3	60.6	27.7	43.2	23.7	7.0	14.4	15.9	4.8	9.8	1.8	0.5	1.1
大腸（結腸・直腸）	C18-C20	237	199	436	11.8	15.2	13.1	53.0	39.6	45.9	21.6	11.3	16.0	15.0	7.9	11.2	1.7	0.8	1.2
結腸	C18	139	145	284	6.9	11.1	8.5	31.1	28.9	29.9	12.4	7.9	10.0	8.7	5.5	7.0	1.0	0.5	0.7
直腸	C19-C20	98	54	152	4.9	4.1	4.6	21.9	10.8	16.0	9.2	3.4	6.0	6.4	2.4	4.2	0.7	0.3	0.5
肝および肝内胆管	C22	213	98	311	10.6	7.5	9.3	47.7	19.5	32.8	18.1	4.7	10.6	11.8	3.0	6.9	1.2	0.3	0.7
胆のう・胆管	C23-C24	63	66	129	3.1	5.0	3.9	14.1	13.1	13.6	4.8	2.9	3.7	3.2	2.0	2.5	0.3	0.2	0.2
膵臓	C25	156	139	295	7.7	10.6	8.9	34.9	27.7	31.1	13.8	8.1	10.6	9.3	5.4	7.1	1.1	0.6	0.8
喉頭	C32	9	3	12	0.4	0.2	0.4	2.0	0.6	1.3	0.6	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0
肺	C33-C34	500	182	682	24.8	13.9	20.5	111.9	36.3	71.9	41.2	11.3	23.9	27.3	7.9	16.2	2.9	0.9	1.8
皮膚	C43-C44	7	15	22	0.3	1.1	0.7	1.6	3.0	2.3	0.5	1.0	0.8	0.4	0.8	0.6	0.0	0.1	0.1
乳房	C50	4	101	105	0.2	7.7	3.2	0.9	20.1	11.1	0.4	10.2	5.6	0.3	7.7	4.2	0.0	0.9	0.5
子宮	C53-C55	-	57	57	-	4.3	1.7	-	11.4	-	-	6.2	-	-	4.8	-	-	0.5	-
子宮頸部	C53	-	23	23	-	1.8	0.7	-	4.6	-	-	2.8	-	-	2.1	-	-	0.2	-
子宮体部	C54	-	20	20	-	1.5	0.6	-	4.0	-	-	2.1	-	-	1.6	-	-	0.2	-
卵巣	C56	-	42	42	-	3.2	1.3	-	8.4	-	-	4.0	-	-	3.0	-	-	0.4	-
前立腺	C61	110	-	110	5.5	-	3.3	24.6	-	-	7.5	-	-	4.8	-	-	0.4	-	-
膀胱	C67	29	33	62	1.4	2.5	1.9	6.5	6.6	6.5	2.1	1.2	1.6	1.5	0.8	1.1	0.2	0.1	0.1
腎・尿路（膀胱除く）	C64-C66 C68	56	21	77	2.8	1.6	2.3	12.5	4.2	8.1	4.7	1.2	2.7	3.2	0.8	1.9	0.4	0.1	0.2
脳・中枢神経系	C70-C72	11	9	20	0.5	0.7	0.6	2.5	1.8	2.1	1.2	0.6	0.9	0.8	0.4	0.6	0.1	0.1	0.1
甲状腺	C73	6	12	18	0.3	0.9	0.5	1.3	2.4	1.9	0.6	0.9	0.8	0.5	0.7	0.6	0.1	0.1	0.1
悪性リンパ腫	C81-C85 C96	68	50	118	3.4	3.8	3.5	15.2	10.0	12.4	5.6	3.0	4.1	3.7	2.1	2.8	0.4	0.2	0.3
多発性骨髄腫	C88-C90	20	19	39	1.0	1.4	1.2	4.5	3.8	4.1	1.9	1.0	1.4	1.4	0.6	1.0	0.2	0.1	0.1
白血病	C91-C95	54	24	78	2.7	1.8	2.3	12.1	4.8	8.2	5.0	2.4	3.5	3.4	2.1	2.6	0.4	0.2	0.3

*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	2,017	0	0	0	0	0	0	2	3	2	16	29	59	131	292	280	351	404	300	127	19	2	0
	口腔・咽頭	C00-C14	44	0	0	0	0	0	0	0	0	0	1	0	2	5	5	8	5	9	6	3	0	0	0
	食道	C15	86	0	0	0	0	0	0	0	0	0	0	3	4	7	16	21	16	11	5	3	0	0	0
	胃	C16	271	0	0	0	0	0	0	1	0	0	2	5	9	13	47	42	49	53	37	11	2	0	0
	大腸（結腸・直腸）	C18-C20	237	0	0	0	0	0	0	0	1	0	1	3	10	27	41	29	42	41	23	15	4	0	0
	結腸	C18	139	0	0	0	0	0	0	0	0	0	1	3	4	17	19	18	22	26	14	13	2	0	0
	直腸	C19-C20	98	0	0	0	0	0	0	0	1	0	0	0	6	10	22	11	20	15	9	2	2	0	0
	肝および肝内胆管	C22	213	0	0	0	0	0	0	0	1	0	2	3	9	6	35	22	43	52	27	11	2	0	0
	胆のう・胆管	C23-C24	63	0	0	0	0	0	0	0	0	0	1	0	0	4	9	5	10	15	11	6	1	1	0
	膵臓	C25	156	0	0	0	0	0	0	0	0	0	1	3	6	11	24	24	27	33	17	7	3	0	0
	喉頭	C32	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	3	0	1	0	0	0
	肺	C33-C34	500	0	0	0	0	0	0	0	0	1	5	8	14	21	60	74	83	109	98	24	2	1	0
	皮膚	C43-C44	7	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	2	1	1	0	0
	乳房	C50	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	1	0	0	0
	前立腺	C61	110	0	0	0	0	0	0	0	0	0	0	0	0	4	8	11	20	26	25	15	1	0	0
	膀胱	C67	29	0	0	0	0	0	0	0	0	0	0	0	0	2	4	4	4	4	7	2	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	56	0	0	0	0	0	0	0	0	0	0	1	1	4	10	9	7	11	7	6	0	0	0
	脳・中枢神経系	C70-C72	11	0	0	0	0	0	0	0	1	0	0	0	0	1	3	1	3	2	0	0	0	0	0
	甲状腺	C73	6	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	0	0	1	0	0	0	0
	悪性リンパ腫	C81-C85 C96	68	0	0	0	0	0	0	0	0	0	0	0	1	7	10	8	13	14	8	6	1	0	0
	多発性骨髄腫	C88-C90	20	0	0	0	0	0	0	0	0	0	0	0	1	6	2	1	3	2	4	1	0	0	0
	白血病	C91-C95	54	0	0	0	0	0	0	0	0	0	1	2	2	3	6	11	11	7	8	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,312	1	0	0	0	0	1	3	9	6	17	36	37	64	131	132	172	224	263	158	48	10	0
	口腔・咽頭	C00-C14	21	0	0	0	0	0	0	0	1	0	0	0	0	1	2	2	1	4	4	4	2	0	0
	食道	C15	20	0	0	0	0	0	0	0	0	0	1	1	1	1	2	1	3	3	4	0	3	0	0
	胃	C16	139	0	0	0	0	0	0	1	0	1	0	1	4	5	12	9	13	26	37	23	5	2	0
	大腸（結腸・直腸）	C18-C20	199	0	0	0	0	0	0	0	2	2	3	5	4	5	11	21	27	27	45	38	9	0	0
	結腸	C18	145	0	0	0	0	0	0	0	2	2	3	2	4	2	5	13	19	16	38	33	6	0	0
	直腸	C19-C20	54	0	0	0	0	0	0	0	0	0	0	3	0	3	6	8	8	11	7	5	3	0	0
	肝および肝内胆管	C22	98	0	0	0	0	0	0	0	0	0	0	0	0	1	9	13	20	21	21	11	2	0	0
	胆のう・胆管	C23-C24	66	0	0	0	0	0	0	0	1	0	0	0	0	3	4	3	7	14	19	10	3	2	0
	膵臓	C25	139	0	0	0	0	0	0	0	0	0	0	2	2	6	16	21	23	32	21	11	5	0	0
	喉頭	C32	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0
	肺	C33-C34	182	0	0	0	0	0	0	1	0	2	2	1	6	9	25	18	27	27	43	16	3	2	0
	皮膚	C43-C44	15	0	0	0	0	0	0	0	0	0	1	1	0	1	1	1	1	2	2	2	1	2	0
	乳房	C50	101	0	0	0	0	0	0	0	1	0	5	8	10	12	17	12	9	14	9	4	0	0	0
	子宮	C53-C55	57	0	0	0	0	0	1	0	2	1	4	7	4	2	5	6	6	2	9	7	1	0	0
	子宮頸部	C53	23	0	0	0	0	0	0	0	1	1	2	4	1	1	1	3	4	0	0	5	0	0	0
	子宮体部	C54	20	0	0	0	0	0	0	0	1	0	0	3	2	1	4	2	2	1	4	0	0	0	0
	卵巣	C56	42	0	0	0	0	0	0	0	1	0	0	4	3	6	5	6	4	7	4	1	1	0	0
	膀胱	C67	33	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	5	8	6	6	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	21	0	0	0	0	0	0	0	0	0	0	1	0	0	4	3	3	2	4	2	1	1	0
	脳・中枢神経系	C70-C72	9	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	2	0	2	1	0	0	0
	甲状腺	C73	12	0	0	0	0	0	0	0	0	0	0	1	0	1	1	3	3	1	1	0	1	0	0
	悪性リンパ腫	C81-C85 C96	50	0	0	0	0	0	0	1	0	0	1	2	0	3	2	3	5	12	11	8	2	0	0
	多発性骨髄腫	C88-C90	19	0	0	0	0	0	0	0	0	0	0	0	0	2	0	3	1	7	2	3	0	1	0
	白血病	C91-C95	24	1	0	0	0	0	0	0	1	0	0	1	1	2	3	1	8	4	2	0	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	3,329	1	0	0	0	0	1	5	12	8	33	65	96	195	423	412	523	628	563	285	67	12	0
	口腔・咽頭	C00-C14	65	0	0	0	0	0	0	0	1	0	1	0	2	6	7	10	6	13	10	7	2	0	0
	食道	C15	106	0	0	0	0	0	0	0	0	0	1	4	5	8	18	22	19	14	9	3	3	0	0
	胃	C16	410	0	0	0	0	0	0	2	0	1	2	6	13	18	59	51	62	79	74	34	7	2	0
	大腸（結腸・直腸）	C18-C20	436	0	0	0	0	0	0	0	3	2	4	8	14	32	52	50	69	68	68	53	13	0	0
	結腸	C18	284	0	0	0	0	0	0	0	2	2	4	5	8	19	24	31	41	42	52	46	8	0	0
	直腸	C19-C20	152	0	0	0	0	0	0	0	1	0	0	3	6	13	28	19	28	26	16	7	5	0	0
	肝および肝内胆管	C22	311	0	0	0	0	0	0	0	1	0	2	3	9	7	44	35	63	73	48	22	4	0	0
	胆のう・胆管	C23-C24	129	0	0	0	0	0	0	0	1	0	1	0	0	7	13	8	17	29	30	16	4	3	0
	膵臓	C25	295	0	0	0	0	0	0	0	0	0	1	5	8	17	40	45	50	65	38	18	8	0	0
	喉頭	C32	12	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	5	4	0	2	0	0	0
	肺	C33-C34	682	0	0	0	0	0	0	1	0	3	7	9	20	30	85	92	110	136	141	40	5	3	0
	皮膚	C43-C44	22	0	0	0	0	0	0	0	0	0	1	1	0	2	3	1	1	2	4	3	2	2	0
	乳房	C50	105	0	0	0	0	0	0	0	1	0	5	8	10	13	18	12	10	14	9	5	0	0	0
	子宮	C53-C55	57	0	0	0	0	0	1	0	2	1	4	7	4	2	5	6	6	2	9	7	1	0	0
	子宮頸部	C53	23	0	0	0	0	0	0	0	1	1	2	4	1	1	1	3	4	0	0	5	0	0	0
	子宮体部	C54	20	0	0	0	0	0	0	0	1	0	0	3	2	1	4	2	2	1	4	0	0	0	0
	卵巣	C56	42	0	0	0	0	0	0	0	1	0	0	4	3	6	5	6	4	7	4	1	1	0	0
	前立腺	C61	110	0	0	0	0	0	0	0	0	0	0	0	0	4	8	11	20	26	25	15	1	0	0
	膀胱	C67	62	0	0	0	0	0	0	0	0	0	0	0	0	3	6	6	7	9	15	8	8	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	77	0	0	0	0	0	0	0	0	0	0	2	1	4	14	12	10	13	11	8	1	1	0
	脳・中枢神経系	C70-C72	20	0	0	0	0	0	0	0	1	0	0	0	0	2	5	2	5	2	2	1	0	0	0
	甲状腺	C73	18	0	0	0	0	0	0	0	0	0	0	1	0	3	2	5	3	1	2	0	1	0	0
	悪性リンパ腫	C81-C85 C96	118	0	0	0	0	0	0	1	0	0	1	2	1	10	12	11	18	26	19	14	3	0	0
	多発性骨髄腫	C88-C90	39	0	0	0	0	0	0	0	0	0	0	0	1	8	2	4	4	9	6	4	0	1	0
	白血病	C91-C95	78	1	0	0	0	0	0	0	1	0	1	3	3	5	9	12	19	11	10	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
男	全部位	C00-C97	451.2	0.0	0.0	0.0	0.0	0.0	0.0	8.7	12.0	6.1	51.6	103.6	203.4	409.4	712.2	1,000.0	1,404.0	2,244.4	2,000.0
	口腔・咽頭	C00-C14	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	6.9	15.6	12.2	28.6	20.0	50.0	40.0
	食道	C15	19.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	13.8	21.9	39.0	75.0	64.0	61.1	33.3
	胃	C16	60.6	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	6.5	17.9	31.0	40.6	114.6	150.0	196.0	294.4	246.7
	大腸（結腸・直腸）	C18-C20	53.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	3.2	10.7	34.5	84.4	100.0	103.6	168.0	227.8	153.3
	結腸	C18	31.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	10.7	13.8	53.1	46.3	64.3	88.0	144.4	93.3
	直腸	C19-C20	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	20.7	31.3	53.7	39.3	80.0	83.3	60.0
	肝および肝内胆管	C22	47.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	6.5	10.7	31.0	18.8	85.4	78.6	172.0	288.9	180.0
	胆のう・胆管	C23-C24	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	12.5	22.0	17.9	40.0	83.3	73.3
	膵臓	C25	34.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	10.7	20.7	34.4	58.5	85.7	108.0	183.3	113.3
	喉頭	C32	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	16.7	0.0
	肺	C33-C34	111.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	16.1	28.6	48.3	65.6	146.3	264.3	332.0	605.6	653.3
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	4.9	0.0	0.0	0.0	13.3
	乳房	C50	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.4	0.0	4.0	0.0	0.0
	前立腺	C61	24.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	19.5	39.3	80.0	144.4	166.7
	膀胱	C67	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	9.8	14.3	16.0	22.2	46.7
	腎・尿路（膀胱除く）	C64-C66 C68	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.4	12.5	24.4	32.1	28.0	61.1	46.7
	脳・中枢神経系	C70-C72	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	3.1	7.3	3.6	12.0	11.1	0.0
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	2.4	7.1	0.0	0.0	6.7
	悪性リンパ腫	C81-C85 C96	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	21.9	24.4	28.6	52.0	77.8	53.3
	多発性骨髄腫	C88-C90	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	18.8	4.9	3.6	12.0	11.1	26.7
	白血病	C91-C95	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	7.1	6.9	9.4	14.6	39.3	44.0	38.9	53.3

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
女	全部位	C00-C97	261.4	5.9	0.0	0.0	0.0	0.0	5.0	13.0	34.6	18.2	51.5	116.1	119.4	188.2	291.1	388.2	537.5	772.4	751.4
	口腔・咽頭	C00-C14	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	2.9	4.4	5.9	3.1	13.8	11.4
	食道	C15	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.2	3.2	2.9	4.4	2.9	9.4	10.3	11.4
	胃	C16	27.7	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	3.0	0.0	3.2	12.9	14.7	26.7	26.5	40.6	89.7	105.7
	大腸（結腸・直腸）	C18-C20	39.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	6.1	9.1	16.1	12.9	14.7	24.4	61.8	84.4	93.1	128.6
	結腸	C18	28.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	6.1	9.1	6.5	12.9	5.9	11.1	38.2	59.4	55.2	108.6
	直腸	C19-C20	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	0.0	8.8	13.3	23.5	25.0	37.9	20.0
	肝および肝内胆管	C22	19.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	20.0	38.2	62.5	72.4	60.0
	胆のう・胆管	C23-C24	13.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	8.8	8.9	8.8	21.9	48.3	54.3
	膵臓	C25	27.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	6.5	17.6	35.6	61.8	71.9	110.3	60.0
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	3.4	0.0
	肺	C33-C34	36.3	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	6.1	6.1	3.2	19.4	26.5	55.6	52.9	84.4	93.1	122.9
	皮膚	C43-C44	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.2	0.0	2.9	2.2	2.9	3.1	6.9	5.7
	乳房	C50	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	15.2	25.8	32.3	35.3	37.8	35.3	28.1	48.3	25.7
	子宮	C53-C55	11.4	0.0	0.0	0.0	0.0	0.0	5.0	0.0	7.7	3.0	12.1	22.6	12.9	5.9	11.1	17.6	18.8	6.9	25.7
	子宮頸部	C53	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.0	6.1	12.9	3.2	2.9	2.2	8.8	12.5	0.0	0.0
	子宮体部	C54	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	9.7	6.5	2.9	8.9	5.9	6.3	3.4	11.4
	卵巣	C56	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	12.9	9.7	17.6	11.1	17.6	12.5	24.1	11.4
	膀胱	C67	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.4	5.9	9.4	17.2	22.9
	腎・尿路（膀胱除く）	C64-C66 C68	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	8.9	8.8	9.4	6.9	11.4
	脳・中枢神経系	C70-C72	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.4	2.9	6.3	0.0	5.7
	甲状腺	C73	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.9	2.2	8.8	9.4	3.4	2.9
	悪性リンパ腫	C81-C85 C96	10.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	3.0	6.5	0.0	8.8	4.4	8.8	15.6	41.4	31.4
	多発性骨髄腫	C88-C90	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	8.8	3.1	24.1	5.7
	白血病	C91-C95	4.8	5.9	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	3.2	3.2	5.9	6.7	2.9	25.0	13.8	5.7

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
総数 *2	全部位	C00-C97	350.8	2.9	0.0	0.0	0.0	0.0	2.5	10.9	23.5	12.1	51.6	110.2	160.0	295.5	491.9	664.5	917.5	1,336.2	1,126.0
	口腔・咽頭	C00-C14	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.6	0.0	3.3	9.1	8.1	16.1	10.5	27.7	20.0
	食道	C15	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.8	8.3	12.1	20.9	35.5	33.3	29.8	18.0
	胃	C16	43.2	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	1.5	3.1	10.2	21.7	27.3	68.6	82.3	108.8	168.1	148.0
	大腸（結腸・直腸）	C18-C20	45.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	3.0	6.3	13.6	23.3	48.5	60.5	80.6	121.1	144.7	136.0
	結腸	C18	29.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.0	6.3	8.5	13.3	28.8	27.9	50.0	71.9	89.4	104.0
	直腸	C19-C20	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	5.1	10.0	19.7	32.6	30.6	49.1	55.3	32.0
	肝および肝内胆管	C22	32.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	3.1	5.1	15.0	10.6	51.2	56.5	110.5	155.3	96.0
	胆のう・胆管	C23-C24	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.6	0.0	0.0	10.6	15.1	12.9	29.8	61.7	60.0
	膵臓	C25	31.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	8.5	13.3	25.8	46.5	72.6	87.7	138.3	76.0
	喉頭	C32	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	8.8	8.5	0.0
	肺	C33-C34	71.9	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	4.5	10.9	15.3	33.3	45.5	98.8	148.4	193.0	289.4	282.0
	皮膚	C43-C44	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.7	0.0	3.0	3.5	1.6	1.8	4.3	8.0
	乳房	C50	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	7.8	13.6	16.7	19.7	20.9	19.4	17.5	29.8	18.0
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	7.0	9.7	12.3	19.1	30.0
	腎・尿路（膀胱除く）	C64-C66 C68	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	1.7	6.1	16.3	19.4	17.5	27.7	22.0
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	3.0	5.8	3.2	8.8	4.3	4.0
	甲状腺	C73	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	4.5	2.3	8.1	5.3	2.1	4.0	
	悪性リンパ腫	C81-C85 C96	12.4	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	1.6	3.4	1.7	15.2	14.0	17.7	31.6	55.3	38.0
	多発性骨髄腫	C88-C90	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	12.1	2.3	6.5	7.0	19.1	12.0
	白血病	C91-C95	8.2	2.9	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.6	5.1	5.0	7.6	10.5	19.4	33.3	23.4	20.0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	451.2	0.0	0.0	0.0	0.0	0.0	0.0	8.7	12.0	6.1	51.6	103.6	203.4	409.4	712.2	1,000.0	1,404.0	2,244.4	2,986.7	-
	口腔・咽頭	C00-C14	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	6.9	15.6	12.2	28.6	20.0	50.0	60.0	-
	食道	C15	19.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	13.8	21.9	39.0	75.0	64.0	61.1	53.3	-
	胃	C16	60.6	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	6.5	17.9	31.0	40.6	114.6	150.0	196.0	294.4	333.3	-
	大腸（結腸・直腸）	C18-C20	53.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	3.2	10.7	34.5	84.4	100.0	103.6	168.0	227.8	280.0	-
	結腸	C18	31.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	10.7	13.8	53.1	46.3	64.3	88.0	144.4	193.3	-
	直腸	C19-C20	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	20.7	31.3	53.7	39.3	80.0	83.3	86.7	-
	肝および肝内胆管	C22	47.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	6.5	10.7	31.0	18.8	85.4	78.6	172.0	288.9	266.7	-
	胆のう・胆管	C23-C24	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	12.5	22.0	17.9	40.0	83.3	126.7	-
	膵臓	C25	34.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	10.7	20.7	34.4	58.5	85.7	108.0	183.3	180.0	-
	喉頭	C32	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	16.7	6.7	-
	肺	C33-C34	111.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	16.1	28.6	48.3	65.6	146.3	264.3	332.0	605.6	833.3	-
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	4.9	0.0	0.0	0.0	26.7	-
	乳房	C50	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.4	0.0	4.0	0.0	6.7	-
	前立腺	C61	24.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	19.5	39.3	80.0	144.4	273.3	-
	膀胱	C67	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	9.8	14.3	16.0	22.2	73.3	-
	腎・尿路（膀胱除く）	C64-C66 C68	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.4	12.5	24.4	32.1	28.0	61.1	86.7	-
	脳・中枢神経系	C70-C72	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	3.1	7.3	3.6	12.0	11.1	0.0	-
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	2.4	7.1	0.0	0.0	6.7	-
	悪性リンパ腫	C81-C85 C96	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	21.9	24.4	28.6	52.0	77.8	100.0	-
	多発性骨髄腫	C88-C90	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	18.8	4.9	3.6	12.0	11.1	33.3	-
	白血病	C91-C95	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	7.1	6.9	9.4	14.6	39.3	44.0	38.9	73.3	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	261.4	5.9	0.0	0.0	0.0	0.0	5.0	13.0	34.6	18.2	51.5	116.1	119.4	188.2	291.1	388.2	537.5	772.4	1,368.6	.
	口腔・咽頭	C00-C14	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	2.9	4.4	5.9	3.1	13.8	28.6	.
	食道	C15	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.2	3.2	2.9	4.4	2.9	9.4	10.3	20.0	.
	胃	C16	27.7	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	3.0	0.0	3.2	12.9	14.7	26.7	26.5	40.6	89.7	191.4	.
	大腸（結腸・直腸）	C18-C20	39.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	6.1	9.1	16.1	12.9	14.7	24.4	61.8	84.4	93.1	262.9	.
	結腸	C18	28.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	6.1	9.1	6.5	12.9	5.9	11.1	38.2	59.4	55.2	220.0	.
	直腸	C19-C20	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	0.0	8.8	13.3	23.5	25.0	37.9	42.9	.
	肝および肝内胆管	C22	19.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	20.0	38.2	62.5	72.4	97.1	.
	胆のう・胆管	C23-C24	13.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	8.8	8.9	8.8	21.9	48.3	97.1	.
	膵臓	C25	27.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	6.5	17.6	35.6	61.8	71.9	110.3	105.7	.
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	3.4	2.9	.
	肺	C33-C34	36.3	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	6.1	6.1	3.2	19.4	26.5	55.6	52.9	84.4	93.1	182.9	.
	皮膚	C43-C44	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.2	0.0	2.9	2.2	2.9	3.1	6.9	20.0	.
	乳房	C50	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	15.2	25.8	32.3	35.3	37.8	35.3	28.1	48.3	37.1	.
	子宮	C53-C55	11.4	0.0	0.0	0.0	0.0	0.0	5.0	0.0	7.7	3.0	12.1	22.6	12.9	5.9	11.1	17.6	18.8	6.9	48.6	.
	子宮頸部	C53	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.0	6.1	12.9	3.2	2.9	2.2	8.8	12.5	0.0	14.3	.
	子宮体部	C54	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	9.7	6.5	2.9	8.9	5.9	6.3	3.4	11.4	.
	卵巣	C56	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	12.9	9.7	17.6	11.1	17.6	12.5	24.1	17.1	.
	膀胱	C67	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.4	5.9	9.4	17.2	57.1	.
	腎・尿路（膀胱除く）	C64-C66 C68	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	8.9	8.8	9.4	6.9	22.9	.
	脳・中枢神経系	C70-C72	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.4	2.9	6.3	0.0	8.6	.
	甲状腺	C73	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.9	2.2	8.8	9.4	3.4	5.7	.
	悪性リンパ腫	C81-C85 C96	10.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	3.0	6.5	0.0	8.8	4.4	8.8	15.6	41.4	60.0	.
	多発性骨髄腫	C88-C90	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	8.8	3.1	24.1	17.1	.
	白血病	C91-C95	4.8	5.9	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	3.2	3.2	5.9	6.7	2.9	25.0	13.8	5.7	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	350.8	2.9	0.0	0.0	0.0	0.0	2.5	10.9	23.5	12.1	51.6	110.2	160.0	295.5	491.9	664.5	917.5	1,336.2	1,854.0	.
	口腔・咽頭	C00-C14	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.6	0.0	3.3	9.1	8.1	16.1	10.5	27.7	38.0	.
	食道	C15	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.8	8.3	12.1	20.9	35.5	33.3	29.8	30.0	.
	胃	C16	43.2	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	1.5	3.1	10.2	21.7	27.3	68.6	82.3	108.8	168.1	234.0	.
	大腸（結腸・直腸）	C18-C20	45.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	3.0	6.3	13.6	23.3	48.5	60.5	80.6	121.1	144.7	268.0	.
	結腸	C18	29.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.0	6.3	8.5	13.3	28.8	27.9	50.0	71.9	89.4	212.0	.
	直腸	C19-C20	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	5.1	10.0	19.7	32.6	30.6	49.1	55.3	56.0	.
	肝および肝内胆管	C22	32.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	3.1	5.1	15.0	10.6	51.2	56.5	110.5	155.3	148.0	.
	胆のう・胆管	C23-C24	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.6	0.0	0.0	10.6	15.1	12.9	29.8	61.7	106.0	.
	膵臓	C25	31.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	8.5	13.3	25.8	46.5	72.6	87.7	138.3	128.0	.
	喉頭	C32	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	8.8	8.5	4.0	.
	肺	C33-C34	71.9	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	4.5	10.9	15.3	33.3	45.5	98.8	148.4	193.0	289.4	378.0	.
	皮膚	C43-C44	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.7	0.0	3.0	3.5	1.6	1.8	4.3	22.0	.
	乳房	C50	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	7.8	13.6	16.7	19.7	20.9	19.4	17.5	29.8	28.0	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	7.0	9.7	12.3	19.1	62.0	.
	腎・尿路（膀胱除く）	C64-C66 C68	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	1.7	6.1	16.3	19.4	17.5	27.7	42.0	.
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	3.0	5.8	3.2	8.8	4.3	6.0	.
	甲状腺	C73	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	4.5	2.3	8.1	5.3	2.1	6.0	.
	悪性リンパ腫	C81-C85 C96	12.4	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	1.6	3.4	1.7	15.2	14.0	17.7	31.6	55.3	72.0	.
	多発性骨髄腫	C88-C90	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	12.1	2.3	6.5	7.0	19.1	22.0	.
	白血病	C91-C95	8.2	2.9	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.6	5.1	5.0	7.6	10.5	19.4	33.3	23.4	26.0	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別 和歌山県 2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C96 000-D47	5,654	4,369	10,023	100.0	100.0	100.0	1,259.2	865.1	1,050.6	570.3	459.5	503.0	408.2	351.4	372.5	49.3	37.3	42.7
全部位	000-C96	5,042	3,692	8,734	89.2	84.5	87.1	1,122.9	731.1	915.5	503.5	355.2	418.1	359.6	267.6	306.6	43.2	29.4	35.8
口唇	000	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
その他および部位不明の舌	002	23	15	38	0.4	0.3	0.4	5.1	3.0	4.0	2.9	1.4	2.1	2.2	1.0	1.6	0.3	0.1	0.2
歯肉	003	8	19	27	0.1	0.4	0.3	1.8	3.8	2.8	0.6	0.8	0.8	0.4	0.5	0.5	0.1	0.0	0.0
口腔底	004	5	2	7	0.1	0.0	0.1	1.1	0.4	0.7	0.7	0.2	0.4	0.5	0.1	0.3	0.1	0.0	0.0
口蓋	005	0	2	2	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.3	0.1	0.0	0.2	0.1	0.0	0.0	0.0
その他および部位不明の口腔	006	0	4	4	0.0	0.1	0.0	0.0	0.8	0.4	0.0	0.3	0.2	0.0	0.3	0.1	0.0	0.0	0.0
耳下腺	007	1	3	4	0.0	0.1	0.0	0.2	0.6	0.4	0.2	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
扁桃	009	9	3	12	0.2	0.1	0.1	2.0	0.6	1.3	1.0	0.3	0.7	0.8	0.3	0.5	0.1	0.0	0.1
中咽頭	010	9	1	10	0.2	0.0	0.1	2.0	0.2	1.0	0.9	0.1	0.5	0.7	0.0	0.4	0.1	0.0	0.1
鼻<上>咽頭	011	8	2	10	0.1	0.0	0.1	1.8	0.4	1.0	1.1	0.3	0.6	0.8	0.2	0.5	0.1	0.0	0.1
梨状陥凹<洞>	012	21	1	22	0.4	0.0	0.2	4.7	0.2	2.3	2.7	0.1	1.3	2.0	0.0	1.0	0.2	0.0	0.1
下咽頭	013	18	1	19	0.3	0.0	0.2	4.0	0.2	2.0	1.7	0.1	0.8	1.2	0.1	0.6	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	015	189	35	224	3.3	0.8	2.2	42.1	6.9	23.5	19.3	2.9	10.4	13.8	2.1	7.5	1.9	0.3	1.1
胃	016	936	441	1,377	16.6	10.1	13.7	208.5	87.3	144.3	92.4	32.6	59.7	64.9	22.8	42.1	8.3	2.7	5.4
小腸	017	26	12	38	0.5	0.3	0.4	5.8	2.4	4.0	3.0	0.9	1.9	2.2	0.6	1.4	0.2	0.1	0.2
結腸	018	453	441	894	8.0	10.1	8.9	100.9	93.7	93.3	46.0	31.8	38.3	32.8	22.4	27.1	3.8	2.7	3.2
直腸S状結腸移行部	019	52	35	87	0.9	0.8	0.9	11.6	6.9	9.1	6.3	2.7	4.4	4.7	1.9	3.2	0.6	0.2	0.4
直腸	020	219	140	359	3.9	3.2	3.6	48.8	27.7	37.6	24.3	14.0	18.7	17.9	10.5	13.9	2.3	1.3	1.7
肛門および肛門管	021	2	4	6	0.0	0.1	0.1	0.4	0.8	0.6	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
肝および肝内胆管	022	315	160	475	5.6	3.7	4.7	70.2	31.7	49.8	30.7	8.6	18.6	21.3	5.5	12.8	2.6	0.6	1.5
胆のう	023	35	39	74	0.6	0.9	0.7	7.8	7.7	7.8	2.9	2.4	2.6	1.9	1.6	1.7	0.2	0.1	0.2
その他および部位不明の胆道	024	76	38	114	1.3	0.9	1.1	16.9	7.5	11.9	6.4	1.7	3.8	4.3	1.0	2.5	0.5	0.1	0.3
膵臓	025	183	160	343	3.2	3.7	3.4	40.8	31.7	36.0	18.0	11.1	14.3	12.8	7.9	10.2	1.6	0.9	1.2
その他および部位不明の消化器	026	10	9	19	0.2	0.2	0.2	2.2	1.8	2.0	1.1	0.5	0.8	0.8	0.4	0.6	0.1	0.0	0.1
鼻腔および中耳	030	0	2	2	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.5	0.3	0.0	0.4	0.2	0.0	0.0	0.0
副鼻腔	031	5	5	10	0.1	0.1	0.1	1.1	1.0	1.0	0.6	0.4	0.5	0.5	0.3	0.4	0.0	0.0	0.0
喉頭	032	38	4	42	0.7	0.1	0.4	8.5	0.8	4.4	3.6	0.1	1.7	2.6	0.1	1.2	0.3	0.0	0.1
気管	033	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	808	364	1,172	14.3	8.3	11.7	180.0	72.1	122.9	74.7	26.1	47.7	51.4	18.4	33.2	6.1	2.2	4.0
胸腺	037	5	3	8	0.1	0.1	0.1	1.1	0.6	0.8	0.8	0.4	0.5	0.6	0.3	0.4	0.1	0.0	0.1
心臓、縦隔および胸膜	038	4	1	5	0.1	0.0	0.0	0.9	0.2	0.5	0.8	0.1	0.4	0.6	0.1	0.3	0.1	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	2	1	3	0.0	0.0	0.0	0.4	0.2	0.3	0.5	0.1	0.3	0.4	0.0	0.2	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	4	2	6	0.1	0.0	0.1	0.9	0.4	0.6	0.9	0.1	0.5	0.9	0.1	0.5	0.1	0.0	0.0
皮膚の悪性黒色腫	043	7	12	19	0.1	0.3	0.2	1.6	2.4	2.0	1.0	1.3	1.1	0.8	1.0	0.9	0.1	0.1	0.1
皮膚のその他	044	100	98	198	1.8	2.2	2.0	22.3	19.4	20.8	8.7	7.9	8.1	6.1	5.7	5.7	0.7	0.6	0.6
中皮腫	045	12	3	15	0.2	0.1	0.1	2.7	0.6	1.6	1.0	0.2	0.6	0.7	0.1	0.4	0.1	0.0	0.1
カポジ肉腫	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	4	0	4	0.1	0.0	0.0	0.9	0.0	0.4	0.5	0.0	0.2	0.3	0.0	0.2	0.0	0.0	0.0
後腹膜および腹膜	048	8	13	21	0.1	0.3	0.2	1.8	2.6	2.2	1.4	1.3	1.3	1.4	1.0	1.2	0.1	0.1	0.1
その他の結合組織および軟部組織	049	16	14	30	0.3	0.3	0.3	3.6	2.8	3.1	1.6	1.6	1.5	1.2	1.2	1.2	0.1	0.1	0.1
乳房	050	2	745	747	0.0	17.1	7.5	0.4	147.5	78.3	0.3	95.2	50.3	0.3	73.2	38.5	0.0	8.1	4.3
外陰	051	-	8	8	-	0.2	0.1	-	1.6	-	-	1.1	-	-	0.8	-	-	0.1	-
陰	052	-	3	3	-	0.1	0.0	-	0.6	-	-	0.2	-	-	0.2	-	-	0.0	-
子宮頸部	053	-	85	85	-	1.9	0.8	-	16.8	-	-	13.7	-	-	11.0	-	-	1.1	-
子宮体部	054	-	113	113	-	2.6	1.1	-	22.4	-	-	15.9	-	-	12.3	-	-	1.4	-
子宮部位不明	055	-	5	5	-	0.1	0.0	-	1.0	-	-	0.4	-	-	0.3	-	-	0.0	-
卵巣	056	-	111	111	-	2.5	1.1	-	22.0	-	-	17.5	-	-	14.3	-	-	1.4	-
その他および部位不明の女性性器	057	-	2	2	-	0.0	0.0	-	0.4	-	-	0.3	-	-	0.2	-	-	0.0	-
胎盤	058	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	060	5	-	5	0.1	-	0.0	1.1	-	-	0.4	-	-	0.3	-	-	0.0	-	-
前立腺	061	708	-	708	12.5	-	7.1	157.7	-	-	61.9	-	-	41.6	-	-	5.3	-	-
精巣	062	23	-	23	0.4	-	0.2	5.1	-	-	6.8	-	-	6.3	-	-	0.5	-	-
その他および部位不明の男性性器	063	4	-	4	0.1	-	0.0	0.9	-	-	0.4	-	-	0.3	-	-	0.0	-	-
腎盂を除く腎	064	125	42	167	2.2	1.0	1.7	27.8	8.3	17.5	15.1	4.0	9.1	11.4	2.9	6.9	1.4	0.3	0.8
腎盂	065	17	11	28	0.3	0.3	0.3	3.8	2.2	2.9	1.7	0.8	1.2	1.1	0.5	0.8	0.1	0.1	0.1
尿管	066	29	11	40	0.5	0.3	0.4	6.5	2.2	4.2	2.7	0.4	1.4	1.9	0.2	1.0	0.2	0.0	0.1
膀胱	067	157	51	208	2.8	1.2	2.1	35.0	10.1	21.8	13.7	3.0	7.7	9.2	2.0	5.2	1.1	0.2	0.6
その他および部位不明の泌尿器	068	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
眼および付属器	069	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	070	0	2	2	0.0	0.0	0.0	0.0	0.4	0.2									

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

和歌山県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	456	485	941	8.1	11.1	9.4	101.6	96.0	98.6	48.3	82.7	64.9	34.7	67.2	50.7	4.5	6.1	5.3
口腔、食道および胃	D00	36	16	52	0.6	0.4	0.5	8.0	3.2	5.5	3.9	1.2	2.4	2.8	0.8	1.8	0.4	0.1	0.2
食道	D001	23	8	31	0.4	0.2	0.3	5.1	1.6	3.2	2.6	0.6	1.6	1.9	0.5	1.2	0.3	0.1	0.2
その他および部位不明の消化器	D01	213	121	334	3.8	2.8	3.3	47.4	24.0	35.0	25.0	12.2	18.1	18.2	9.0	13.3	2.4	1.1	1.7
結腸	D010	142	76	218	2.5	1.7	2.2	31.6	15.0	22.9	16.5	7.8	11.8	12.1	5.7	8.6	1.7	0.7	1.1
直腸S状結腸移行部	D011	4	3	7	0.1	0.1	0.1	0.9	0.6	0.7	0.5	0.3	0.4	0.4	0.3	0.3	0.0	0.0	0.0
直腸	D012	43	27	70	0.8	0.6	0.7	9.6	5.3	7.3	5.7	2.6	4.1	4.3	1.9	3.0	0.6	0.2	0.4
中耳および呼吸器系	D02	4	2	6	0.1	0.0	0.1	0.9	0.4	0.6	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	3	5	8	0.1	0.1	0.1	0.7	1.0	0.8	0.5	0.6	0.5	0.4	0.4	0.4	0.0	0.0	0.0
皮膚のその他	D04	25	32	57	0.4	0.7	0.6	5.6	6.3	6.0	2.5	2.1	2.3	1.9	1.5	1.7	0.2	0.2	0.2
乳房	D05	1	96	97	0.0	2.2	1.0	0.2	19.0	10.2	0.1	15.0	7.8	0.0	11.7	6.1	0.0	1.2	0.6
子宮頸部	D06	-	177	177	-	4.1	1.8	-	35.0	-	-	47.5	-	-	40.4	-	-	3.2	-
その他および部位不明の性器	D07	7	6	13	0.1	0.1	0.1	1.6	1.2	1.4	0.7	0.8	0.8	0.5	0.7	0.6	0.1	0.1	0.1
その他および部位不明	D09	167	30	197	3.0	0.7	2.0	37.2	5.9	20.6	15.3	3.3	8.6	10.6	2.6	6.2	1.3	0.3	0.8
膀胱	D090	149	25	174	2.6	0.6	1.7	33.2	5.0	18.2	13.9	2.9	7.8	9.7	2.3	5.6	1.2	0.2	0.7
良性腫瘍	D32-D35	56	121	177	1.0	2.8	1.8	12.5	24.0	18.6	7.1	14.9	11.2	5.3	11.6	8.6	0.7	1.3	1.0
髄膜	D32	19	79	98	0.3	1.8	1.0	4.2	15.6	10.3	2.2	7.5	5.1	1.6	5.4	3.6	0.2	0.7	0.5
脳および中枢神経系	D33	20	23	43	0.4	0.5	0.4	4.5	4.6	4.5	2.6	4.2	3.4	2.0	3.7	2.8	0.3	0.3	0.3
下垂体	D352	17	19	36	0.3	0.4	0.4	3.8	3.8	3.8	2.2	3.2	2.7	1.7	2.5	2.1	0.2	0.3	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	99	67	166	1.8	1.5	1.7	22.0	13.3	17.4	11.3	6.0	8.4	8.5	4.5	6.3	0.9	0.4	0.6
髄膜	D42	0	2	2	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	8	12	20	0.1	0.3	0.2	1.8	2.4	2.1	1.5	1.0	1.3	1.3	0.7	1.0	0.1	0.1	0.1
下垂体	D443	2	1	3	0.0	0.0	0.0	0.4	0.2	0.3	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
頭蓋咽頭管	D444	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
松果体	D445	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.3	0.0	0.2	0.4	0.0	0.2	0.0	0.0	0.0
真正赤血球増加症	D45	3	7	10	0.1	0.2	0.1	0.7	1.4	1.0	0.4	0.9	0.7	0.3	0.7	0.5	0.0	0.1	0.0
骨髄異形成症候群	D46	73	35	108	1.3	0.8	1.1	16.3	6.9	11.3	7.4	2.8	4.9	5.2	2.1	3.5	0.6	0.2	0.4
慢性骨髄増殖性疾患	D471	4	2	6	0.1	0.0	0.1	0.9	0.4	0.6	0.4	0.4	0.4	0.3	0.3	0.3	0.1	0.0	0.0
本態性（出血性）血小板血症	D473	7	6	13	0.1	0.1	0.1	1.6	1.2	1.4	0.6	0.3	0.4	0.5	0.2	0.3	0.1	0.0	0.0

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

和歌山県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率			累積死亡率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口		世界人口		男	女	総数 *1		
											男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	000-C97 000-D47	2,068	1,364	3,432	100.0	100.0	100.0	462.6	271.7	361.6	176.7	86.6	124.9	119.1	61.7	86.2	12.9	6.3	9.4
全部位	000-C97	2,017	1,312	3,329	97.5	96.2	97.0	451.2	261.4	350.8	172.1	83.1	121.0	116.0	58.8	83.3	12.5	6.2	9.1
口唇	000	1	-	1	0.0	-	0.0	0.2	-	0.1	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0
舌根<基底>部	001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の舌	002	7	3	10	0.3	0.2	0.3	1.6	0.6	1.1	0.8	0.5	0.6	0.6	0.4	0.5	0.1	0.0	0.1
歯肉	003	4	6	10	0.2	0.4	0.3	0.9	1.2	1.1	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
口腔底	004	1	1	2	0.0	0.1	0.1	0.2	0.2	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
口蓋	005	1	1	2	0.0	0.1	0.1	0.2	0.2	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
その他および部位不明の口腔	006	-	5	5	-	0.4	0.1	-	1.0	0.5	-	0.2	0.1	-	0.1	0.1	-	0.0	0.0
耳下腺	007	1	2	3	0.0	0.1	0.1	0.2	0.4	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	-	2	2	-	0.1	0.1	-	0.4	0.2	-	0.2	0.1	-	0.1	0.1	-	0.0	0.0
扁桃	009	2	-	2	0.1	-	0.1	0.4	-	0.2	0.1	-	0.1	0.1	-	0.0	0.0	-	0.0
中咽頭	C10	9	-	9	0.4	-	0.3	2.0	-	0.9	0.7	-	0.3	0.5	-	0.2	0.0	-	0.0
鼻<上>咽頭	C11	1	-	1	0.0	-	0.0	0.2	-	0.1	0.1	-	0.0	0.1	-	0.0	0.0	-	0.0
梨状陥凹<洞>	C12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
下咽頭	C13	13	1	14	0.6	0.1	0.4	2.9	0.2	1.5	1.4	0.0	0.6	1.0	0.0	0.5	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	4	-	4	0.2	-	0.1	0.9	-	0.4	0.2	-	0.1	0.1	-	0.0	0.0	-	0.0
食道	C15	86	20	106	4.2	1.5	3.1	19.2	4.0	11.2	8.4	1.4	4.6	5.8	1.0	3.2	0.8	0.1	0.4
胃	C16	271	139	410	13.1	10.2	11.9	60.6	27.7	43.2	23.7	7.0	14.4	15.9	4.8	9.8	1.8	0.5	1.1
小腸	C17	6	4	10	0.3	0.3	0.3	1.3	0.8	1.1	0.5	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
結腸	C18	139	145	284	6.7	10.6	8.3	31.1	28.9	29.9	12.4	7.9	10.0	8.7	5.5	7.0	1.0	0.5	0.7
直腸S状結腸移行部	C19	3	-	3	0.1	-	0.1	0.7	-	0.3	0.3	-	0.1	0.2	-	0.1	0.0	-	0.0
直腸	C20	95	54	149	4.6	4.0	4.3	21.3	10.8	15.7	8.9	3.4	5.9	6.2	2.4	4.1	0.7	0.3	0.5
肛門および肛門管	C21	4	2	6	0.2	0.1	0.2	0.9	0.4	0.6	0.3	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
肝および肝内胆管	C22	213	98	311	10.3	7.2	9.1	47.7	19.5	32.8	18.1	4.7	10.6	11.8	3.0	6.9	1.2	0.3	0.7
胆のう	C23	12	28	40	0.6	2.1	1.2	2.7	5.6	4.2	0.9	1.4	1.2	0.6	0.9	0.8	0.1	0.0	0.1
その他および部位不明の胆道	C24	51	38	89	2.5	2.8	2.6	11.4	7.6	9.4	3.8	1.6	2.5	2.5	1.0	1.7	0.2	0.1	0.2
膵臓	C25	156	139	295	7.5	10.2	8.6	34.9	27.7	31.1	13.8	8.1	10.6	9.3	5.4	7.1	1.1	0.6	0.8
その他および部位不明の消化器	C26	5	3	8	0.2	0.2	0.2	1.1	0.6	0.8	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
鼻腔および中耳	C30	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0
副鼻腔	C31	2	-	2	0.1	-	0.1	0.4	-	0.2	0.2	-	0.1	0.2	-	0.1	0.0	-	0.0
喉頭	C32	9	3	12	0.4	0.2	0.3	2.0	0.6	1.3	0.6	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0
気管	C33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管支および肺	C34	500	182	682	24.2	13.3	19.9	111.9	36.3	71.9	41.2	11.3	23.9	27.3	7.9	16.2	2.9	0.9	1.8
胸腺	C37	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.1	0.1	-	0.1	0.1	-	0.0	0.0
心臓、縦隔および胸腺	C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の呼吸器系および胸腔内臓器	C39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(四) 肢の骨および関節軟骨	C40	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.1	0.0	-	0.1	0.0	-	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	2	1	3	0.1	0.1	0.1	0.4	0.2	0.3	0.4	0.0	0.2	0.3	0.0	0.2	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	2	6	8	0.1	0.4	0.2	0.4	1.2	0.8	0.1	0.7	0.4	0.1	0.6	0.3	0.0	0.1	0.0
皮膚のその他	C44	5	9	14	0.2	0.7	0.4	1.1	1.8	1.5	0.4	0.3	0.3	0.3	0.2	0.2	0.0	0.0	0.0
中皮腫	C45	4	2	6	0.2	0.1	0.2	0.9	0.4	0.6	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
カボジ肉腫	C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
末梢神経および自律神経系の悪性新生物	C47	1	-	1	0.0	-	0.0	0.2	-	0.1	0.1	-	0.1	0.1	-	0.1	0.0	-	0.0
後腹膜および腹膜	C48	2	6	8	0.1	0.4	0.2	0.4	1.2	0.8	0.2	0.5	0.4	0.1	0.3	0.2	0.0	0.0	0.0
その他の結合組織および軟部組織	C49	8	4	12	0.4	0.3	0.3	1.8	0.8	1.3	0.8	0.1	0.4	0.6	0.1	0.3	0.0	0.0	0.0
乳房	C50	4	101	105	0.2	7.4	3.1	0.9	20.1	11.1	0.4	10.2	5.6	0.3	7.7	4.2	0.0	0.9	0.5
外陰	C51	-	1	1	-	0.1	0.0	-	0.2	-	-	0.0	-	-	0.0	-	-	0.0	-
陰	C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	C53	-	23	23	-	1.7	0.7	-	4.6	-	-	-	-	2.1	-	-	-	0.2	-
子宮体部	C54	-	20	20	-	1.5	0.6	-	4.0	-	-	2.1	-	1.6	-	-	-	0.2	-
子宮部位不明	C55	-	14	14	-	1.0	0.4	-	2.8	-	-	1.3	-	1.1	-	-	-	0.1	-
卵巣	C56	-	42	42	-	3.1	1.2	-	8.4	-	-	4.0	-	3.0	-	-	-	0.4	-
その他および部位不明の女性性器	C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
胎盤	C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
陰茎	C60	1	-	1	0.0	-	0.0	0.2	-	-	0.1	-	-	0.1	-	-	-	0.0	-
前立腺	C61	110	-	110	5.3	-	3.2	24.6	-	-	7.5	-	-	4.8	-	-	-	0.4	-
精巣	C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の男性性器	C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
腎盂を除く腎	C64	28	8	36	1.4	0.6	1.0	6.3	1.6	3.8	2.5	0.5	1.4	1.7	0.3	0.9	0.2	0.1	0.1
腎盂	C65	8	5	13	0.4	0.4	0.4	1.8	1.0	1.4	0.6	0.4	0.5	0.4	0.3	0.3	0.0	0.0	0.0
尿管	C66	18	7	25	0.9	0.5	0.7	4.0	1.4	2.6	1.5	0.3	0.8	1.0	0.2	0.5	0.1	0.0	0.1
膀胱	C67	29	33	62	1.4	2.4	1.8	6.5	6.6	6.5	2.1	1.2	1.6	1.5	0.8	1.1	0.2	0.1	0.1
その他および部位不明の泌尿器	C68	2	1	3	0.1	0.1	0.1	0.4	0.2	0.3	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
眼および付属器	C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
髄膜	C70	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0
脳	C71	11	8	19	0.5	0.6	0.6	2.5	1.6	2.0	1.2	0.5	0.8	0.8	0.4	0.6	0.1	0.1	0.1
脊髄、脳神経および中枢神経系のその他の部位	C72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
甲状腺	C73	6	12	18	0.3	0.9	0.5	1.3	2.4	1.9	0.6	0.9	0.8	0.5	0.7	0.6	0.1	0.1	0.1
副腎	C74	1	1	2	0.0	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.0		

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

和歌山県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
口腔、食道および胃	D00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
食道	D001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の消化器	D01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
結腸	D010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸S状結腸移行部	D011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸	D012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
中耳および呼吸器系	D02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管	D021	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管支および肺	D022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
上皮内黒色腫	D03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
皮膚のその他	D04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
乳房	D05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の性器	D07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明	D09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
膀胱	D090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
良性腫瘍	D32-D35	1	3	4	0.0	0.2	0.1	0.2	0.6	0.4	0.2	0.8	0.5	0.2	0.9	0.5	0.0	0.0	0.0
髄膜	D32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
脳および中枢神経系	D33	1	3	4	0.0	0.2	0.1	0.2	0.6	0.4	0.2	0.8	0.5	0.2	0.9	0.5	0.0	0.0	0.0
下垂体	D352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
頭蓋咽頭管	D353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
松果体	D354	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
性状不詳	D42-D47	25	30	55	1.2	2.2	1.6	5.6	6.0	5.8	2.5	1.7	2.1	1.8	1.3	1.5	0.2	0.1	0.1
髄膜	D42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
脳および中枢神経系	D43	6	9	15	0.3	0.7	0.4	1.3	1.8	1.6	0.6	0.7	0.7	0.5	0.5	0.5	0.0	0.0	0.0
下垂体	D443	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
頭蓋咽頭管	D444	1	-	1	0.0	-	0.0	0.2	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0
松果体	D445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
真正赤血球増加症	D45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
骨髄異形成症候群	D46	18	20	38	0.9	1.5	1.1	4.0	4.0	4.0	1.8	1.0	1.4	1.2	0.8	1.0	0.2	0.0	0.1
慢性骨髄増殖性疾患	D471	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
本態性(出血性)血小板血症	D473	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0

*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2016年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96	8,446	26.5	8.3	1.0	1.8	13.7	3.6	1.2	0.8	13.9	0.6	2.9	2.4	23.3
口腔・咽頭	C00-C14	153	19.0	0.7	0.0	3.3	9.2	17.6	0.0	4.6	17.6	0.0	11.1	0.0	17.0
食道	C15	219	13.2	19.6	0.9	2.7	5.0	12.3	0.0	0.5	18.3	0.9	3.7	0.9	21.9
胃	C16	1,353	26.2	34.9	1.4	0.1	8.2	0.1	0.2	0.0	10.6	0.0	0.0	0.7	17.7
大腸（結腸・直腸）	C18-C20	1,285	41.2	8.0	3.8	0.2	3.1	0.5	0.0	0.1	22.6	1.0	1.4	0.9	17.2
結腸	C18	853	43.7	7.3	3.5	0.1	2.5	0.1	0.0	0.0	23.2	1.1	0.0	0.9	17.6
直腸	C19-C20	432	36.1	9.5	4.4	0.2	4.4	1.4	0.0	0.2	21.5	0.9	4.2	0.7	16.4
肝および肝内胆管	C22	442	11.1	0.2	0.0	1.6	4.3	0.2	18.8	0.0	1.6	0.9	0.0	25.1	36.2
胆のう・胆管	C23-C24	173	30.6	1.2	0.6	0.0	12.7	0.0	0.6	0.0	8.1	1.2	0.0	2.9	42.2
膵臓	C25	328	7.3	0.0	0.0	0.0	32.3	2.1	0.3	0.3	13.4	0.0	0.9	1.5	41.8
喉頭	C32	40	20.0	0.0	0.0	15.0	0.0	27.5	0.0	2.5	5.0	0.0	5.0	2.5	22.5
肺	C33-C34	1,114	20.2	0.0	0.0	4.7	19.1	9.1	0.2	0.0	10.5	0.0	1.3	0.9	34.0
皮膚	C43-C44	213	81.7	0.0	0.0	0.5	3.3	1.4	0.0	0.9	0.0	0.9	0.9	0.9	9.4
乳房	C50	746	17.4	0.0	0.0	1.7	10.2	0.3	0.1	2.0	34.0	0.1	18.8	0.7	14.6
乳房（女性のみ）	C50	744	17.2	0.0	0.0	1.7	10.2	0.3	0.1	2.0	34.1	0.1	18.8	0.7	14.7
子宮	C53-C55	200	32.0	0.5	0.5	5.5	3.5	11.0	0.0	2.5	22.5	0.0	5.5	0.0	16.5
子宮頸部	C53	84	16.7	1.2	0.0	11.9	4.8	25.0	0.0	6.0	8.3	0.0	13.1	0.0	13.1
子宮体部	C54	112	44.6	0.0	0.9	0.9	2.7	0.9	0.0	0.0	33.9	0.0	0.0	0.0	16.1
卵巣	C56	107	28.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	60.7	0.0	0.9	0.0	7.5
前立腺	C61	695	27.1	0.9	0.0	4.0	34.7	8.5	0.4	0.4	3.6	0.0	0.0	0.4	20.0
膀胱	C67	203	6.4	32.0	5.9	0.0	1.0	0.5	0.0	1.5	13.3	12.8	1.0	5.4	20.2
腎・尿路（膀胱除く）	C64-C66 C68	233	62.7	0.4	0.0	0.9	4.3	1.3	0.0	0.0	7.3	0.0	0.4	3.0	19.7
脳・中枢神経系	C70-C72	47	17.0	0.0	0.0	0.0	2.1	4.3	0.0	8.5	17.0	0.0	19.1	2.1	29.8
甲状腺	C73	164	56.1	0.0	0.0	0.0	1.2	0.0	0.0	10.4	6.7	0.0	3.7	0.0	22.0
悪性リンパ腫	C81-C85 C96	280	5.0	0.7	0.0	2.5	45.7	6.1	1.1	0.4	4.6	0.0	0.7	3.2	30.0
多発性骨髄腫	C88-C90	63	0.0	0.0	0.0	0.0	58.7	6.3	1.6	0.0	0.0	0.0	0.0	1.6	31.7
白血病	C91-C95	119	0.0	0.0	0.0	0.8	65.5	0.0	2.5	0.0	0.0	0.0	0.0	1.7	29.4

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2016年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96 D00-D09	9,387	27.4	11.7	0.9	1.6	12.4	3.3	1.1	0.9	13.0	0.8	2.7	2.4	21.7
食道	C15 D001	250	11.6	27.6	0.8	2.4	4.4	11.2	0.0	0.4	16.0	0.8	3.2	0.8	20.8
大腸 (結腸・直腸) *4	C18-C20 D010-D012	1,580	35.6	22.6	3.3	0.1	2.5	0.4	0.0	0.1	18.5	0.8	1.1	0.7	14.2
結腸 *4	C18 D010	1,071	37.3	23.4	3.0	0.1	2.0	0.1	0.0	0.0	18.5	0.8	0.0	0.7	14.1
直腸 *4	C19-C20 D011-D012	509	32.2	20.8	3.9	0.2	3.7	1.2	0.0	0.2	18.5	0.8	3.5	0.6	14.3
肺	C33-C34 D021-D022	1,115	20.3	0.0	0.0	4.7	19.1	9.1	0.2	0.0	10.5	0.0	1.3	0.9	34.0
皮膚	C43-C44 D030-D049	278	81.7	0.0	0.0	0.4	2.9	1.1	0.0	0.7	0.0	0.7	0.7	1.4	10.4
乳房	C50 D05	843	20.9	0.0	0.0	1.5	9.1	0.2	0.1	4.0	32.0	0.1	17.6	0.6	13.8
乳房 (女性のみ)	C50 D05	840	20.6	0.0	0.0	1.5	9.2	0.2	0.1	4.0	32.1	0.1	17.6	0.6	13.8
子宮	C53-C55 D06	377	53.6	2.7	0.3	3.2	1.9	5.8	0.3	1.3	11.9	0.3	2.9	1.1	14.9
子宮頸部	C53 D06	261	58.2	3.8	0.0	4.2	1.5	8.0	0.4	1.9	2.7	0.4	4.2	1.5	13.0
膀胱	C67 D090	377	3.7	42.2	3.2	0.0	1.3	0.3	0.0	0.8	15.1	13.3	0.5	6.9	12.7

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

*4 粘膜がんを含む

医療圏別、保健所別罹患数： 部位別、性別

A. 上皮内がんを除く

医療圏／保健所	全部位 C00-C98		胃 C16		大腸(結腸・直腸) C18-C20				結腸 C18		直腸 C19-C20		肝及び肝内胆管 C22				肺 C33-C34		乳房 C50		子宮 C68-C69		子宮頸部 C83		子宮体部 C54		前立腺 C61	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数
和歌山県	5,042	3,692	8,734	936	441	1,377	724	616	1,340	453	441	894	271	175	446	315	160	475	808	364	1,172	2	745	747	203	85	113	708
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山	2,202	1,620	3,822	413	190	603	289	288	577	169	214	383	120	74	194	149	68	217	370	175	545	0	325	325	90	41	46	313
那賀	518	344	862	103	45	148	68	55	123	48	33	81	20	22	42	29	23	52	90	31	121	0	65	65	22	10	12	67
橋本	553	400	953	99	58	157	74	59	133	44	44	88	30	15	45	35	15	50	77	26	103	1	84	85	22	7	15	103
有田	351	299	650	69	37	106	57	53	110	37	31	68	20	22	42	22	13	35	56	26	82	1	59	60	15	4	11	38
御坊	292	218	510	55	30	85	38	35	73	18	30	48	20	5	25	17	5	22	44	26	70	0	45	45	10	3	7	38
田辺	691	484	1,175	111	45	156	109	72	181	79	47	126	30	25	55	38	22	60	118	49	167	0	103	103	30	14	15	99
新宮	435	327	762	86	36	122	89	54	143	58	42	100	31	12	43	25	14	39	53	31	84	0	64	64	14	6	7	50
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,805	1,373	3,178	328	151	479	242	246	468	144	181	325	98	65	163	136	56	192	307	158	465	0	279	279	76	35	40	241
海南	397	247	644	85	39	124	47	42	97	25	33	58	22	9	31	13	12	25	63	17	80	0	46	46	14	6	6	72
岩出	518	344	862	103	45	148	68	55	132	48	33	81	20	22	42	29	23	52	90	31	121	0	65	65	22	10	12	67
橋本	553	400	953	99	58	157	74	59	133	44	44	88	30	15	45	35	15	50	77	26	103	1	84	85	22	7	15	103
湯浅	351	299	650	69	37	106	57	53	110	37	31	68	20	22	42	22	13	35	56	26	82	1	59	60	15	4	11	38
御坊	292	218	510	55	30	85	38	35	73	18	30	48	20	5	25	17	5	22	44	26	70	0	45	45	10	3	7	38
田辺	691	484	1,175	111	45	156	109	72	181	79	47	126	30	25	55	38	22	60	118	49	167	0	103	103	30	14	15	99
新宮	435	327	762	86	36	122	89	54	143	58	42	100	31	12	43	25	14	39	53	31	84	0	64	64	14	6	7	50

医療圏別、保健所圏別罹患数 : 部位別、性別

B. 上皮内がんを含む

和歌山県

2015年

医療圏/保健所	全部位 C00-C96			大腸(結腸・直腸)*1 C18-C20			結腸*1 C18			直腸*1 C19-C20			肺 C33-C34			乳房 C50			子宮 C53-C55		子宮頸部 C53	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	
和歌山県	5,498	4,177	9,675	913	722	1,635	595	517	1,112	318	205	523	808	365	1,173	3	841	844	380		262	
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山	2,407	1,841	4,248	365	333	698	228	247	475	137	86	223	370	176	546	0	380	380	166		117	
那賀	561	384	945	90	64	154	64	40	104	26	24	50	90	31	121	1	75	76	40		28	
橋本	603	444	1,047	100	69	169	64	51	115	36	18	54	77	26	103	1	86	87	37		22	
有田	377	334	711	67	63	130	45	38	83	22	25	47	56	26	82	1	66	67	24		13	
御坊	314	255	569	42	43	85	21	36	57	21	7	28	44	26	70	0	48	48	27		20	
田辺	759	550	1,309	139	85	224	100	55	155	39	30	69	118	49	167	0	113	113	57		41	
新宮	477	369	846	110	65	175	73	50	123	37	15	52	53	31	84	0	73	73	29		21	
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,985	1,564	3,549	315	284	599	202	209	411	113	75	188	307	159	466	0	323	323	146		105	
海南	422	277	699	50	49	99	26	38	64	24	11	35	63	17	80	0	57	57	20		12	
岩出	561	384	945	90	64	154	64	40	104	26	24	50	90	31	121	1	75	76	40		28	
橋本	603	444	1,047	100	69	169	64	51	115	36	18	54	77	26	103	1	86	87	37		22	
湯浅	377	334	711	67	63	130	45	38	83	22	25	47	56	26	82	1	66	67	24		13	
御坊	314	255	569	42	43	85	21	36	57	21	7	28	44	26	70	0	48	48	27		20	
田辺	759	550	1,309	139	85	224	100	55	155	39	30	69	118	49	167	0	113	113	57		41	
新宮	477	369	846	110	65	175	73	50	123	37	15	52	53	31	84	0	73	73	29		21	

市区町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

市区町村	全部位 C00-C06		胃 C16		大腸(術腫・直腸) C18-C20				膵臓 C24		胆臓 C22				肝及び胆内臓腫 C22		肺 C33-C34		乳房 C50		子宮 C53-C55		子宮頸部 C23		子宮体部 C54		前立腺 C61	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	
	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数
和歌山	5,042	3,692	8,734	936	441	1,377	724	616	1,340	453	441	894	271	175	446	315	160	475	808	364	1,172	2	745	747	203	85	113	708
和歌山県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,805	1,373	3,178	328	151	479	242	246	488	144	181	325	98	65	163	136	56	192	307	158	465	0	279	279	76	35	40	241
海南市	319	209	528	63	34	97	38	33	71	19	27	46	19	6	25	12	10	22	56	14	70	0	41	41	13	6	5	54
橋本市	366	266	632	64	38	102	46	41	87	29	32	61	17	9	26	22	8	30	46	11	57	1	60	61	15	6	9	70
有田市	141	123	264	33	19	52	25	23	48	17	14	31	8	9	17	5	3	8	24	7	31	1	27	28	7	1	6	14
御坊市	111	96	207	25	13	38	12	15	27	5	12	17	7	3	10	7	3	10	18	8	26	0	21	21	5	0	5	15
田辺市	389	275	664	66	24	90	55	36	91	38	24	62	17	12	29	29	16	45	65	30	95	0	64	64	15	8	7	48
新宮市	143	132	275	33	16	49	27	26	53	17	20	37	10	6	16	10	4	14	18	18	36	0	25	25	7	5	2	5
紀の川市	0	198	520	69	20	89	40	32	72	31	22	53	9	10	19	17	12	29	61	19	80	0	39	39	13	7	6	41
岩出市	196	146	342	34	25	59	28	23	51	17	11	28	11	12	23	12	11	23	29	12	41	0	26	26	9	3	6	26
紀美野町	78	38	116	22	5	27	9	9	18	6	6	12	3	3	6	1	2	3	7	3	10	0	5	5	1	0	1	18
かつらぎ町	124	91	215	27	16	43	23	9	32	14	6	20	9	3	12	7	5	12	16	13	29	0	15	15	5	1	4	23
九度山町	44	24	68	7	2	9	3	0	3	1	0	1	2	0	2	3	1	4	11	2	13	0	6	6	2	0	2	6
高野町	19	19	38	1	2	3	2	9	11	0	6	6	2	3	5	3	1	4	4	0	4	0	3	3	0	0	0	4
湯浅町	61	46	107	13	5	18	8	9	17	7	5	12	1	4	5	9	4	13	5	4	9	0	7	7	2	1	1	7
広川町	32	23	55	5	2	7	6	2	8	5	1	6	1	1	2	1	0	1	7	2	9	0	6	6	1	0	1	3
有田川町	117	107	224	18	11	29	18	19	37	8	11	19	10	8	18	7	6	13	20	13	33	0	19	19	5	2	3	14
美浜町	34	24	58	7	3	10	2	6	8	0	6	6	2	0	2	2	1	3	5	2	7	0	6	6	1	1	0	4
日高町	29	25	54	5	3	8	8	4	12	4	4	8	4	0	4	1	0	1	6	4	10	0	5	5	1	1	0	2
由良町	34	16	50	5	1	6	5	2	7	3	1	4	2	1	3	2	0	2	4	3	7	0	2	2	1	0	1	4
印南町	38	24	62	7	4	11	7	3	10	3	2	5	4	1	5	3	1	4	3	4	7	0	3	3	2	1	1	5
みなべ町	59	43	102	7	3	10	13	10	23	12	6	18	1	4	5	3	0	3	9	5	14	0	8	8	2	1	1	14
日高川町	46	33	79	6	6	12	4	5	9	3	5	8	1	0	1	2	0	2	8	5	13	0	8	8	0	0	0	8
白浜町	148	90	238	23	11	34	23	15	38	15	10	25	8	5	13	4	1	5	26	9	35	0	15	15	4	1	3	26
上富田町	61	57	118	7	4	11	14	10	24	11	6	17	3	4	7	1	3	4	10	1	11	0	15	15	7	3	3	8
すさみ町	34	19	53	8	3	11	4	1	5	3	1	4	1	0	1	1	2	3	8	4	12	0	1	1	2	1	1	3
那智勝浦町	108	83	191	19	7	26	29	8	37	21	5	26	8	3	11	4	6	10	16	6	22	0	16	16	3	0	0	13
太地町	22	20	42	3	3	6	3	4	7	3	4	7	0	0	0	0	0	0	4	2	6	0	2	2	0	0	0	5
古座川町	30	13	43	3	1	4	6	2	8	4	1	5	2	1	3	2	0	2	3	2	5	0	3	3	1	0	0	8
北山村	3	1	4	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1
串本町	129	78	207	27	9	36	24	14	38	13	12	25	11	2	13	8	4	12	12	3	15	0	18	18	3	1	2	18

和歌山県

2016年

市区町村別罹患数 : 部位別、性別

A. 上皮内がんを含む

和歌山県

2016年

市区町村	全部位 C00-C96			大腸(結腸・直腸) C18-C20			結腸 C18		直腸 C19-C20			肺 C33-C34			乳房 C50			子宮 C53-C55		子宮頸部 C53	
	男	女	総数	男	女	総数	男	女	男	女	総数	男	女	総数	男	女	総数	男	女	男	女
和歌山	5,498	4,177	9,675	913	722	1,635	595	517	1,112	318	205	523	808	365	1,173	3	841	844	380		262
和歌山県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,985	1,564	3,549	315	284	599	202	209	411	113	75	188	307	159	466	0	323	323	146		105
海南市	335	238	573	41	40	81	20	32	52	21	8	29	56	14	70	0	52	52	18		11
橋本市	405	295	700	68	48	116	45	36	81	23	12	35	46	11	57	1	62	63	25		16
有田市	153	135	288	32	26	58	22	16	38	10	10	20	24	7	31	1	29	30	9		3
御坊市	123	109	232	14	19	33	6	16	22	8	3	11	18	8	26	0	22	22	11		6
田辺市	424	315	739	73	40	113	52	28	80	21	12	33	65	30	95	0	71	71	31		24
新宮市	163	153	316	37	31	68	23	22	45	14	9	23	18	18	36	0	27	27	16		14
紀の川市	0	215	564	53	36	89	40	25	65	13	11	24	61	19	80	0	45	45	20		14
岩出市	212	169	381	37	28	65	24	15	39	13	13	26	29	12	41	1	30	31	20		14
紀美野町	87	39	126	9	9	18	6	6	12	3	3	6	7	3	10	0	5	5	2		1
かつらぎ町	130	103	233	24	11	35	15	8	23	9	3	12	16	13	29	0	15	15	10		6
九度山町	48	27	75	5	1	6	3	1	4	2	0	2	11	2	13	0	6	6	2		0
高野町	20	19	39	3	9	12	1	6	7	2	3	5	4	0	4	0	3	3	0		0
湯浅町	62	51	113	8	12	20	7	8	15	1	4	5	5	4	9	0	7	7	3		2
広川町	32	28	60	6	3	9	5	2	7	1	1	2	7	2	9	0	8	8	3		2
有田川町	130	120	250	21	22	43	11	12	23	10	10	20	20	13	33	0	22	22	9		6
美浜町	35	30	65	2	7	9	0	6	6	2	1	3	5	2	7	0	6	6	5		5
日高町	31	26	57	8	4	12	4	4	8	4	0	4	6	4	10	0	5	5	2		2
由良町	35	18	53	6	3	9	4	2	6	2	1	3	4	3	7	0	2	2	2		1
印南町	43	32	75	7	5	12	3	3	6	4	2	6	3	4	7	0	4	4	5		4
みなべ町	64	51	115	14	13	27	12	8	20	2	5	7	9	5	14	0	8	8	5		4
日高川町	47	40	87	5	5	10	4	5	9	1	0	1	8	5	13	0	9	9	2		2
白浜町	164	100	264	30	17	47	19	10	29	11	7	18	26	9	35	0	16	16	10		7
上富田町	69	64	133	18	13	31	14	8	22	4	5	9	10	1	11	0	17	17	9		5
すさみ町	38	20	58	4	2	6	3	1	4	1	1	2	8	4	12	0	1	1	2		1
那智勝浦町	116	92	208	32	11	43	23	8	31	9	3	12	16	6	22	0	16	16	7		4
太地町	29	21	50	6	4	10	6	4	10	0	0	0	4	2	6	0	2	2	1		1
古座川町	33	14	47	8	3	11	5	2	7	3	1	4	3	2	5	0	3	3	1		0
北山村	3	2	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0		0
串本町	133	87	220	27	16	43	16	14	30	11	2	13	12	3	15	0	24	24	4		2