

# 標準集計表

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	4,931	3,565	8,497	100.0	100.0	100.0	1,110.6	711.6	899.2	485.1	339.6	401.5	343.3	255.7	292.9	41.2	27.9	34.1
口腔・咽頭	C00-C14	108	54	162	2.2	1.5	1.9	24.3	10.8	17.1	12.7	4.4	8.3	9.4	3.2	6.1	1.2	0.4	0.8
食道	C15	169	40	209	3.4	1.1	2.5	38.1	8.0	22.1	18.3	3.3	10.2	13.3	2.4	7.4	1.7	0.3	1.0
胃	C16	847	405	1,252	17.2	11.4	14.7	190.8	80.8	132.5	80.3	27.4	51.3	55.8	18.9	35.7	7.1	2.2	4.5
大腸(結腸・直腸)	C18-C20	754	598	1,353	15.3	16.8	15.9	169.8	119.4	143.2	76.7	44.8	59.3	53.9	31.7	41.9	6.5	3.6	5.0
結腸	C18	455	439	894	9.2	12.3	10.5	102.5	87.6	94.6	43.7	31.2	36.8	30.1	21.8	25.5	3.5	2.5	3.0
直腸	C19-C20	299	159	459	6.1	4.5	5.4	67.3	31.7	48.6	33.1	13.6	22.6	23.9	9.9	16.4	3.0	1.1	2.0
肝および肝内胆管	C22	311	159	470	6.3	4.5	5.5	70.0	31.7	49.7	28.9	10.0	18.5	19.8	7.1	12.8	2.4	0.8	1.5
胆のう・胆管	C23-C24	91	82	173	1.8	2.3	2.0	20.5	16.4	18.3	7.8	4.4	5.9	5.3	2.9	4.0	0.6	0.3	0.4
膵臓	C25	222	188	410	4.5	5.3	4.8	50.0	37.5	43.4	21.5	11.0	15.9	15.1	7.6	11.1	1.9	0.8	1.3
喉頭	C32	51	5	56	1.0	0.1	0.7	11.5	1.0	5.9	5.7	0.5	2.9	4.0	0.4	2.1	0.5	0.0	0.3
肺	C33-C34	740	338	1,078	15.0	9.5	12.7	166.7	67.5	114.1	67.8	25.4	44.2	46.8	18.0	30.9	5.9	2.1	3.9
皮膚	C43-C44	107	88	195	2.2	2.5	2.3	24.1	17.6	20.6	9.8	5.5	7.4	6.8	4.3	5.4	0.7	0.4	0.5
乳房	C50	6	668	674	0.1	18.7	7.9	1.4	133.3	71.3	0.4	87.9	46.4	0.3	68.4	36.0	0.0	7.6	4.0
子宮	C53-C55	-	209	209	-	5.9	2.5	-	41.7	-	-	31.6	-	-	24.8	-	-	2.6	-
子宮頸部	C53	-	77	77	-	2.2	0.9	-	15.4	-	-	12.8	-	-	10.2	-	-	1.0	-
子宮体部	C54	-	121	121	-	3.4	1.4	-	24.2	-	-	18.1	-	-	14.2	-	-	1.6	-
卵巣	C56	-	104	104	-	2.9	1.2	-	20.8	-	-	16.6	-	-	13.4	-	-	1.3	-
前立腺	C61	728	-	728	14.8	-	8.6	164.0	-	-	62.7	-	-	42.0	-	-	5.2	-	-
膀胱	C67	158	42	200	3.2	1.2	2.4	35.6	8.4	21.2	13.4	2.7	7.4	9.1	1.8	5.1	1.1	0.2	0.6
腎・尿路(膀胱除く)	C64-C66 C68	148	72	220	3.0	2.0	2.6	33.3	14.4	23.3	17.2	6.5	11.5	13.8	4.7	9.0	1.6	0.5	1.0
脳・中枢神経系	C70-C72	24	26	50	0.5	0.7	0.6	5.4	5.2	5.3	4.2	4.1	4.2	3.5	4.1	3.8	0.3	0.3	0.3
甲状腺	C73	50	142	192	1.0	4.0	2.3	11.3	28.3	20.3	7.5	19.8	13.9	5.9	16.2	11.2	0.6	1.7	1.2
悪性リンパ腫	C81-C85 C96	153	140	293	3.1	3.9	3.4	34.5	27.9	31.0	17.7	13.9	15.6	13.1	10.4	11.6	1.4	1.1	1.3
多発性骨髄腫	C88-C90	31	21	52	0.6	0.6	0.6	7.0	4.2	5.5	3.2	2.2	2.6	2.2	1.7	1.9	0.2	0.2	0.2
白血病	C91-C95	74	63	137	1.5	1.8	1.6	16.7	12.6	14.5	9.3	7.4	8.3	7.5	5.8	6.6	0.7	0.5	0.6

\*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	5,347	4,006	9,354	100.0	100.0	100.0	1,204.3	799.6	989.8	529.3	415.7	461.1	374.4	317.9	339.3	45.1	33.6	38.8
食道	C15 D001	200	47	247	3.7	1.2	2.6	45.0	9.4	26.1	21.3	3.8	11.8	15.3	2.7	8.6	2.0	0.3	1.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	921	696	1,618	17.2	17.4	17.3	207.4	138.9	171.2	96.2	53.8	73.1	67.9	38.2	51.9	8.2	4.5	6.2
結腸 *2	C18 D010	580	522	1,102	10.8	13.0	11.8	130.6	104.2	116.6	57.9	38.8	47.5	40.3	27.4	33.3	4.8	3.2	4.0
直腸 *2	C19-C20 D011-D012	341	174	516	6.4	4.3	5.5	76.8	34.7	54.6	38.2	15.0	25.7	27.5	10.8	18.6	3.4	1.2	2.3
肺	C33-C34 D021-D022	740	338	1,078	13.8	8.4	11.5	166.7	67.5	114.1	67.8	25.4	44.2	46.8	18.0	30.9	5.9	2.1	3.9
皮膚	C43-C44 D030-D049	128	117	245	2.4	2.9	2.6	28.8	23.4	25.9	11.7	7.4	9.3	8.1	5.5	6.7	0.8	0.5	0.7
乳房	C50 D05	6	722	728	0.1	18.0	7.8	1.4	144.1	77.0	0.4	95.8	50.5	0.3	74.5	39.2	0.0	8.3	4.3
子宮	C53-C55 D06	-	392	392	-	9.8	4.2	-	78.2	-	-	82.2	-	-	68.3	-	-	6.1	-
子宮頸部	C53 D06	-	260	260	-	6.5	2.8	-	51.9	-	-	63.4	-	-	53.6	-	-	4.4	-
膀胱	C67 D090	303	77	380	5.7	1.9	4.1	68.2	15.4	40.2	27.7	5.3	15.3	18.9	3.6	10.5	2.3	0.4	1.3

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	4,931	4	0	3	4	2	7	10	15	40	59	123	217	429	854	874	886	771	460	150	22	1	0
	口腔・咽頭	C00-C14	108	0	0	0	0	0	0	1	1	3	2	4	10	16	17	19	12	11	10	2	0	0	0
	食道	C15	169	0	0	0	0	0	0	0	1	0	1	6	14	23	38	28	28	20	8	2	0	0	0
	胃	C16	847	0	0	0	0	0	0	1	2	4	10	12	38	68	162	163	138	148	68	30	3	0	0
	大腸（結腸・直腸）	C18-C20	754	0	0	0	0	0	0	2	1	7	15	26	42	68	124	129	143	112	64	18	3	0	0
	結腸	C18	455	0	0	0	0	0	0	0	0	5	8	11	20	37	64	80	97	72	47	11	3	0	0
	直腸	C19-C20	299	0	0	0	0	0	0	2	1	2	7	15	22	31	60	49	46	40	17	7	0	0	0
	肝および肝内胆管	C22	311	0	0	0	0	0	0	0	0	2	0	9	12	30	38	58	65	48	39	8	2	0	0
	胆のう・胆管	C23-C24	91	0	0	0	0	0	0	0	0	0	0	1	4	6	18	12	14	20	13	3	0	0	0
	膵臓	C25	222	0	0	0	0	0	0	0	0	1	2	6	6	27	40	41	39	37	18	4	1	0	0
	喉頭	C32	51	0	0	0	0	0	0	0	0	0	1	3	5	5	10	8	10	6	2	1	0	0	0
	肺	C33-C34	740	0	0	0	0	0	0	0	1	3	6	12	21	61	128	152	135	115	77	25	4	0	0
	皮膚	C43-C44	107	0	0	0	0	0	0	1	0	1	3	2	5	8	11	11	16	24	16	7	2	0	0
	乳房	C50	6	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	2	0	0	0
	前立腺	C61	728	0	0	0	0	0	0	0	0	0	2	3	18	45	132	142	168	113	81	20	4	0	0
	膀胱	C67	158	0	0	0	0	0	0	0	0	0	1	1	2	12	32	24	31	27	16	11	1	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	148	3	0	0	0	0	0	0	1	2	4	8	7	17	27	31	14	20	8	6	0	0	0
	脳・中枢神経系	C70-C72	24	0	0	1	1	0	1	0	0	3	2	2	3	1	1	2	4	3	0	0	0	0	0
	甲状腺	C73	50	0	0	1	0	0	0	0	1	2	5	5	6	7	7	4	5	5	2	0	0	0	0
	悪性リンパ腫	C81-C85 C96	153	0	0	0	1	0	3	1	3	1	2	10	8	10	28	20	26	26	10	2	2	0	0
	多発性骨髄腫	C88-C90	31	0	0	0	0	0	0	0	0	1	0	0	3	3	7	2	7	6	1	1	0	0	0
	白血病	C91-C95	74	1	0	1	0	0	1	1	1	3	2	4	3	8	9	9	10	11	7	3	0	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	3,565	5	0	2	2	8	12	34	57	89	161	165	194	289	457	431	451	521	391	206	79	11	0
	口腔・咽頭	C00-C14	54	0	0	0	0	0	0	0	0	0	4	1	1	4	8	11	8	10	3	4	0	0	0
	食道	C15	40	0	0	0	0	0	0	0	0	1	1	1	2	6	4	4	5	8	3	2	2	1	0
	胃	C16	405	0	0	0	0	0	0	2	1	2	5	5	11	22	58	55	70	79	50	33	12	0	0
	大腸（結腸・直腸）	C18-C20	598	0	0	0	0	0	0	0	5	9	12	18	27	38	70	78	84	113	77	46	20	1	0
	結腸	C18	439	0	0	0	0	0	0	0	4	4	6	10	19	26	50	60	66	82	56	42	13	1	0
	直腸	C19-C20	159	0	0	0	0	0	0	0	1	5	6	8	8	12	20	18	18	31	21	4	7	0	0
	肝および肝内胆管	C22	159	1	0	0	0	0	0	1	0	0	0	2	4	7	15	24	28	35	30	10	2	0	0
	胆のう・胆管	C23-C24	82	0	0	0	0	0	0	0	0	0	0	1	2	5	6	5	11	25	10	11	3	3	0
	膵臓	C25	188	0	0	0	0	0	0	0	0	2	0	2	2	12	25	19	32	27	34	23	8	2	0
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	1	0	1	0	0
	肺	C33-C34	338	0	0	0	0	0	0	0	3	1	9	9	9	23	55	43	63	53	50	16	4	0	0
	皮膚	C43-C44	88	1	0	0	0	0	0	0	1	1	1	2	3	3	5	10	8	14	19	13	5	2	0
	乳房	C50	668	0	0	0	0	1	2	6	16	45	77	46	57	87	103	77	56	39	33	12	11	0	0
	子宮	C53-C55	209	0	0	0	0	1	3	9	6	14	19	20	34	21	21	19	15	9	11	6	1	0	0
	子宮頸部	C53	77	0	0	0	0	1	2	8	3	6	7	4	11	5	5	6	7	6	3	2	1	0	0
	子宮体部	C54	121	0	0	0	0	0	1	1	3	8	12	15	23	16	14	11	8	3	4	2	0	0	0
	卵巣	C56	104	0	0	0	1	1	3	7	3	6	11	16	7	5	8	11	8	8	5	3	1	0	0
	膀胱	C67	42	0	0	0	0	0	0	0	0	0	1	2	2	1	3	2	8	12	6	2	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	72	0	0	0	0	0	0	0	1	1	1	8	3	7	5	10	9	15	10	1	1	0	0
	脳・中枢神経系	C70-C72	26	2	0	0	0	0	1	1	2	1	3	0	2	1	2	2	1	4	3	0	1	0	0
	甲状腺	C73	142	0	0	1	1	3	2	3	8	2	7	12	11	17	28	18	9	11	8	1	0	0	0
	悪性リンパ腫	C81-C85 C96	140	0	0	0	0	0	1	2	3	1	6	8	8	16	16	14	20	27	12	6	0	0	0
	多発性骨髄腫	C88-C90	21	0	0	0	0	1	0	0	0	0	0	3	2	1	1	3	2	4	3	1	0	0	0
	白血病	C91-C95	63	0	0	1	0	1	0	1	6	2	1	4	3	2	7	5	9	11	7	1	2	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	8,497	9	0	5	6	10	19	44	72	129	220	288	411	718	1,311	1,305	1,337	1,292	852	356	101	12	0
	口腔・咽頭	C00-C14	162	0	0	0	0	0	0	1	1	3	6	5	11	20	25	30	20	21	13	6	0	0	0
	食道	C15	209	0	0	0	0	0	0	0	1	1	2	7	16	29	42	32	33	28	11	4	2	1	0
	胃	C16	1,252	0	0	0	0	0	0	3	3	6	15	17	49	90	220	218	208	227	118	63	15	0	0
	大腸（結腸・直腸）	C18-C20	1,353	0	0	0	0	0	0	2	6	16	27	44	69	106	194	207	227	225	142	64	23	1	0
	結腸	C18	894	0	0	0	0	0	0	0	4	9	14	21	39	63	114	140	163	154	103	53	16	1	0
	直腸	C19-C20	459	0	0	0	0	0	0	2	2	7	13	23	30	43	80	67	64	71	39	11	7	0	0
	肝および肝内胆管	C22	470	1	0	0	0	0	0	1	0	2	0	11	16	37	53	82	93	83	69	18	4	0	0
	胆のう・胆管	C23-C24	173	0	0	0	0	0	0	0	0	0	0	2	6	11	24	17	25	45	23	14	3	3	0
	膵臓	C25	410	0	0	0	0	0	0	0	0	3	2	8	8	39	65	60	71	64	52	27	9	2	0
	喉頭	C32	56	0	0	0	0	0	0	0	0	0	2	3	6	5	10	9	10	6	3	1	1	0	0
	肺	C33-C34	1,078	0	0	0	0	0	0	0	4	4	15	21	30	84	183	195	198	168	127	41	8	0	0
	皮膚	C43-C44	195	1	0	0	0	0	0	1	1	2	4	4	8	11	16	21	24	38	35	20	7	2	0
	乳房	C50	674	0	0	0	0	1	2	6	16	45	77	46	57	87	105	77	56	39	35	14	11	0	0
	子宮	C53-C55	209	0	0	0	0	1	3	9	6	14	19	20	34	21	21	19	15	9	11	6	1	0	0
	子宮頸部	C53	77	0	0	0	0	1	2	8	3	6	7	4	11	5	5	6	7	6	3	2	1	0	0
	子宮体部	C54	121	0	0	0	0	0	1	1	3	8	12	15	23	16	14	11	8	3	4	2	0	0	0
	卵巣	C56	104	0	0	0	1	1	3	7	3	6	11	16	7	5	8	11	8	8	5	3	1	0	0
	前立腺	C61	728	0	0	0	0	0	0	0	0	0	2	3	18	45	132	142	168	113	81	20	4	0	0
	膀胱	C67	200	0	0	0	0	0	0	0	0	0	2	3	4	13	35	26	39	39	22	13	4	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	220	3	0	0	0	0	0	0	2	3	5	16	10	24	32	41	23	35	18	7	1	0	0
	脳・中枢神経系	C70-C72	50	2	0	1	1	0	2	1	2	4	5	2	5	2	3	4	5	7	3	0	1	0	0
	甲状腺	C73	192	0	0	2	1	3	2	3	9	4	12	17	17	24	35	22	14	16	10	1	0	0	0
	悪性リンパ腫	C81-C85 C96	293	0	0	0	1	0	4	3	6	2	8	18	16	26	44	34	46	53	22	8	2	0	0
	多発性骨髄腫	C88-C90	52	0	0	0	0	1	0	0	0	1	0	3	5	4	8	5	9	10	4	2	0	0	0
	白血病	C91-C95	137	1	0	2	0	1	1	2	7	5	3	8	6	10	16	14	19	22	14	4	2	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	5,347	4	0	3	4	2	7	10	15	46	68	139	240	474	919	956	969	834	479	154	23	1	0	
	食道	C15 D001	200	0	0	0	0	0	0	0	1	0	1	7	16	24	47	33	35	24	9	2	1	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	921	0	0	0	0	0	0	2	1	12	20	33	57	90	145	160	176	134	69	19	3	0	0	
	結腸 *2	C18 D010	580	0	0	0	0	0	0	0	0	9	13	16	28	51	85	103	122	86	52	12	3	0	0	
	直腸 *2	C19-C20 D011-D012	341	0	0	0	0	0	0	2	1	3	7	17	29	39	60	57	54	48	17	7	0	0	0	
	肺	C33-C34 D021-D022	740	0	0	0	0	0	0	0	0	1	3	6	12	21	61	128	152	135	115	77	25	4	0	0
	皮膚	C43-C44 D030-D049	128	0	0	0	0	0	0	0	1	0	1	3	2	6	12	13	14	19	28	20	7	2	0	0
	乳房	C50 D05	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	2	0	0	0
	膀胱	C67 D090	303	0	0	0	0	0	0	0	0	0	1	3	8	6	22	56	54	62	53	24	13	1	0	0
	女	全部位	C00-C96 D00-D09	4,006	5	0	2	2	12	39	66	97	126	200	182	212	323	507	474	500	545	407	216	80	11	0
食道		C15 D001	47	0	0	0	0	0	0	0	0	1	1	1	2	7	5	4	8	8	4	3	2	1	0	
大腸（結腸・直腸）*2		C18-C20 D010-D012	696	0	0	0	0	0	0	0	6	11	14	22	33	45	89	97	102	125	85	46	20	1	0	
結腸 *2		C18 D010	522	0	0	0	0	0	0	0	5	5	8	13	25	33	66	75	80	93	63	42	13	1	0	
直腸 *2		C19-C20 D011-D012	174	0	0	0	0	0	0	0	1	6	6	9	8	12	23	22	22	32	22	4	7	0	0	
肺		C33-C34 D021-D022	338	0	0	0	0	0	0	0	3	1	9	9	9	23	55	43	63	53	50	16	4	0	0	
皮膚		C43-C44 D030-D049	117	1	0	0	0	0	0	0	1	1	1	4	4	4	5	15	13	20	21	19	6	2	0	
乳房		C50 D05	722	0	0	0	0	1	2	6	19	50	82	50	63	96	114	80	63	39	34	12	11	0	0	
子宮		C53-C55 D06	392	0	0	0	0	5	30	41	41	43	50	26	37	29	23	22	16	11	11	6	1	0	0	
子宮頸部		C53 D06	260	0	0	0	0	5	29	40	38	35	38	10	14	13	7	9	8	8	3	2	1	0	0	
膀胱	C67 D090	77	0	0	0	0	0	0	0	0	0	1	2	3	3	12	10	17	15	7	4	3	0	0		
総数 *3	全部位	C00-C96 D00-D09	9,354	9	0	5	6	14	46	76	112	172	268	321	452	797	1,426	1,430	1,469	1,379	887	370	103	12	0	
	食道	C15 D001	247	0	0	0	0	0	0	0	1	1	2	8	18	31	52	37	43	32	13	5	3	1	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,618	0	0	0	0	0	0	2	7	23	34	55	90	135	234	257	278	259	155	65	23	1	0	
	結腸 *2	C18 D010	1,102	0	0	0	0	0	0	0	5	14	21	29	53	84	151	178	202	179	115	54	16	1	0	
	直腸 *2	C19-C20 D011-D012	516	0	0	0	0	0	0	2	2	9	13	26	37	51	83	79	76	80	40	11	7	0	0	
	肺	C33-C34 D021-D022	1,078	0	0	0	0	0	0	0	4	4	15	21	30	84	183	195	198	168	127	41	8	0	0	
	皮膚	C43-C44 D030-D049	245	1	0	0	0	0	0	0	1	1	2	4	6	10	16	18	29	32	48	41	26	8	2	0
	乳房	C50 D05	728	0	0	0	0	1	2	6	19	50	82	50	63	96	116	80	63	39	36	14	11	0	0	
	子宮	C53-C55 D06	392	0	0	0	0	5	30	41	41	43	50	26	37	29	23	22	16	11	11	6	1	0	0	
	子宮頸部	C53 D06	260	0	0	0	0	5	29	40	38	35	38	10	14	13	7	9	8	8	3	2	1	0	0	
膀胱	C67 D090	380	0	0	0	0	0	0	0	0	1	4	10	9	25	68	64	79	68	31	17	4	0	0		

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	1,110.6	23.5	0.0	14.3	16.7	11.1	36.8	45.5	62.5	129.0	184.4	439.3	748.3	1,430.0	2,189.7	2,913.3	3,544.0	4,057.9	2,875.0	.	.	.	.
	口腔・咽頭	C00-C14	24.3	0.0	0.0	0.0	0.0	0.0	0.0	4.5	4.2	9.7	6.3	14.3	34.5	53.3	43.6	63.3	48.0	57.9	62.5	.	.	.	.
	食道	C15	38.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	3.1	21.4	48.3	76.7	97.4	93.3	112.0	105.3	50.0	.	.	.	.
	胃	C16	190.8	0.0	0.0	0.0	0.0	0.0	0.0	4.5	8.3	12.9	31.3	42.9	131.0	226.7	415.4	543.3	552.0	778.9	425.0	.	.	.	.
	大腸（結腸・直腸）	C18-C20	169.8	0.0	0.0	0.0	0.0	0.0	0.0	9.1	4.2	22.6	46.9	92.9	144.8	226.7	317.9	430.0	572.0	589.5	400.0	.	.	.	.
	結腸	C18	102.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.1	25.0	39.3	69.0	123.3	164.1	266.7	388.0	378.9	293.8	.	.	.	.
	直腸	C19-C20	67.3	0.0	0.0	0.0	0.0	0.0	0.0	9.1	4.2	6.5	21.9	53.6	75.9	103.3	153.8	163.3	184.0	210.5	106.3	.	.	.	.
	肝および肝内胆管	C22	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.0	32.1	41.4	100.0	97.4	193.3	260.0	252.6	243.8	.	.	.	.
	胆のう・胆管	C23-C24	20.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	13.8	20.0	46.2	40.0	56.0	105.3	81.3	.	.	.	.
	膵臓	C25	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.3	21.4	20.7	90.0	102.6	136.7	156.0	194.7	112.5	.	.	.	.
	喉頭	C32	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	10.7	17.2	16.7	25.6	26.7	40.0	31.6	12.5	.	.	.	.
	肺	C33-C34	166.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	9.7	18.8	42.9	72.4	203.3	328.2	506.7	540.0	605.3	481.3	.	.	.	.
	皮膚	C43-C44	24.1	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.2	9.4	7.1	17.2	26.7	28.2	36.7	64.0	126.3	100.0	.	.	.	.
	乳房	C50	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	12.5	.	.	.	.
	前立腺	C61	164.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	10.7	62.1	150.0	338.5	473.3	672.0	594.7	506.3	.	.	.	.
	膀胱	C67	35.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.6	6.9	40.0	82.1	80.0	124.0	142.1	100.0	.	.	.	.
	腎・尿路（膀胱除く）	C64-C66 C68	33.3	17.6	0.0	0.0	0.0	0.0	0.0	0.0	4.2	6.5	12.5	28.6	24.1	56.7	69.2	103.3	56.0	105.3	50.0	.	.	.	.
	脳・中枢神経系	C70-C72	5.4	0.0	0.0	4.8	4.2	0.0	5.3	0.0	0.0	9.7	6.3	7.1	10.3	3.3	2.6	6.7	16.0	15.8	0.0	.	.	.	.
	甲状腺	C73	11.3	0.0	0.0	4.8	0.0	0.0	0.0	0.0	4.2	6.5	15.6	17.9	20.7	23.3	17.9	13.3	20.0	26.3	12.5	.	.	.	.
	悪性リンパ腫	C81-C85 C96	34.5	0.0	0.0	0.0	4.2	0.0	15.8	4.5	12.5	3.2	6.3	35.7	27.6	33.3	71.8	66.7	104.0	136.8	62.5	.	.	.	.
	多発性骨髄腫	C88-C90	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	10.3	10.0	17.9	6.7	28.0	31.6	6.3	.	.	.	.
	白血病	C91-C95	16.7	5.9	0.0	4.8	0.0	0.0	5.3	4.5	4.2	9.7	6.3	14.3	10.3	26.7	23.1	30.0	40.0	57.9	43.8	.	.	.	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計



表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	711.6	29.4	0.0	10.0	8.7	44.4	63.2	147.8	228.0	278.1	473.5	515.6	606.3	875.8	1,062.8	1,231.4	1,409.4	1,796.6	1,086.1	.	.	.	.
	口腔・咽頭	C00-C14	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	3.1	3.1	12.1	18.6	31.4	25.0	34.5	8.3	.	.	.	.
	食道	C15	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.9	3.1	6.3	18.2	9.3	11.4	15.6	27.6	8.3	.	.	.	.
	胃	C16	80.8	0.0	0.0	0.0	0.0	0.0	0.0	8.7	4.0	6.3	14.7	15.6	34.4	66.7	134.9	157.1	218.8	272.4	138.9	.	.	.	.
	大腸（結腸・直腸）	C18-C20	119.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	28.1	35.3	56.3	84.4	115.2	162.8	222.9	262.5	389.7	213.9	.	.	.	.
	結腸	C18	87.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	12.5	17.6	31.3	59.4	78.8	116.3	171.4	206.3	282.8	155.6	.	.	.	.
	直腸	C19-C20	31.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	15.6	17.6	25.0	25.0	36.4	46.5	51.4	56.3	106.9	58.3	.	.	.	.
	肝および肝内胆管	C22	31.7	5.9	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	6.3	12.5	21.2	34.9	68.6	87.5	120.7	83.3	.	.	.	.
	胆のう・胆管	C23-C24	16.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	6.3	15.2	14.0	14.3	34.4	86.2	27.8	.	.	.	.
	膵臓	C25	37.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	6.3	6.3	36.4	58.1	54.3	100.0	93.1	94.4	.	.	.	.
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.1	0.0	0.0	2.9	0.0	0.0	2.8	.	.	.	.
	肺	C33-C34	67.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	3.1	26.5	28.1	28.1	69.7	127.9	122.9	196.9	182.8	138.9	.	.	.	.
	皮膚	C43-C44	17.6	5.9	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.1	2.9	6.3	9.4	9.1	11.6	28.6	25.0	48.3	52.8	.	.	.	.
	乳房	C50	133.3	0.0	0.0	0.0	0.0	5.6	10.5	26.1	64.0	140.6	226.5	143.8	178.1	263.6	239.5	220.0	175.0	134.5	91.7	.	.	.	.
	子宮	C53-C55	41.7	0.0	0.0	0.0	0.0	5.6	15.8	39.1	24.0	43.8	55.9	62.5	106.3	63.6	48.8	54.3	46.9	31.0	30.6	.	.	.	.
	子宮頸部	C53	15.4	0.0	0.0	0.0	0.0	5.6	10.5	34.8	12.0	18.8	20.6	12.5	34.4	15.2	11.6	17.1	21.9	20.7	8.3	.	.	.	.
	子宮体部	C54	24.2	0.0	0.0	0.0	0.0	0.0	5.3	4.3	12.0	25.0	35.3	46.9	71.9	48.5	32.6	31.4	25.0	10.3	11.1	.	.	.	.
	卵巣	C56	20.8	0.0	0.0	0.0	4.3	5.6	15.8	30.4	12.0	18.8	32.4	50.0	21.9	15.2	18.6	31.4	25.0	27.6	13.9	.	.	.	.
	膀胱	C67	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.3	6.3	3.0	7.0	5.7	25.0	41.4	16.7	.	.	.	.
	腎・尿路（膀胱除く）	C64-C66 C68	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.1	2.9	25.0	9.4	21.2	11.6	28.6	28.1	51.7	27.8	.	.	.	.
	脳・中枢神経系	C70-C72	5.2	11.8	0.0	0.0	0.0	0.0	5.3	4.3	8.0	3.1	8.8	0.0	6.3	3.0	4.7	5.7	3.1	13.8	8.3	.	.	.	.
	甲状腺	C73	28.3	0.0	0.0	5.0	4.3	16.7	10.5	13.0	32.0	6.3	20.6	37.5	34.4	51.5	65.1	51.4	28.1	37.9	22.2	.	.	.	.
	悪性リンパ腫	C81-C85 C96	27.9	0.0	0.0	0.0	0.0	0.0	5.3	8.7	12.0	3.1	17.6	25.0	25.0	48.5	37.2	40.0	62.5	93.1	33.3	.	.	.	.
	多発性骨髄腫	C88-C90	4.2	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	9.4	6.3	3.0	2.3	8.6	6.3	13.8	8.3	.	.	.	.
	白血病	C91-C95	12.6	0.0	0.0	5.0	0.0	5.6	0.0	4.3	24.0	6.3	2.9	12.5	9.4	6.1	16.3	14.3	28.1	37.9	19.4	.	.	.	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	899.2	26.5	0.0	12.2	12.8	27.8	50.0	97.8	146.9	204.8	333.3	480.0	673.8	1,139.7	1,598.8	2,007.7	2,345.6	2,691.7	1,638.5	.	.	.	.
	口腔・咽頭	C00-C14	17.1	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.0	4.8	9.1	8.3	18.0	31.7	30.5	46.2	35.1	43.8	25.0	.	.	.	.
	食道	C15	22.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.6	3.0	11.7	26.2	46.0	51.2	49.2	57.9	58.3	21.2	.	.	.	.
	胃	C16	132.5	0.0	0.0	0.0	0.0	0.0	0.0	6.7	6.1	9.5	22.7	28.3	80.3	142.9	268.3	335.4	364.9	472.9	226.9	.	.	.	.
	大腸（結腸・直腸）	C18-C20	143.2	0.0	0.0	0.0	0.0	0.0	0.0	4.4	12.2	25.4	40.9	73.3	113.1	168.3	236.6	318.5	398.2	468.8	273.1	.	.	.	.
	結腸	C18	94.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	14.3	21.2	35.0	63.9	100.0	139.0	215.4	286.0	320.8	198.1	.	.	.	.
	直腸	C19-C20	48.6	0.0	0.0	0.0	0.0	0.0	0.0	4.4	4.1	11.1	19.7	38.3	49.2	68.3	97.6	103.1	112.3	147.9	75.0	.	.	.	.
	肝および肝内胆管	C22	49.7	2.9	0.0	0.0	0.0	0.0	0.0	2.2	0.0	3.2	0.0	18.3	26.2	58.7	64.6	126.2	163.2	172.9	132.7	.	.	.	.
	胆のう・胆管	C23-C24	18.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	9.8	17.5	29.3	26.2	43.9	93.8	44.2	.	.	.	.
	膵臓	C25	43.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	3.0	13.3	13.1	61.9	79.3	92.3	124.6	133.3	100.0	.	.	.	.
	喉頭	C32	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.0	9.8	7.9	12.2	13.8	17.5	12.5	5.8	.	.	.	.
	肺	C33-C34	114.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	6.3	22.7	35.0	49.2	133.3	223.2	300.0	347.4	350.0	244.2	.	.	.	.
	皮膚	C43-C44	20.6	2.9	0.0	0.0	0.0	0.0	0.0	2.2	2.0	3.2	6.1	6.7	13.1	17.5	19.5	32.3	42.1	79.2	67.3	.	.	.	.
	乳房	C50	71.3	0.0	0.0	0.0	0.0	2.8	5.3	13.3	32.7	71.4	116.7	76.7	93.4	138.1	128.0	118.5	98.2	81.3	67.3	.	.	.	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	21.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.0	6.6	20.6	42.7	40.0	68.4	81.3	42.3	.	.	.	.
	腎・尿路（膀胱除く）	C64-C66 C68	23.3	8.8	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.8	7.6	26.7	16.4	38.1	39.0	63.1	40.4	72.9	34.6	.	.	.	.
	脳・中枢神経系	C70-C72	5.3	5.9	0.0	2.4	2.1	0.0	5.3	2.2	4.1	6.3	7.6	3.3	8.2	3.2	3.7	6.2	8.8	14.6	5.8	.	.	.	.
	甲状腺	C73	20.3	0.0	0.0	4.9	2.1	8.3	5.3	6.7	18.4	6.3	18.2	28.3	27.9	38.1	42.7	33.8	24.6	33.3	19.2	.	.	.	.
	悪性リンパ腫	C81-C85 C96	31.0	0.0	0.0	0.0	2.1	0.0	10.5	6.7	12.2	3.2	12.1	30.0	26.2	41.3	53.7	52.3	80.7	110.4	42.3	.	.	.	.
	多発性骨髄腫	C88-C90	5.5	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	1.6	0.0	5.0	8.2	6.3	9.8	7.7	15.8	20.8	7.7	.	.	.	.
	白血病	C91-C95	14.5	2.9	0.0	4.9	0.0	2.8	2.6	4.4	14.3	7.9	4.5	13.3	9.8	15.9	19.5	21.5	33.3	45.8	26.9	.	.	.	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,204.3	23.5	0.0	14.3	16.7	11.1	36.8	45.5	62.5	148.4	212.5	496.4	827.6	1,580.0	2,356.4	3,186.7	3,876.0	4,389.5	2,993.8	-	-	-	-	
	食道	C15 D001	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	3.1	25.0	55.2	80.0	120.5	110.0	140.0	126.3	56.3	-	-	-	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	207.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	4.2	38.7	62.5	117.9	196.6	300.0	371.8	533.3	704.0	705.3	431.3	-	-	-	-
	結腸 *2	C18 D010	130.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.0	40.6	57.1	96.6	170.0	217.9	343.3	488.0	452.6	325.0	-	-	-	-
	直腸 *2	C19-C20 D011-D012	76.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	4.2	9.7	21.9	60.7	100.0	153.8	190.0	216.0	252.6	106.3	-	-	-	-	
	肺	C33-C34 D021-D022	166.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	9.7	18.8	42.9	72.4	203.3	328.2	506.7	540.0	605.3	481.3	-	-	-	-
	皮膚	C43-C44 D030-D049	28.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.2	9.4	7.1	20.7	40.0	33.3	46.7	76.0	147.4	125.0	-	-	-	-
	乳房	C50 D05	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	12.5	-	-	-	-
	膀胱	C67 D090	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9.4	28.6	20.7	73.3	143.6	180.0	248.0	278.9	150.0	-	-	-	-
女	全部位	C00-C96 D00-D09	799.6	29.4	0.0	10.0	8.7	66.7	205.3	287.0	388.0	393.8	588.2	568.8	662.5	978.8	1,179.1	1,354.3	1,562.5	1,879.3	1,130.6	-	-	-	-	
	食道	C15 D001	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.9	3.1	6.3	21.2	11.6	11.4	25.0	27.6	11.1	-	-	-	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	138.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.0	34.4	41.2	68.8	103.1	136.4	207.0	277.1	318.8	431.0	236.1	-	-	-	-	
	結腸 *2	C18 D010	104.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	15.6	23.5	40.6	78.1	100.0	153.5	214.3	250.0	320.7	175.0	-	-	-	-	
	直腸 *2	C19-C20 D011-D012	34.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	18.8	17.6	28.1	25.0	36.4	53.5	62.9	68.8	110.3	61.1	-	-	-	-	
	肺	C33-C34 D021-D022	67.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	3.1	26.5	28.1	28.1	69.7	127.9	122.9	196.9	182.8	138.9	-	-	-	-
	皮膚	C43-C44 D030-D049	23.4	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.1	2.9	12.5	12.5	12.1	11.6	42.9	40.6	69.0	58.3	-	-	-	-
	乳房	C50 D05	144.1	0.0	0.0	0.0	0.0	5.6	10.5	26.1	76.0	156.3	241.2	156.3	196.9	290.9	265.1	228.6	196.9	134.5	94.4	-	-	-	-	
	子宮	C53-C55 D06	78.2	0.0	0.0	0.0	0.0	27.8	157.9	178.3	164.0	134.4	147.1	81.3	115.6	87.9	53.5	62.9	50.0	37.9	30.6	-	-	-	-	
子宮頸部	C53 D06	51.9	0.0	0.0	0.0	0.0	27.8	152.6	173.9	152.0	109.4	111.8	31.3	43.8	39.4	16.3	25.7	25.0	27.6	8.3	-	-	-	-		
膀胱	C67 D090	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.3	9.4	9.1	27.9	28.6	53.1	51.7	19.4	-	-	-	-		
総数 *3	全部位	C00-C96 D00-D09	989.8	26.5	0.0	12.2	12.8	38.9	121.1	168.9	228.6	273.0	406.1	535.0	741.0	1,265.1	1,739.0	2,200.0	2,577.2	2,872.9	1,705.8	-	-	-	-	
	食道	C15 D001	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.6	3.0	13.3	29.5	49.2	63.4	56.9	75.4	66.7	25.0	-	-	-	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	171.2	0.0	0.0	0.0	0.0	0.0	0.0	4.4	14.3	36.5	51.5	91.7	147.5	214.3	285.4	395.4	487.7	539.6	298.1	-	-	-	-	
	結腸 *2	C18 D010	116.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	22.2	31.8	48.3	86.9	133.3	184.1	273.8	354.4	372.9	221.2	-	-	-	-	
	直腸 *2	C19-C20 D011-D012	54.6	0.0	0.0	0.0	0.0	0.0	0.0	4.4	4.1	14.3	19.7	43.3	60.7	81.0	101.2	121.5	133.3	166.7	76.9	-	-	-	-	
	肺	C33-C34 D021-D022	114.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	6.3	22.7	35.0	49.2	133.3	223.2	300.0	347.4	350.0	244.2	-	-	-	-	
	皮膚	C43-C44 D030-D049	25.9	2.9	0.0	0.0	0.0	0.0	0.0	2.2	2.0	3.2	6.1	10.0	16.4	25.4	22.0	44.6	56.1	100.0	78.8	-	-	-	-	
	乳房	C50 D05	77.0	0.0	0.0	0.0	0.0	2.8	5.3	13.3	38.8	79.4	124.2	83.3	103.3	152.4	141.5	123.1	110.5	81.3	69.2	-	-	-	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	40.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.1	16.7	14.8	39.7	82.9	98.5	138.6	141.7	59.6	-	-	-	-	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	1,110.6	23.5	0.0	14.3	16.7	11.1	36.8	45.5	62.5	129.0	184.4	439.3	748.3	1,430.0	2,189.7	2,913.3	3,544.0	4,057.9	3,956.3	-
	口腔・咽頭	C00-C14	24.3	0.0	0.0	0.0	0.0	0.0	0.0	4.5	4.2	9.7	6.3	14.3	34.5	53.3	43.6	63.3	48.0	57.9	75.0	-
	食道	C15	38.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	3.1	21.4	48.3	76.7	97.4	93.3	112.0	105.3	62.5	-
	胃	C16	190.8	0.0	0.0	0.0	0.0	0.0	0.0	4.5	8.3	12.9	31.3	42.9	131.0	226.7	415.4	543.3	552.0	778.9	631.3	-
	大腸（結腸・直腸）	C18-C20	169.8	0.0	0.0	0.0	0.0	0.0	0.0	9.1	4.2	22.6	46.9	92.9	144.8	226.7	317.9	430.0	572.0	589.5	531.3	-
	結腸	C18	102.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.1	25.0	39.3	69.0	123.3	164.1	266.7	388.0	378.9	381.3	-
	直腸	C19-C20	67.3	0.0	0.0	0.0	0.0	0.0	0.0	9.1	4.2	6.5	21.9	53.6	75.9	103.3	153.8	163.3	184.0	210.5	150.0	-
	肝および肝内胆管	C22	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	0.0	32.1	41.4	100.0	97.4	193.3	260.0	252.6	306.3	-
	胆のう・胆管	C23-C24	20.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	13.8	20.0	46.2	40.0	56.0	105.3	100.0	-
	膵臓	C25	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.3	21.4	20.7	90.0	102.6	136.7	156.0	194.7	143.8	-
	喉頭	C32	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	10.7	17.2	16.7	25.6	26.7	40.0	31.6	18.8	-
	肺	C33-C34	166.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	9.7	18.8	42.9	72.4	203.3	328.2	506.7	540.0	605.3	662.5	-
	皮膚	C43-C44	24.1	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.2	9.4	7.1	17.2	26.7	28.2	36.7	64.0	126.3	156.3	-
	乳房	C50	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	25.0	-
	前立腺	C61	164.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	10.7	62.1	150.0	338.5	473.3	672.0	594.7	656.3	-
	膀胱	C67	35.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.6	6.9	40.0	82.1	80.0	124.0	142.1	175.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	33.3	17.6	0.0	0.0	0.0	0.0	0.0	0.0	4.2	6.5	12.5	28.6	24.1	56.7	69.2	103.3	56.0	105.3	87.5	-
	脳・中枢神経系	C70-C72	5.4	0.0	0.0	4.8	4.2	0.0	5.3	0.0	0.0	9.7	6.3	7.1	10.3	3.3	2.6	6.7	16.0	15.8	0.0	-
	甲状腺	C73	11.3	0.0	0.0	4.8	0.0	0.0	0.0	0.0	4.2	6.5	15.6	17.9	20.7	23.3	17.9	13.3	20.0	26.3	12.5	-
	悪性リンパ腫	C81-C85 C96	34.5	0.0	0.0	0.0	4.2	0.0	15.8	4.5	12.5	3.2	6.3	35.7	27.6	33.3	71.8	66.7	104.0	136.8	87.5	-
	多発性骨髄腫	C88-C90	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	10.3	10.0	17.9	6.7	28.0	31.6	12.5	-
	白血病	C91-C95	16.7	5.9	0.0	4.8	0.0	0.0	5.3	4.5	4.2	9.7	6.3	14.3	10.3	26.7	23.1	30.0	40.0	57.9	62.5	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	711.6	29.4	0.0	10.0	8.7	44.4	63.2	147.8	228.0	278.1	473.5	515.6	606.3	875.8	1,062.8	1,231.4	1,409.4	1,796.6	1,908.3	-
	口腔・咽頭	C00-C14	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	3.1	3.1	12.1	18.6	31.4	25.0	34.5	19.4	-
	食道	C15	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.9	3.1	6.3	18.2	9.3	11.4	15.6	27.6	22.2	-
	胃	C16	80.8	0.0	0.0	0.0	0.0	0.0	0.0	8.7	4.0	6.3	14.7	15.6	34.4	66.7	134.9	157.1	218.8	272.4	263.9	-
	大腸（結腸・直腸）	C18-C20	119.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	28.1	35.3	56.3	84.4	115.2	162.8	222.9	262.5	389.7	400.0	-
	結腸	C18	87.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	12.5	17.6	31.3	59.4	78.8	116.3	171.4	206.3	282.8	311.1	-
	直腸	C19-C20	31.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	15.6	17.6	25.0	25.0	36.4	46.5	51.4	56.3	106.9	88.9	-
	肝および肝内胆管	C22	31.7	5.9	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	6.3	12.5	21.2	34.9	68.6	87.5	120.7	116.7	-
	胆のう・胆管	C23-C24	16.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	6.3	15.2	14.0	14.3	34.4	86.2	75.0	-
	膵臓	C25	37.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	6.3	6.3	36.4	58.1	54.3	100.0	93.1	186.1	-
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	3.1	0.0	0.0	2.9	0.0	0.0	5.6	-
	肺	C33-C34	67.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	3.1	26.5	28.1	28.1	69.7	127.9	122.9	196.9	182.8	194.4	-
	皮膚	C43-C44	17.6	5.9	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.1	2.9	6.3	9.4	9.1	11.6	28.6	25.0	48.3	108.3	-
	乳房	C50	133.3	0.0	0.0	0.0	0.0	5.6	10.5	26.1	64.0	140.6	226.5	143.8	178.1	263.6	239.5	220.0	175.0	134.5	155.6	-
	子宮	C53-C55	41.7	0.0	0.0	0.0	0.0	5.6	15.8	39.1	24.0	43.8	55.9	62.5	106.3	63.6	48.8	54.3	46.9	31.0	50.0	-
	子宮頸部	C53	15.4	0.0	0.0	0.0	0.0	5.6	10.5	34.8	12.0	18.8	20.6	12.5	34.4	15.2	11.6	17.1	21.9	20.7	16.7	-
	子宮体部	C54	24.2	0.0	0.0	0.0	0.0	0.0	5.3	4.3	12.0	25.0	35.3	46.9	71.9	48.5	32.6	31.4	25.0	10.3	16.7	-
	卵巣	C56	20.8	0.0	0.0	0.0	4.3	5.6	15.8	30.4	12.0	18.8	32.4	50.0	21.9	15.2	18.6	31.4	25.0	27.6	25.0	-
	膀胱	C67	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.3	6.3	3.0	7.0	5.7	25.0	41.4	30.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.1	2.9	25.0	9.4	21.2	11.6	28.6	28.1	51.7	33.3	-
	脳・中枢神経系	C70-C72	5.2	11.8	0.0	0.0	0.0	0.0	5.3	4.3	8.0	3.1	8.8	0.0	6.3	3.0	4.7	5.7	3.1	13.8	11.1	-
	甲状腺	C73	28.3	0.0	0.0	5.0	4.3	16.7	10.5	13.0	32.0	6.3	20.6	37.5	34.4	51.5	65.1	51.4	28.1	37.9	25.0	-
	悪性リンパ腫	C81-C85 C96	27.9	0.0	0.0	0.0	0.0	0.0	5.3	8.7	12.0	3.1	17.6	25.0	25.0	48.5	37.2	40.0	62.5	93.1	50.0	-
	多発性骨髄腫	C88-C90	4.2	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	9.4	6.3	3.0	2.3	8.6	6.3	13.8	11.1	-
	白血病	C91-C95	12.6	0.0	0.0	5.0	0.0	5.6	0.0	4.3	24.0	6.3	2.9	12.5	9.4	6.1	16.3	14.3	28.1	37.9	27.8	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	899.2	26.5	0.0	12.2	12.8	27.8	50.0	97.8	146.9	204.8	333.3	480.0	673.8	1,139.7	1,598.8	2,007.7	2,345.6	2,691.7	2,540.4	-
	口腔・咽頭	C00-C14	17.1	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.0	4.8	9.1	8.3	18.0	31.7	30.5	46.2	35.1	43.8	36.5	-
	食道	C15	22.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.6	3.0	11.7	26.2	46.0	51.2	49.2	57.9	58.3	34.6	-
	胃	C16	132.5	0.0	0.0	0.0	0.0	0.0	0.0	6.7	6.1	9.5	22.7	28.3	80.3	142.9	268.3	335.4	364.9	472.9	376.9	-
	大腸（結腸・直腸）	C18-C20	143.2	0.0	0.0	0.0	0.0	0.0	0.0	4.4	12.2	25.4	40.9	73.3	113.1	168.3	236.6	318.5	398.2	468.8	442.3	-
	結腸	C18	94.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	14.3	21.2	35.0	63.9	100.0	139.0	215.4	286.0	320.8	332.7	-
	直腸	C19-C20	48.6	0.0	0.0	0.0	0.0	0.0	0.0	4.4	4.1	11.1	19.7	38.3	49.2	68.3	97.6	103.1	112.3	147.9	109.6	-
	肝および肝内胆管	C22	49.7	2.9	0.0	0.0	0.0	0.0	0.0	2.2	0.0	3.2	0.0	18.3	26.2	58.7	64.6	126.2	163.2	172.9	175.0	-
	胆のう・胆管	C23-C24	18.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	9.8	17.5	29.3	26.2	43.9	93.8	82.7	-
	膵臓	C25	43.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	3.0	13.3	13.1	61.9	79.3	92.3	124.6	133.3	173.1	-
	喉頭	C32	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.0	9.8	7.9	12.2	13.8	17.5	12.5	9.6	-
	肺	C33-C34	114.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	6.3	22.7	35.0	49.2	133.3	223.2	300.0	347.4	350.0	338.5	-
	皮膚	C43-C44	20.6	2.9	0.0	0.0	0.0	0.0	0.0	2.2	2.0	3.2	6.1	6.7	13.1	17.5	19.5	32.3	42.1	79.2	123.1	-
	乳房	C50	71.3	0.0	0.0	0.0	0.0	2.8	5.3	13.3	32.7	71.4	116.7	76.7	93.4	138.1	128.0	118.5	98.2	81.3	115.4	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	21.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.0	6.6	20.6	42.7	40.0	68.4	81.3	75.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	23.3	8.8	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.8	7.6	26.7	16.4	38.1	39.0	63.1	40.4	72.9	50.0	-
	脳・中枢神経系	C70-C72	5.3	5.9	0.0	2.4	2.1	0.0	5.3	2.2	4.1	6.3	7.6	3.3	8.2	3.2	3.7	6.2	8.8	14.6	7.7	-
	甲状腺	C73	20.3	0.0	0.0	4.9	2.1	8.3	5.3	6.7	18.4	6.3	18.2	28.3	27.9	38.1	42.7	33.8	24.6	33.3	21.2	-
	悪性リンパ腫	C81-C85 C96	31.0	0.0	0.0	0.0	2.1	0.0	10.5	6.7	12.2	3.2	12.1	30.0	26.2	41.3	53.7	52.3	80.7	110.4	61.5	-
	多発性骨髄腫	C88-C90	5.5	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	1.6	0.0	5.0	8.2	6.3	9.8	7.7	15.8	20.8	11.5	-
	白血病	C91-C95	14.5	2.9	0.0	4.9	0.0	2.8	2.6	4.4	14.3	7.9	4.5	13.3	9.8	15.9	19.5	21.5	33.3	45.8	38.5	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳		
男	全部位	C00-C96 D00-D09	1,204.3	23.5	0.0	14.3	16.7	11.1	36.8	45.5	62.5	148.4	212.5	496.4	827.6	1,580.0	2,356.4	3,186.7	3,876.0	4,389.5	4,106.3	-		
	食道	C15 D001	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	3.1	25.0	55.2	80.0	120.5	110.0	140.0	126.3	75.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	207.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	4.2	38.7	62.5	117.9	196.6	300.0	371.8	533.3	704.0	705.3	568.8	-	
	結腸 *2	C18 D010	130.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.0	40.6	57.1	96.6	170.0	217.9	343.3	488.0	452.6	418.8	-	
	直腸 *2	C19-C20 D011-D012	76.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	4.2	9.7	21.9	60.7	100.0	130.0	153.8	190.0	216.0	252.6	150.0	-	
	肺	C33-C34 D021-D022	166.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	9.7	18.8	42.9	72.4	203.3	328.2	506.7	540.0	605.3	662.5	-
	皮膚	C43-C44 D030-D049	28.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.2	9.4	7.1	20.7	40.0	33.3	46.7	76.0	147.4	181.3	-	
	乳房	C50 D05	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	25.0	-	
	膀胱	C67 D090	68.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9.4	28.6	20.7	73.3	143.6	180.0	248.0	278.9	237.5	-	
女	全部位	C00-C96 D00-D09	799.6	29.4	0.0	10.0	8.7	66.7	205.3	287.0	388.0	393.8	588.2	568.8	662.5	978.8	1,179.1	1,354.3	1,562.5	1,879.3	1,983.3	-		
	食道	C15 D001	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	2.9	3.1	6.3	21.2	11.6	11.4	25.0	27.6	27.8	-		
	大腸（結腸・直腸）*2	C18-C20 D010-D012	138.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.0	34.4	41.2	68.8	103.1	136.4	207.0	277.1	318.8	431.0	422.2	-	
	結腸 *2	C18 D010	104.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	15.6	23.5	40.6	78.1	100.0	153.5	214.3	250.0	320.7	330.6	-	
	直腸 *2	C19-C20 D011-D012	34.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	18.8	17.6	28.1	25.0	36.4	53.5	62.9	68.8	110.3	91.7	-	
	肺	C33-C34 D021-D022	67.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	3.1	26.5	28.1	28.1	69.7	127.9	122.9	196.9	182.8	194.4	-	
	皮膚	C43-C44 D030-D049	23.4	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.1	2.9	12.5	12.5	12.1	11.6	42.9	40.6	69.0	133.3	-	
	乳房	C50 D05	144.1	0.0	0.0	0.0	0.0	5.6	10.5	26.1	76.0	156.3	241.2	156.3	196.9	290.9	265.1	228.6	196.9	134.5	158.3	-		
	子宮	C53-C55 D06	78.2	0.0	0.0	0.0	0.0	27.8	157.9	178.3	164.0	134.4	147.1	81.3	115.6	87.9	53.5	62.9	50.0	37.9	50.0	-		
子宮頸部	C53 D06	51.9	0.0	0.0	0.0	0.0	27.8	152.6	173.9	152.0	109.4	111.8	31.3	43.8	39.4	16.3	25.7	25.0	27.6	16.7	-			
膀胱	C67 D090	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.3	9.4	9.1	27.9	28.6	53.1	51.7	38.9	-			
総数 *3	全部位	C00-C96 D00-D09	989.8	26.5	0.0	12.2	12.8	38.9	121.1	168.9	228.6	273.0	406.1	535.0	741.0	1,265.1	1,739.0	2,200.0	2,577.2	2,872.9	2,638.5	-		
	食道	C15 D001	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.6	3.0	13.3	29.5	49.2	63.4	56.9	75.4	66.7	42.3	-		
	大腸（結腸・直腸）*2	C18-C20 D010-D012	171.2	0.0	0.0	0.0	0.0	0.0	0.0	4.4	14.3	36.5	51.5	91.7	147.5	214.3	285.4	395.4	487.7	539.6	469.2	-		
	結腸 *2	C18 D010	116.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	22.2	31.8	48.3	86.9	133.3	184.1	273.8	354.4	372.9	357.7	-		
	直腸 *2	C19-C20 D011-D012	54.6	0.0	0.0	0.0	0.0	0.0	0.0	4.4	4.1	14.3	19.7	43.3	60.7	81.0	101.2	121.5	133.3	166.7	111.5	-		
	肺	C33-C34 D021-D022	114.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2	6.3	22.7	35.0	49.2	133.3	223.2	300.0	347.4	350.0	338.5	-	
	皮膚	C43-C44 D030-D049	25.9	2.9	0.0	0.0	0.0	0.0	0.0	2.2	2.0	3.2	6.1	10.0	16.4	25.4	22.0	44.6	56.1	100.0	148.1	-		
	乳房	C50 D05	77.0	0.0	0.0	0.0	0.0	2.8	5.3	13.3	38.8	79.4	124.2	83.3	103.3	152.4	141.5	123.1	110.5	81.3	117.3	-		
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
膀胱	C67 D090	40.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.1	16.7	14.8	39.7	82.9	98.5	138.6	141.7	100.0	-		

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

和歌山県

2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	8,306	11.1	35.3	0.0	47.8	5.8
口腔・咽頭	C00-C14	161	1.9	28.6	0.0	63.4	6.2
食道	C15	206	9.7	32.5	0.0	54.9	2.9
胃	C16	1,230	16.3	38.0	0.0	40.9	4.7
大腸（結腸・直腸）	C18-C20	1,316	14.2	26.7	0.0	53.2	5.9
結腸	C18	860	14.1	30.2	0.0	49.5	6.2
直腸	C19-C20	456	14.5	20.0	0.0	60.1	5.5
肝および肝内胆管	C22	456	3.1	57.2	0.0	26.3	13.4
胆のう・胆管	C23-C24	166	1.8	25.3	0.0	71.1	1.8
膵臓	C25	395	1.5	34.7	0.0	61.3	2.5
喉頭	C32	56	0.0	19.6	0.0	73.2	7.1
肺	C33-C34	1,047	11.8	43.4	0.0	42.0	2.8
皮膚	C43-C44	194	0.5	14.9	0.0	81.4	3.1
乳房	C50	663	24.7	11.2	0.0	53.5	10.6
乳房（女性のみ）	C50	657	25.0	11.0	0.0	53.6	10.5
子宮	C53-C55	208	9.1	16.8	0.0	64.9	9.1
子宮頸部	C53	76	17.1	15.8	0.0	59.2	7.9
子宮体部	C54	121	5.0	19.0	0.0	73.6	2.5
卵巣	C56	103	6.8	31.1	0.0	57.3	4.9
前立腺	C61	713	10.9	57.1	0.0	24.8	7.2
膀胱	C67	193	2.1	28.5	0.0	62.2	7.3
腎・尿路（膀胱除く）	C64-C66 C68	215	10.2	48.8	0.0	37.2	3.7
脳・中枢神経系	C70-C72	49	0.0	8.2	0.0	85.7	6.1
甲状腺	C73	192	15.6	48.4	0.0	28.1	7.8
悪性リンパ腫	C81-C85 C96	290	5.5	31.7	0.3	59.3	3.1
多発性骨髄腫	C88-C90	51	0.0	72.5	0.0	25.5	2.0
白血病	C91-C95	135	10.4	41.5	0.7	43.0	4.4

\*1 DCOを除く総数



表4. 発見経緯 (%) : 部位別

## B. 上皮内がんを含む

和歌山県

2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	9,163	12.1	35.5	0.0	47.0	5.4
食道	C15 D001	244	11.9	34.4	0.0	51.2	2.5
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,581	16.5	29.2	0.0	49.1	5.1
結腸 *2	C18 D010	1,068	17.1	32.7	0.0	45.0	5.1
直腸 *2	C19-C20 D011-D012	513	15.2	22.0	0.0	57.7	5.1
肺	C33-C34 D021-D022	1,047	11.8	43.4	0.0	42.0	2.8
皮膚	C43-C44 D030-D049	244	0.4	15.6	0.0	80.7	3.3
乳房	C50 D05	717	26.6	11.6	0.0	52.0	9.8
乳房（女性のみ）	C50 D05	711	26.9	11.4	0.0	52.0	9.7
子宮	C53-C55 D06	391	19.4	30.2	0.0	44.8	5.6
子宮頸部	C53 D06	259	27.0	36.7	0.0	32.8	3.5
膀胱	C67 D090	373	3.2	29.5	0.0	62.2	5.1

\*1 DCOを除く総数

\*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

## A. 上皮内がんを除く

和歌山県

2017年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,121	46.2	9.2	13.5	18.6	12.5	22.7
口腔・咽頭	C00-C14	161	34.8	19.3	28.6	3.7	13.7	47.8
食道	C15	206	36.4	10.7	22.8	16.0	14.1	33.5
胃	C16	1,230	58.9	10.5	7.2	14.6	8.8	17.6
大腸（結腸・直腸）	C18-C20	1,316	45.4	16.1	10.8	17.6	10.1	26.9
結腸	C18	860	45.2	15.3	12.1	17.7	9.7	27.4
直腸	C19-C20	456	45.8	17.5	8.3	17.3	11.0	25.9
肝および肝内胆管	C22	456	54.6	2.0	6.6	12.7	24.1	8.6
胆のう・胆管	C23-C24	166	13.9	0.6	42.8	26.5	16.3	43.4
膵臓	C25	395	9.4	2.0	32.9	46.6	9.1	34.9
喉頭	C32	56	73.2	3.6	10.7	5.4	7.1	14.3
肺	C33-C34	1,047	31.3	10.4	11.0	37.2	10.1	21.4
皮膚	C43-C44	194	89.2	1.5	4.1	1.5	3.6	5.7
乳房	C50	663	59.6	18.1	3.5	5.9	13.0	21.6
乳房（女性のみ）	C50	657	60.0	18.1	3.2	5.8	12.9	21.3
子宮	C53-C55	208	52.4	2.9	21.6	6.3	16.8	24.5
子宮頸部	C53	76	43.4	0.0	28.9	9.2	18.4	28.9
子宮体部	C54	121	62.8	5.0	19.0	5.0	8.3	24.0
卵巣	C56	103	38.8	1.0	37.9	9.7	12.6	38.8
前立腺	C61	713	55.1	0.8	18.7	12.1	13.3	19.5
膀胱	C67	193	46.6	1.0	11.9	5.2	32.6	13.0
腎・尿路（膀胱除く）	C64-C66 C68	215	56.7	0.5	19.1	14.9	8.8	19.5
脳・中枢神経系	C70-C72	49	57.1	0.0	12.2	6.1	24.5	12.2
甲状腺	C73	192	43.8	37.5	6.3	3.1	9.4	43.8
悪性リンパ腫	C81-C85 C96	289	31.8	0.3	14.5	45.0	8.3	14.9
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

## B. 上皮内がんを含む

和歌山県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	8,978	9.0	42.1	8.3	12.2	16.8	11.5	20.6
食道	C15 D001	244	14.8	30.7	9.0	19.3	13.5	12.7	28.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,581	16.6	37.8	13.4	9.0	14.6	8.6	22.4
結腸 *3	C18 D010	1,068	19.3	36.4	12.4	9.7	14.2	8.0	22.1
直腸 *3	C19-C20 D011-D012	513	10.9	40.7	15.6	7.4	15.4	9.9	23.0
肺	C33-C34 D021-D022	1,047	0.0	31.3	10.4	11.0	37.2	10.1	21.4
皮膚	C43-C44 D030-D049	244	19.7	70.9	1.2	3.3	1.2	3.7	4.5
乳房	C50 D05	717	7.5	55.1	16.7	3.2	5.4	12.0	19.9
乳房 (女性のみ)	C50 D05	711	7.6	55.4	16.7	3.0	5.3	12.0	19.7
子宮	C53-C55 D06	391	46.5	27.9	1.5	11.5	3.3	9.2	13.0
子宮頸部	C53 D06	259	70.3	12.7	0.0	8.5	2.7	5.8	8.5
膀胱	C67 D090	373	46.6	24.1	0.5	6.2	2.7	19.8	6.7

\*1 DC0、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

## A. 上皮内がんを除く

和歌山県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,121	1.3	42.4	8.2	11.1	18.0	19.1	19.3
口腔・咽頭	C00-C14	161	1.2	29.2	19.3	27.3	3.7	19.3	46.6
食道	C15	206	5.3	25.2	10.7	19.9	14.6	24.3	30.6
胃	C16	1,230	0.6	55.2	9.9	6.4	13.4	14.5	16.3
大腸（結腸・直腸）	C18-C20	1,316	2.6	34.6	17.5	8.9	16.1	20.4	26.4
結腸	C18	860	2.4	34.1	16.7	9.3	16.4	21.0	26.0
直腸	C19-C20	456	2.9	35.5	18.9	8.1	15.6	19.1	27.0
肝および肝内胆管	C22	456	0.0	53.3	2.2	6.6	12.9	25.0	8.8
胆のう・胆管	C23-C24	166	0.0	12.7	1.2	34.9	22.9	28.3	36.1
膵臓	C25	395	0.0	11.4	2.0	30.1	45.8	10.6	32.2
喉頭	C32	56	0.0	69.6	5.4	7.1	5.4	12.5	12.5
肺	C33-C34	1,047	0.1	31.2	10.0	10.1	37.0	11.6	20.2
皮膚	C43-C44	194	1.5	74.2	1.5	3.6	1.0	18.0	5.2
乳房	C50	663	2.9	63.3	11.6	3.3	5.4	13.4	14.9
乳房（女性のみ）	C50	657	2.9	63.8	11.6	3.0	5.3	13.4	14.6
子宮	C53-C55	208	4.3	40.9	2.4	17.8	4.8	29.8	20.2
子宮頸部	C53	76	10.5	32.9	0.0	25.0	9.2	22.4	25.0
子宮体部	C54	121	0.8	49.6	4.1	14.9	2.5	28.1	19.0
卵巣	C56	103	0.0	11.7	0.0	14.6	9.7	64.1	14.6
前立腺	C61	713	0.0	60.4	0.8	12.6	12.2	13.9	13.5
膀胱	C67	193	6.7	44.0	0.5	5.7	5.2	37.8	6.2
腎・尿路（膀胱除く）	C64-C66 C68	215	0.9	45.6	0.0	9.8	15.3	28.4	9.8
脳・中枢神経系	C70-C72	49	0.0	51.0	0.0	16.3	6.1	26.5	16.3
甲状腺	C73	192	0.5	36.5	16.1	5.7	4.7	36.5	21.9
悪性リンパ腫	C81-C85 C96	289	0.0	29.4	0.3	13.8	44.3	12.1	14.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

\*1 DC0、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

## B. 上皮内がんを含む

和歌山県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	8,978	7.9	39.0	7.4	10.0	16.3	19.4	17.4
食道	C15 D001	244	17.2	22.1	9.0	16.8	12.3	22.5	25.8
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,581	11.3	29.7	14.5	7.4	13.4	23.7	21.9
結腸 *3	C18 D010	1,068	12.5	28.4	13.5	7.5	13.2	24.9	21.0
直腸 *3	C19-C20 D011-D012	513	8.6	32.4	16.8	7.2	13.8	21.2	24.0
肺	C33-C34 D021-D022	1,047	0.1	31.2	10.0	10.1	37.0	11.6	20.2
皮膚	C43-C44 D030-D049	244	18.0	59.4	1.2	2.9	0.8	17.6	4.1
乳房	C50 D05	717	8.8	59.8	10.7	3.1	5.0	12.6	13.8
乳房 (女性のみ)	C50 D05	711	8.9	60.2	10.7	2.8	4.9	12.5	13.5
子宮	C53-C55 D06	391	47.8	21.7	1.3	9.5	2.6	17.1	10.7
子宮頸部	C53 D06	259	71.8	9.7	0.0	7.3	2.7	8.5	7.3
膀胱	C67 D090	373	42.4	24.7	0.3	2.9	2.7	27.1	3.2

\*1 DC0、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

## A. 上皮内がんを除く

和歌山県

2017年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	5,217	53.7	10.2	10.8	4.0	21.2	21.0
口腔・咽頭	C00-C14	76	39.5	9.2	14.5	1.3	35.5	23.7
食道	C15	105	56.2	4.8	12.4	3.8	22.9	17.1
胃	C16	978	67.4	10.6	5.7	3.3	13.0	16.4
大腸（結腸・直腸）	C18-C20	1,100	50.2	16.8	10.7	9.5	12.7	27.5
結腸	C18	739	49.1	16.9	13.1	10.0	10.8	30.0
直腸	C19-C20	361	52.4	16.6	5.8	8.6	16.6	22.4
肝および肝内胆管	C22	197	40.6	0.5	1.5	0.0	57.4	2.0
胆のう・胆管	C23-C24	79	8.9	0.0	49.4	8.9	32.9	49.4
膵臓	C25	134	9.0	1.5	33.6	3.0	53.0	35.1
喉頭	C32	19	42.1	0.0	26.3	5.3	26.3	26.3
肺	C33-C34	474	57.2	8.6	7.4	2.3	24.5	16.0
皮膚	C43-C44	182	86.8	0.5	3.8	1.1	7.7	4.4
乳房	C50	546	64.5	17.9	2.6	0.9	14.1	20.5
乳房（女性のみ）	C50	542	64.8	17.9	2.4	0.9	14.0	20.3
子宮	C53-C55	169	58.6	3.0	14.2	1.8	22.5	17.2
子宮頸部	C53	45	55.6	0.0	11.1	0.0	33.3	11.1
子宮体部	C54	113	65.5	4.4	16.8	2.7	10.6	21.2
卵巣	C56	89	44.9	1.1	39.3	2.2	12.4	40.4
前立腺	C61	300	47.0	0.0	18.7	0.0	34.3	18.7
膀胱	C67	166	28.9	0.6	10.2	2.4	57.8	10.8
腎・尿路（膀胱除く）	C64-C66 C68	173	64.7	0.6	20.2	4.0	10.4	20.8
脳・中枢神経系	C70-C72	37	59.5	0.0	10.8	0.0	29.7	10.8
甲状腺	C73	172	40.7	40.1	5.8	1.2	12.2	45.9
悪性リンパ腫	C81-C85 C96	49	28.6	0.0	10.2	14.3	46.9	10.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

## B. 上皮内がんを含む

和歌山県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,019	12.1	47.0	8.9	9.4	3.5	19.2	18.3
食道	C15 D001	134	20.9	44.0	3.7	9.7	3.0	18.7	13.4
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,365	19.0	40.4	13.6	8.6	7.7	10.6	22.2
結腸 *3	C18 D010	947	21.5	38.3	13.2	10.2	7.8	8.9	23.4
直腸 *3	C19-C20 D011-D012	418	13.4	45.2	14.4	5.0	7.4	14.6	19.4
肺	C33-C34 D021-D022	474	0.0	57.2	8.6	7.4	2.3	24.5	16.0
皮膚	C43-C44 D030-D049	223	16.1	70.9	0.4	3.1	0.9	8.5	3.6
乳房	C50 D05	599	8.5	58.8	16.4	2.3	0.8	13.2	18.7
乳房 (女性のみ)	C50 D05	595	8.6	59.0	16.3	2.2	0.8	13.1	18.5
子宮	C53-C55 D06	334	45.8	29.6	1.5	7.2	0.9	15.0	8.7
子宮頸部	C53 D06	210	72.9	11.9	0.0	2.4	0.0	12.9	2.4
膀胱	C67 D090	336	44.9	14.3	0.3	5.1	1.2	34.2	5.4

\*1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

## A. 上皮内がんを除く

和歌山県

2017年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	8,306	23.4	22.2	9.9	9.3	29.1	8.6	3.8	23.5
口腔・咽頭	C00-C14	161	52.8	1.9	1.2	31.1	51.6	0.0	1.9	18.6
食道	C15	206	3.4	30.6	21.4	20.4	41.7	0.0	1.0	19.4
胃	C16	1,230	13.2	25.8	35.5	0.0	18.9	0.0	1.5	20.0
大腸（結腸・直腸）	C18-C20	1,316	13.8	52.7	13.8	3.3	28.6	0.2	2.1	17.5
結腸	C18	860	16.4	52.4	13.4	0.1	25.9	0.2	1.5	17.1
直腸	C19-C20	456	9.0	53.1	14.7	9.4	33.6	0.2	3.1	18.2
肝および肝内胆管	C22	456	12.3	7.5	0.0	2.9	28.3	0.0	35.1	42.1
胆のう・胆管	C23-C24	166	29.5	3.6	0.0	1.2	25.3	0.0	4.2	47.6
膵臓	C25	395	18.0	1.5	0.0	2.3	45.6	0.0	2.5	45.1
喉頭	C32	56	28.6	0.0	5.4	66.1	28.6	0.0	0.0	10.7
肺	C33-C34	1,047	5.5	29.4	0.0	14.2	42.1	0.0	1.2	28.0
皮膚	C43-C44	194	87.1	0.0	0.0	2.1	2.1	0.0	0.0	11.3
乳房	C50	663	77.2	0.0	0.0	26.1	28.5	52.9	0.3	12.8
乳房（女性のみ）	C50	657	77.5	0.0	0.0	26.3	28.6	52.8	0.3	12.6
子宮	C53-C55	208	62.5	4.3	0.0	15.4	36.1	1.4	0.5	20.7
子宮頸部	C53	76	44.7	1.3	0.0	39.5	36.8	0.0	0.0	23.7
子宮体部	C54	121	79.3	6.6	0.0	1.7	38.8	2.5	0.8	11.6
卵巣	C56	103	77.7	5.8	0.0	0.0	41.7	0.0	1.0	14.6
前立腺	C61	713	1.7	30.3	0.3	14.3	2.8	46.4	0.1	19.8
膀胱	C67	193	14.5	6.7	75.1	3.6	34.7	1.0	19.2	18.7
腎・尿路（膀胱除く）	C64-C66 C68	215	13.5	59.5	0.5	2.8	16.7	0.0	3.7	17.7
脳・中枢神経系	C70-C72	49	57.1	0.0	0.0	44.9	44.9	0.0	2.0	26.5
甲状腺	C73	192	77.1	1.0	0.5	13.5	0.5	8.9	0.5	20.3
悪性リンパ腫	C81-C85 C96	290	6.6	2.8	0.0	7.2	67.2	1.7	1.7	24.8
多発性骨髄腫	C88-C90	51	0.0	0.0	0.0	7.8	70.6	0.0	2.0	29.4
白血病	C91-C95	135	0.0	0.0	0.0	0.7	59.3	0.7	5.9	39.3

\*1 DCOを除く総数

重複を含むため合計は100%にならない



表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

和歌山県

2017年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	9,163	24.1	20.7	13.9	8.7	27.2	8.1	4.0	22.0
食道	C15 D001	244	2.9	25.8	29.5	18.4	36.1	0.0	1.6	18.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,581	11.5	44.7	27.2	2.8	23.8	0.2	1.8	14.9
結腸 *2	C18 D010	1,068	13.2	43.3	28.9	0.1	20.9	0.2	1.3	14.1
直腸 *2	C19-C20 D011-D012	513	8.0	47.8	23.6	8.4	29.8	0.2	2.7	16.4
肺	C33-C34 D021-D022	1,047	5.5	29.4	0.0	14.2	42.1	0.0	1.2	28.0
皮膚	C43-C44 D030-D049	244	84.0	0.0	0.0	1.6	1.6	0.0	2.9	12.7
乳房	C50 D05	717	78.8	0.0	0.0	26.2	26.4	52.6	0.3	12.0
乳房（女性のみ）	C50 D05	711	79.0	0.0	0.0	26.4	26.4	52.5	0.3	11.8
子宮	C53-C55 D06	391	70.8	3.8	0.3	8.2	19.2	0.8	2.0	16.9
子宮頸部	C53 D06	259	69.9	2.7	0.4	11.6	10.8	0.0	2.7	15.8
膀胱	C67 D090	373	8.3	3.5	81.5	1.9	35.9	1.1	19.0	13.4

\*1 DCOを除く総数

\*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

## A. 上皮内がんを除く

和歌山県

2017年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	4,473	87.5	11.6	0.9
口腔・咽頭	C00-C14	88	86.4	13.6	0.0
食道	C15	109	87.2	12.8	0.0
胃	C16	879	93.3	5.9	0.8
大腸（結腸・直腸）	C18-C20	1,005	87.7	11.2	1.1
結腸	C18	670	87.0	12.1	0.9
直腸	C19-C20	335	89.0	9.6	1.5
肝および肝内胆管	C22	90	93.3	5.6	1.1
胆のう・胆管	C23-C24	55	83.6	16.4	0.0
膵臓	C25	77	88.3	9.1	2.6
喉頭	C32	19	84.2	10.5	5.3
肺	C33-C34	365	93.7	6.3	0.0
皮膚	C43-C44	169	93.5	5.9	0.6
乳房	C50	512	94.7	5.1	0.2
乳房（女性のみ）	C50	509	94.7	5.1	0.2
子宮	C53-C55	139	87.8	10.1	2.2
子宮頸部	C53	35	82.9	17.1	0.0
子宮体部	C54	104	89.4	7.7	2.9
卵巣	C56	85	74.1	22.4	3.5
前立腺	C61	230	83.9	15.2	0.9
膀胱	C67	152	34.9	65.1	0.0
腎・尿路（膀胱除く）	C64-C66 C68	158	91.8	8.2	0.0
脳・中枢神経系	C70-C72	28	60.7	39.3	0.0
甲状腺	C73	151	87.4	9.3	3.3
悪性リンパ腫	C81-C85 C96	27	44.4	51.9	3.7
多発性骨髄腫	C88-C90	0	-	-	-
白血病	C91-C95	0	-	-	-

\*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

和歌山県

2017年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	5,241	88.7	10.3	1.0
食道	C15 D001	137	89.8	10.2	0.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,265	90.0	9.1	0.9
結腸 *2	C18 D010	874	89.7	9.5	0.8
直腸 *2	C19-C20 D011-D012	391	90.5	8.2	1.3
肺	C33-C34 D021-D022	365	93.7	6.3	0.0
皮膚	C43-C44 D030-D049	205	94.6	4.9	0.5
乳房	C50 D05	565	94.9	5.0	0.2
乳房（女性のみ）	C50 D05	562	94.8	5.0	0.2
子宮	C53-C55 D06	292	89.4	7.9	2.7
子宮頸部	C53 D06	188	89.4	8.0	2.7
膀胱	C67 D090	313	65.5	34.5	0.0

\*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

\*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

## A. 上皮内がんを除く

和歌山県

2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.40	0.36	0.39	3.9	6.0	4.8	1.6	3.1	2.2	85.4	84.8	85.2	83.5	82.7	83.1
口腔・咽頭	C00-C14	0.40	0.35	0.38	2.8	1.9	2.5	0.9	0.0	0.6	91.7	92.6	92.0	90.7	90.7	90.7
食道	C15	0.38	0.48	0.40	3.0	0.0	2.4	1.8	0.0	1.4	94.1	95.0	94.3	93.5	95.0	93.8
胃	C16	0.29	0.37	0.32	2.2	4.9	3.1	0.9	3.5	1.8	96.9	92.3	95.4	96.7	92.1	95.2
大腸（結腸・直腸）	C18-C20	0.31	0.36	0.33	2.1	7.9	4.7	1.1	4.8	2.7	92.6	86.6	89.9	92.6	86.5	89.8
結腸	C18	0.33	0.39	0.36	2.2	10.0	6.0	1.3	6.4	3.8	91.6	83.6	87.7	91.6	83.6	87.7
直腸	C19-C20	0.28	0.28	0.28	2.0	1.9	2.0	0.7	0.6	0.7	94.0	95.0	94.1	94.0	94.3	93.9
肝および肝内胆管	C22	0.63	0.70	0.66	6.1	12.6	8.3	1.9	5.0	3.0	34.4	22.0	30.2	33.1	22.0	29.4
胆のう・胆管	C23-C24	0.86	0.78	0.82	7.7	12.2	9.8	2.2	6.1	4.0	63.7	57.3	60.7	59.3	53.7	56.6
膵臓	C25	0.72	0.75	0.73	6.3	14.4	10.0	1.4	6.4	3.7	61.7	52.7	57.6	57.2	50.5	54.1
喉頭	C32	0.12	0.20	0.13	2.0	0.0	1.8	0.0	0.0	0.0	98.0	80.0	96.4	98.0	80.0	96.4
肺	C33-C34	0.71	0.49	0.64	7.0	9.5	7.8	2.6	3.6	2.9	83.1	79.3	81.9	77.8	75.1	77.0
皮膚	C43-C44	0.10	0.06	0.08	0.0	1.1	0.5	0.0	1.1	0.5	99.1	97.7	98.5	99.1	96.6	97.9
乳房	C50	0.17	0.15	0.15	33.3	2.1	2.4	0.0	1.6	1.6	50.0	96.6	96.1	50.0	96.1	95.7
子宮	C53-C55	-	0.19	0.19	-	1.9	1.9	-	0.5	0.5	-	97.6	97.6	-	95.2	95.2
子宮頸部	C53	-	0.21	0.21	-	3.9	3.9	-	1.3	1.3	-	96.1	96.1	-	89.6	89.6
子宮体部	C54	-	0.12	0.12	-	0.0	0.0	-	0.0	0.0	-	99.2	99.2	-	99.2	99.2
卵巣	C56	-	0.30	0.30	-	2.9	2.9	-	1.0	1.0	-	91.3	91.3	-	89.4	89.4
前立腺	C61	0.15	-	0.15	2.7	-	2.7	2.1	-	2.1	88.2	-	88.2	88.2	-	88.2
膀胱	C67	0.42	0.55	0.45	3.2	11.9	5.0	1.9	9.5	3.5	88.0	83.3	87.0	85.4	81.0	84.5
腎・尿路（膀胱除く）	C64-C66 C68	0.27	0.32	0.29	2.7	8.3	4.5	1.4	4.2	2.3	90.5	81.9	87.7	88.5	79.2	85.5
脳・中枢神経系	C70-C72	0.38	0.42	0.40	4.2	0.0	2.0	4.2	0.0	2.0	91.7	73.1	82.0	91.7	73.1	82.0
甲状腺	C73	0.10	0.06	0.07	0.0	0.7	0.5	0.0	0.0	0.0	98.0	97.2	97.4	94.0	87.3	89.1
悪性リンパ腫	C81-C85 C96	0.34	0.36	0.35	4.6	3.6	4.1	1.3	0.7	1.0	89.5	95.7	92.5	88.2	92.1	90.1
多発性骨髄腫	C88-C90	0.52	0.62	0.56	3.2	4.8	3.8	0.0	4.8	1.9	96.8	95.2	96.2	87.1	81.0	84.6
白血病	C91-C95	0.69	0.60	0.65	1.4	4.8	2.9	0.0	3.2	1.5	98.6	98.4	98.5	79.7	82.5	81.0

\*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

## B. 上皮内がんを含む

和歌山県

2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.37	0.32	0.35	3.6	5.3	4.3	1.5	2.8	2.0	86.6	86.5	86.5	84.7	84.6	84.7
食道	C15 D001	0.32	0.40	0.34	2.5	0.0	2.0	1.5	0.0	1.2	95.0	95.7	95.1	94.5	95.7	94.7
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.25	0.31	0.28	1.7	6.8	3.9	0.9	4.2	2.3	93.9	88.5	91.5	93.9	88.4	91.5
結腸 *2	C18 D010	0.26	0.33	0.29	1.7	8.4	4.9	1.0	5.4	3.1	93.4	86.2	90.0	93.4	86.2	90.0
直腸 *2	C19-C20 D011-D012	0.25	0.26	0.25	1.8	1.7	1.7	0.6	0.6	0.6	94.7	95.4	94.8	94.7	94.8	94.6
肺	C33-C34 D021-D022	0.71	0.49	0.64	7.0	9.5	7.8	2.6	3.6	2.9	83.1	79.3	81.9	77.8	75.1	77.0
皮膚	C43-C44 D030-D049	0.09	0.04	0.07	0.0	0.9	0.4	0.0	0.9	0.4	99.2	98.3	98.8	99.2	97.4	98.4
乳房	C50 D05	0.17	0.14	0.14	33.3	1.9	2.2	0.0	1.5	1.5	50.0	96.8	96.4	50.0	96.4	96.0
子宮	C53-C55 D06	-	0.10	0.10	-	1.0	1.0	-	0.3	0.3	-	98.7	98.7	-	97.4	97.4
子宮頸部	C53 D06	-	0.06	0.06	-	1.2	1.2	-	0.4	0.4	-	98.8	98.8	-	96.9	96.9
膀胱	C67 D090	0.22	0.30	0.23	1.7	6.5	2.6	1.0	5.2	1.8	93.7	90.9	93.2	92.4	89.6	91.8

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

和歌山県

2017年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	1,992	1,295	3,287	100.0	100.0	100.0	450.7	260.6	350.1	171.2	80.8	119.8	116.5	56.9	82.8	13.0	5.8	9.1
口腔・咽頭	C00-C14	43	19	62	2.2	1.5	1.9	9.7	3.8	6.6	4.6	1.3	2.8	3.3	0.9	2.0	0.4	0.1	0.2
食道	C15	64	19	83	3.2	1.5	2.5	14.5	3.8	8.8	6.6	1.1	3.6	4.5	0.8	2.5	0.6	0.1	0.3
胃	C16	249	151	400	12.5	11.7	12.2	56.3	30.4	42.6	20.5	9.0	13.9	13.7	6.2	9.5	1.5	0.6	1.0
大腸（結腸・直腸）	C18-C20	233	218	451	11.7	16.8	13.7	52.7	43.9	48.0	22.1	12.9	17.0	15.6	9.1	12.1	1.7	0.9	1.3
結腸	C18	149	173	322	7.5	13.4	9.8	33.7	34.8	34.3	13.5	10.0	11.5	9.4	7.1	8.1	1.0	0.7	0.8
直腸	C19-C20	84	45	129	4.2	3.5	3.9	19.0	9.1	13.7	8.6	2.9	5.5	6.1	2.1	3.9	0.7	0.2	0.5
肝および肝内胆管	C22	197	112	309	9.9	8.6	9.4	44.6	22.5	32.9	17.1	4.9	10.4	11.6	3.1	6.9	1.3	0.3	0.7
胆のう・胆管	C23-C24	78	64	142	3.9	4.9	4.3	17.6	12.9	15.1	6.0	3.2	4.4	4.0	2.1	2.9	0.4	0.2	0.3
膵臓	C25	159	141	300	8.0	10.9	9.1	36.0	28.4	31.9	15.6	8.1	11.6	11.1	5.6	8.2	1.5	0.5	1.0
喉頭	C32	6	1	7	0.3	0.1	0.2	1.4	0.2	0.7	0.5	0.1	0.3	0.3	0.0	0.2	0.0	0.0	0.0
肺	C33-C34	527	165	692	26.5	12.7	21.1	119.2	33.2	73.7	42.8	9.1	23.7	28.5	6.1	15.8	3.1	0.6	1.8
皮膚	C43-C44	11	5	16	0.6	0.4	0.5	2.5	1.0	1.7	1.0	0.3	0.6	0.7	0.3	0.5	0.1	0.0	0.0
乳房	C50	1	100	101	0.1	7.7	3.1	0.2	20.1	10.8	0.0	9.5	5.1	0.0	7.2	3.8	0.0	0.9	0.5
子宮	C53-C55	-	40	40	-	3.1	1.2	-	8.0	-	-	4.4	-	-	3.6	-	-	0.4	-
子宮頸部	C53	-	16	16	-	1.2	0.5	-	3.2	-	-	2.2	-	-	1.9	-	-	0.2	-
子宮体部	C54	-	15	15	-	1.2	0.5	-	3.0	-	-	1.5	-	-	1.2	-	-	0.2	-
卵巣	C56	-	31	31	-	2.4	0.9	-	6.2	-	-	3.4	-	-	2.7	-	-	0.3	-
前立腺	C61	108	-	108	5.4	-	3.3	24.4	-	-	7.3	-	-	4.8	-	-	0.4	-	-
膀胱	C67	66	23	89	3.3	1.8	2.7	14.9	4.6	9.5	4.4	1.1	2.4	3.0	0.7	1.6	0.3	0.1	0.2
腎・尿路（膀胱除く）	C64-C66 C68	40	23	63	2.0	1.8	1.9	9.0	4.6	6.7	3.4	1.2	2.2	2.3	0.7	1.4	0.3	0.1	0.2
脳・中枢神経系	C70-C72	9	11	20	0.5	0.8	0.6	2.0	2.2	2.1	1.3	1.0	1.2	0.9	0.7	0.8	0.1	0.1	0.1
甲状腺	C73	5	9	14	0.3	0.7	0.4	1.1	1.8	1.5	0.9	0.6	0.7	0.6	0.4	0.5	0.1	0.1	0.1
悪性リンパ腫	C81-C85 C96	52	50	102	2.6	3.9	3.1	11.8	10.1	10.9	4.0	2.4	3.1	2.4	1.6	1.9	0.2	0.1	0.2
多発性骨髄腫	C88-C90	16	13	29	0.8	1.0	0.9	3.6	2.6	3.1	1.1	0.6	0.8	0.7	0.4	0.5	0.1	0.1	0.1
白血病	C91-C95	51	38	89	2.6	2.9	2.7	11.5	7.6	9.5	4.8	2.7	3.7	3.3	1.8	2.5	0.4	0.2	0.3

\*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	1,992	0	0	0	1	0	0	5	3	11	15	37	56	118	251	321	319	390	306	130	27	2	0
	口腔・咽頭	C00-C14	43	0	0	0	0	0	0	0	1	0	1	3	3	2	10	5	5	6	4	3	0	0	0
	食道	C15	64	0	0	0	0	0	0	0	1	1	0	2	3	4	12	14	13	9	2	2	1	0	0
	胃	C16	249	0	0	0	0	0	0	0	0	3	1	6	2	14	27	41	35	60	41	16	3	0	0
	大腸（結腸・直腸）	C18-C20	233	0	0	0	1	0	0	2	0	1	1	6	17	17	31	32	33	40	23	25	4	0	0
	結腸	C18	149	0	0	0	1	0	0	1	0	0	1	5	10	6	18	20	21	27	19	17	3	0	0
	直腸	C19-C20	84	0	0	0	0	0	0	1	0	1	0	1	7	11	13	12	12	13	4	8	1	0	0
	肝および肝内胆管	C22	197	0	0	0	0	0	0	0	0	1	3	3	6	12	25	31	40	31	33	9	3	0	0
	胆のう・胆管	C23-C24	78	0	0	0	0	0	0	0	0	0	1	0	0	5	8	14	13	15	16	5	1	0	0
	膵臓	C25	159	0	0	0	0	0	0	0	0	1	1	4	5	20	27	37	16	30	17	1	0	0	0
	喉頭	C32	6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	2	0	0	0	0	0
	肺	C33-C34	527	0	0	0	0	0	0	0	1	0	4	5	7	28	70	86	102	104	81	32	6	1	0
	皮膚	C43-C44	11	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	1	4	2	0	0	0
	乳房	C50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	前立腺	C61	108	0	0	0	0	0	0	0	0	0	0	2	1	3	3	16	13	22	33	10	4	1	0
	膀胱	C67	66	0	0	0	0	0	0	0	0	0	0	0	1	2	10	6	5	13	15	11	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	40	0	0	0	0	0	0	0	0	0	1	0	3	1	2	10	4	8	8	3	0	0	0
	脳・中枢神経系	C70-C72	9	0	0	0	0	0	0	1	0	0	1	0	1	0	0	3	3	0	0	0	0	0	0
	甲状腺	C73	5	0	0	0	0	0	0	1	0	1	0	0	0	0	1	1	0	1	0	0	0	0	0
	悪性リンパ腫	C81-C85 C96	52	0	0	0	0	0	0	0	0	1	0	1	0	0	5	6	12	17	6	2	2	0	0
	多発性骨髄腫	C88-C90	16	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	4	4	3	0	0	0
	白血病	C91-C95	51	0	0	0	0	0	0	1	0	1	0	1	2	3	6	8	11	9	7	2	0	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,295	0	0	0	0	0	4	1	5	12	25	24	42	49	123	126	175	221	246	181	55	6	0
	口腔・咽頭	C00-C14	19	0	0	0	0	0	0	0	0	0	1	0	1	1	2	3	2	3	2	3	1	0	0
	食道	C15	19	0	0	0	0	0	0	0	0	0	0	1	1	1	2	1	2	2	5	3	1	0	0
	胃	C16	151	0	0	0	0	0	0	0	0	2	3	5	4	5	12	9	26	23	28	25	9	0	0
	大腸（結腸・直腸）	C18-C20	218	0	0	0	0	0	0	0	1	4	1	4	9	10	19	19	18	37	43	40	12	1	0
	結腸	C18	173	0	0	0	0	0	0	0	1	3	0	4	8	7	14	13	13	28	35	36	10	1	0
	直腸	C19-C20	45	0	0	0	0	0	0	0	0	1	1	0	1	3	5	6	5	9	8	4	2	0	0
	肝および肝内胆管	C22	112	0	0	0	0	0	0	0	0	0	1	1	0	2	2	13	15	28	31	14	4	1	0
	胆のう・胆管	C23-C24	64	0	0	0	0	0	0	0	1	0	0	0	2	1	6	2	11	12	11	14	3	1	0
	膵臓	C25	141	0	0	0	0	0	0	0	0	1	3	3	1	7	17	6	25	23	27	19	7	2	0
	喉頭	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	肺	C33-C34	165	0	0	0	0	0	0	0	0	0	2	0	5	6	16	17	28	31	32	24	4	0	0
	皮膚	C43-C44	5	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	2	0	0	0
	乳房	C50	100	0	0	0	0	0	1	1	1	1	4	5	7	7	14	19	7	13	7	9	4	0	0
	子宮	C53-C55	40	0	0	0	0	0	2	0	1	0	5	0	1	3	5	9	3	3	4	4	0	0	0
	子宮頸部	C53	16	0	0	0	0	0	2	0	1	0	2	0	0	0	1	4	1	3	1	1	0	0	0
	子宮体部	C54	15	0	0	0	0	0	0	0	0	0	3	0	0	2	3	3	0	0	2	2	0	0	0
	卵巣	C56	31	0	0	0	0	0	1	0	0	1	3	1	4	2	2	4	2	4	2	4	1	0	0
	膀胱	C67	23	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	2	7	4	1	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	23	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	5	8	4	1	1	0	0
	脳・中枢神経系	C70-C72	11	0	0	0	0	0	0	0	0	0	0	0	3	0	3	1	1	1	2	0	0	0	0
	甲状腺	C73	9	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1	0	1	4	0	0	0	0
	悪性リンパ腫	C81-C85 C96	50	0	0	0	0	0	0	0	0	0	0	0	1	2	4	3	8	13	12	7	0	0	0
	多発性骨髄腫	C88-C90	13	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	1	0	7	1	0	0	0
	白血病	C91-C95	38	0	0	0	0	0	0	0	1	1	1	1	1	0	2	4	9	7	7	1	3	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計



表10. 年齢階級別死亡数： 部位別、性別

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	3,287	0	0	0	1	0	4	6	8	23	40	61	98	167	374	447	494	611	552	311	82	8	0
	口腔・咽頭	C00-C14	62	0	0	0	0	0	0	0	1	0	2	3	4	3	12	8	7	9	6	6	1	0	0
	食道	C15	83	0	0	0	0	0	0	0	1	1	0	3	4	5	14	15	15	11	7	5	2	0	0
	胃	C16	400	0	0	0	0	0	0	0	0	5	4	11	6	19	39	50	61	83	69	41	12	0	0
	大腸（結腸・直腸）	C18-C20	451	0	0	0	1	0	0	2	1	5	2	10	26	27	50	51	51	77	66	65	16	1	0
	結腸	C18	322	0	0	0	1	0	0	1	1	3	1	9	18	13	32	33	34	55	54	53	13	1	0
	直腸	C19-C20	129	0	0	0	0	0	0	1	0	2	1	1	8	14	18	18	17	22	12	12	3	0	0
	肝および肝内胆管	C22	309	0	0	0	0	0	0	0	0	1	4	4	6	14	27	44	55	59	64	23	7	1	0
	胆のう・胆管	C23-C24	142	0	0	0	0	0	0	0	1	0	1	0	2	6	14	16	24	27	27	19	4	1	0
	膵臓	C25	300	0	0	0	0	0	0	0	0	2	4	7	6	27	44	43	41	53	44	20	7	2	0
	喉頭	C32	7	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	2	0	0	0	0	0
	肺	C33-C34	692	0	0	0	0	0	0	0	1	0	6	5	12	34	86	103	130	135	113	56	10	1	0
	皮膚	C43-C44	16	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	0	1	5	4	0	0	0
	乳房	C50	101	0	0	0	0	0	1	1	1	1	4	5	7	7	14	19	7	13	8	9	4	0	0
	子宮	C53-C55	40	0	0	0	0	0	2	0	1	0	5	0	1	3	5	9	3	3	4	4	0	0	0
	子宮頸部	C53	16	0	0	0	0	0	2	0	1	0	2	0	0	0	1	4	1	3	1	1	0	0	0
	子宮体部	C54	15	0	0	0	0	0	0	0	0	0	3	0	0	2	3	3	0	0	2	2	0	0	0
	卵巣	C56	31	0	0	0	0	0	1	0	0	1	3	1	4	2	2	4	2	4	2	4	1	0	0
	前立腺	C61	108	0	0	0	0	0	0	0	0	0	0	2	1	3	3	16	13	22	33	10	4	1	0
	膀胱	C67	89	0	0	0	0	0	0	0	0	0	0	0	1	2	12	10	7	20	19	12	6	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	63	0	0	0	0	0	0	0	0	0	1	0	4	1	3	12	9	16	12	4	1	0	0
	脳・中枢神経系	C70-C72	20	0	0	0	0	0	0	1	0	0	1	0	4	0	3	4	4	1	2	0	0	0	0
	甲状腺	C73	14	0	0	0	0	0	0	1	0	1	0	1	0	0	3	2	0	2	4	0	0	0	0
	悪性リンパ腫	C81-C85 C96	102	0	0	0	0	0	0	0	0	1	0	1	1	2	9	9	20	30	18	9	2	0	0
	多発性骨髄腫	C88-C90	29	0	0	0	0	0	0	0	0	0	0	0	0	2	1	5	2	4	11	4	0	0	0
	白血病	C91-C95	89	0	0	0	0	0	0	1	1	2	1	2	3	3	8	12	20	16	14	3	3	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
男	全部位	C00-C97	450.7	0.0	0.0	0.0	4.2	0.0	0.0	22.7	12.5	35.5	46.9	132.1	193.1	393.3	643.6	1,106.9	1,276.0	2,052.6	1,912.5	.	.	.	.
	口腔・咽頭	C00-C14	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	3.1	10.7	10.3	6.7	25.6	17.2	20.0	31.6	25.0	.	.	.	.
	食道	C15	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	3.2	0.0	7.1	10.3	13.3	30.8	48.3	52.0	47.4	12.5	.	.	.	.
	胃	C16	56.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	3.1	21.4	6.9	46.7	69.2	141.4	140.0	315.8	256.3	.	.	.	.
	大腸（結腸・直腸）	C18-C20	52.7	0.0	0.0	0.0	4.2	0.0	0.0	9.1	0.0	3.2	3.1	21.4	58.6	56.7	79.5	110.3	132.0	210.5	143.8	.	.	.	.
	結腸	C18	33.7	0.0	0.0	0.0	4.2	0.0	0.0	4.5	0.0	0.0	3.1	17.9	34.5	20.0	46.2	69.0	84.0	142.1	118.8	.	.	.	.
	直腸	C19-C20	19.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.2	0.0	3.6	24.1	36.7	33.3	41.4	48.0	68.4	25.0	.	.	.	.
	肝および肝内胆管	C22	44.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9.4	10.7	20.7	40.0	64.1	106.9	160.0	163.2	206.3	.	.	.	.
	胆のう・胆管	C23-C24	17.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	16.7	20.5	48.3	52.0	78.9	100.0	.	.	.	.
	膵臓	C25	36.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.1	14.3	17.2	66.7	69.2	127.6	64.0	157.9	106.3	.	.	.	.
	喉頭	C32	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	3.4	8.0	10.5	0.0	.	.	.	.
	肺	C33-C34	119.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	12.5	17.9	24.1	93.3	179.5	296.6	408.0	547.4	506.3	.	.	.	.
	皮膚	C43-C44	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	3.4	3.3	0.0	3.4	0.0	5.3	25.0	.	.	.	.
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	.	.	.	.
	前立腺	C61	24.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.4	10.0	7.7	55.2	52.0	115.8	206.3	.	.	.	.
	膀胱	C67	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.7	25.6	20.7	20.0	68.4	93.8	.	.	.	.
	腎・尿路（膀胱除く）	C64-C66 C68	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	10.3	3.3	5.1	34.5	16.0	42.1	50.0	.	.	.	.
	脳・中枢神経系	C70-C72	2.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	3.1	0.0	3.4	0.0	0.0	10.3	12.0	0.0	0.0	.	.	.	.
	甲状腺	C73	1.1	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.2	0.0	0.0	0.0	0.0	2.6	3.4	0.0	5.3	0.0	.	.	.	.
	悪性リンパ腫	C81-C85 C96	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	3.6	0.0	0.0	12.8	20.7	48.0	89.5	37.5	.	.	.	.
	多発性骨髄腫	C88-C90	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.6	6.9	4.0	21.1	25.0	.	.	.	.
	白血病	C91-C95	11.5	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.2	0.0	3.6	6.9	10.0	15.4	27.6	44.0	47.4	43.8	.	.	.	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
女	全部位	C00-C97	260.6	0.0	0.0	0.0	0.0	0.0	21.1	4.5	20.0	37.5	75.8	75.0	135.5	148.5	286.0	360.0	546.9	762.1	683.3	.	.	.	.
	口腔・咽頭	C00-C14	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	3.2	3.0	4.7	8.6	6.3	10.3	5.6	.	.	.	.
	食道	C15	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.2	3.0	4.7	2.9	6.3	6.9	13.9	.	.	.	.
	胃	C16	30.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	9.1	15.6	12.9	15.2	27.9	25.7	81.3	79.3	77.8	.	.	.	.
	大腸（結腸・直腸）	C18-C20	43.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	12.5	3.0	12.5	29.0	30.3	44.2	54.3	56.3	127.6	119.4	.	.	.	.
	結腸	C18	34.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	9.4	0.0	12.5	25.8	21.2	32.6	37.1	40.6	96.6	97.2	.	.	.	.
	直腸	C19-C20	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.0	0.0	3.2	9.1	11.6	17.1	15.6	31.0	22.2	.	.	.	.
	肝および肝内胆管	C22	22.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.1	0.0	6.1	4.7	37.1	46.9	96.6	86.1	.	.	.	.
	胆のう・胆管	C23-C24	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	6.5	3.0	14.0	5.7	34.4	41.4	30.6	.	.	.	.
	膵臓	C25	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	9.1	9.4	3.2	21.2	39.5	17.1	78.1	79.3	75.0	.	.	.	.
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	.	.	.	.
	肺	C33-C34	33.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	16.1	18.2	37.2	48.6	87.5	106.9	88.9	.	.	.	.
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	2.3	0.0	0.0	0.0	2.8	.	.	.	.
	乳房	C50	20.1	0.0	0.0	0.0	0.0	0.0	5.3	4.5	4.0	3.1	12.1	15.6	22.6	21.2	32.6	54.3	21.9	44.8	19.4	.	.	.	.
	子宮	C53-C55	8.0	0.0	0.0	0.0	0.0	0.0	10.5	0.0	4.0	0.0	15.2	0.0	3.2	9.1	11.6	25.7	9.4	10.3	11.1	.	.	.	.
	子宮頸部	C53	3.2	0.0	0.0	0.0	0.0	0.0	10.5	0.0	4.0	0.0	6.1	0.0	0.0	0.0	2.3	11.4	3.1	10.3	2.8	.	.	.	.
	子宮体部	C54	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.0	0.0	6.1	7.0	8.6	0.0	0.0	5.6	.	.	.	.
	卵巣	C56	6.2	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	3.1	9.1	3.1	12.9	6.1	4.7	11.4	6.3	13.8	5.6	.	.	.	.
	膀胱	C67	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	11.4	6.3	24.1	11.1	.	.	.	.
	腎・尿路（膀胱除く）	C64-C66 C68	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.3	5.7	15.6	27.6	11.1	.	.	.	.
	脳・中枢神経系	C70-C72	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	0.0	7.0	2.9	3.1	3.4	5.6	.	.	.	.
	甲状腺	C73	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	4.7	2.9	0.0	3.4	11.1	.	.	.	.
	悪性リンパ腫	C81-C85 C96	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.1	9.3	8.6	25.0	44.8	33.3	.	.	.	.
	多発性骨髄腫	C88-C90	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	8.6	3.1	0.0	19.4	.	.	.	.
	白血病	C91-C95	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.1	3.0	3.1	3.2	0.0	4.7	11.4	28.1	24.1	19.4	.	.	.	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
総数 *2	全部位	C00-C97	350.1	0.0	0.0	0.0	2.1	0.0	10.5	13.6	16.3	36.5	61.5	101.7	163.3	265.1	456.1	698.4	866.7	1,272.9	1,061.5	.	.	.	.
	口腔・咽頭	C00-C14	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	3.1	5.0	6.7	4.8	14.6	12.5	12.3	18.8	11.5	.	.	.	.
	食道	C15	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.6	0.0	5.0	6.7	7.9	17.1	23.4	26.3	22.9	13.5	.	.	.	.
	胃	C16	42.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	6.2	18.3	10.0	30.2	47.6	78.1	107.0	172.9	132.7	.	.	.	.
	大腸（結腸・直腸）	C18-C20	48.0	0.0	0.0	0.0	2.1	0.0	0.0	4.5	2.0	7.9	3.1	16.7	43.3	42.9	61.0	79.7	89.5	160.4	126.9	.	.	.	.
	結腸	C18	34.3	0.0	0.0	0.0	2.1	0.0	0.0	2.3	2.0	4.8	1.5	15.0	30.0	20.6	39.0	51.6	59.6	114.6	103.8	.	.	.	.
	直腸	C19-C20	13.7	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	3.2	1.5	1.7	13.3	22.2	22.0	28.1	29.8	45.8	23.1	.	.	.	.
	肝および肝内胆管	C22	32.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.2	6.7	10.0	22.2	32.9	68.8	96.5	122.9	123.1	.	.	.	.
	胆のう・胆管	C23-C24	15.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.5	0.0	3.3	9.5	17.1	25.0	42.1	56.3	51.9	.	.	.	.
	膵臓	C25	31.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.2	11.7	10.0	42.9	53.7	67.2	71.9	110.4	84.6	.	.	.	.
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.6	5.3	4.2	0.0	.	.	.	.
	肺	C33-C34	73.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	9.2	8.3	20.0	54.0	104.9	160.9	228.1	281.3	217.3	.	.	.	.
	皮膚	C43-C44	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.7	1.7	1.6	1.2	1.6	0.0	2.1	9.6	.	.	.	.
	乳房	C50	10.8	0.0	0.0	0.0	0.0	0.0	2.6	2.3	2.0	1.6	6.2	8.3	11.7	11.1	17.1	29.7	12.3	27.1	15.4	.	.	.	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.2	14.6	15.6	12.3	41.7	36.5	.	.	.	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	6.7	1.6	3.7	18.8	15.8	33.3	23.1	.	.	.	.
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	1.5	0.0	6.7	0.0	3.7	6.3	7.0	2.1	3.8	.	.	.	.
	甲状腺	C73	1.5	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.6	0.0	1.7	0.0	0.0	3.7	3.1	0.0	4.2	7.7	.	.	.	.
	悪性リンパ腫	C81-C85 C96	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.7	1.7	3.2	11.0	14.1	35.1	62.5	34.6	.	.	.	.
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	1.2	7.8	3.5	8.3	21.2	.	.	.	.
	白血病	C91-C95	9.5	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.0	3.2	1.5	3.3	5.0	4.8	9.8	18.8	35.1	33.3	26.9	.	.	.	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	450.7	0.0	0.0	0.0	4.2	0.0	0.0	22.7	12.5	35.5	46.9	132.1	193.1	393.3	643.6	1,106.9	1,276.0	2,052.6	2,906.3	.
	口腔・咽頭	C00-C14	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	3.1	10.7	10.3	6.7	25.6	17.2	20.0	31.6	43.8	.
	食道	C15	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	3.2	0.0	7.1	10.3	13.3	30.8	48.3	52.0	47.4	31.3	.
	胃	C16	56.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	3.1	21.4	6.9	46.7	69.2	141.4	140.0	315.8	375.0	.
	大腸（結腸・直腸）	C18-C20	52.7	0.0	0.0	0.0	4.2	0.0	0.0	9.1	0.0	3.2	3.1	21.4	58.6	56.7	79.5	110.3	132.0	210.5	325.0	.
	結腸	C18	33.7	0.0	0.0	0.0	4.2	0.0	0.0	4.5	0.0	0.0	3.1	17.9	34.5	20.0	46.2	69.0	84.0	142.1	243.8	.
	直腸	C19-C20	19.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.2	0.0	3.6	24.1	36.7	33.3	41.4	48.0	68.4	81.3	.
	肝および肝内胆管	C22	44.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9.4	10.7	20.7	40.0	64.1	106.9	160.0	163.2	281.3	.
	胆のう・胆管	C23-C24	17.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	16.7	20.5	48.3	52.0	78.9	137.5	.
	膵臓	C25	36.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.1	14.3	17.2	66.7	69.2	127.6	64.0	157.9	112.5	.
	喉頭	C32	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	3.4	8.0	10.5	0.0	.
	肺	C33-C34	119.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	12.5	17.9	24.1	93.3	179.5	296.6	408.0	547.4	750.0	.
	皮膚	C43-C44	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	3.4	3.3	0.0	3.4	0.0	5.3	37.5	.
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	.
	前立腺	C61	24.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.4	10.0	7.7	55.2	52.0	115.8	300.0	.
	膀胱	C67	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.7	25.6	20.7	20.0	68.4	181.3	.
	腎・尿路（膀胱除く）	C64-C66 C68	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	10.3	3.3	5.1	34.5	16.0	42.1	68.8	.
	脳・中枢神経系	C70-C72	2.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	3.1	0.0	3.4	0.0	0.0	10.3	12.0	0.0	0.0	.
	甲状腺	C73	1.1	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.2	0.0	0.0	0.0	0.0	2.6	3.4	0.0	5.3	0.0	.
	悪性リンパ腫	C81-C85 C96	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	3.6	0.0	0.0	12.8	20.7	48.0	89.5	62.5	.
	多発性骨髄腫	C88-C90	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.6	6.9	4.0	21.1	43.8	.
	白血病	C91-C95	11.5	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.2	0.0	3.6	6.9	10.0	15.4	27.6	44.0	47.4	56.3	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	260.6	0.0	0.0	0.0	0.0	0.0	21.1	4.5	20.0	37.5	75.8	75.0	135.5	148.5	286.0	360.0	546.9	762.1	1,355.6	.
	口腔・咽頭	C00-C14	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	3.2	3.0	4.7	8.6	6.3	10.3	16.7	.
	食道	C15	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.2	3.0	4.7	2.9	6.3	6.9	25.0	.
	胃	C16	30.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	9.1	15.6	12.9	15.2	27.9	25.7	81.3	79.3	172.2	.
	大腸（結腸・直腸）	C18-C20	43.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	12.5	3.0	12.5	29.0	30.3	44.2	54.3	56.3	127.6	266.7	.
	結腸	C18	34.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	9.4	0.0	12.5	25.8	21.2	32.6	37.1	40.6	96.6	227.8	.
	直腸	C19-C20	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.0	0.0	3.2	9.1	11.6	17.1	15.6	31.0	38.9	.
	肝および肝内胆管	C22	22.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3.1	0.0	6.1	4.7	37.1	46.9	96.6	138.9	.
	胆のう・胆管	C23-C24	12.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	6.5	3.0	14.0	5.7	34.4	41.4	80.6	.
	膵臓	C25	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	9.1	9.4	3.2	21.2	39.5	17.1	78.1	79.3	152.8	.
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	.
	肺	C33-C34	33.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	16.1	18.2	37.2	48.6	87.5	106.9	166.7	.
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	2.3	0.0	0.0	0.0	8.3	.
	乳房	C50	20.1	0.0	0.0	0.0	0.0	0.0	5.3	4.5	4.0	3.1	12.1	15.6	22.6	21.2	32.6	54.3	21.9	44.8	55.6	.
	子宮	C53-C55	8.0	0.0	0.0	0.0	0.0	0.0	10.5	0.0	4.0	0.0	15.2	0.0	3.2	9.1	11.6	25.7	9.4	10.3	22.2	.
	子宮頸部	C53	3.2	0.0	0.0	0.0	0.0	0.0	10.5	0.0	4.0	0.0	6.1	0.0	0.0	0.0	2.3	11.4	3.1	10.3	5.6	.
	子宮体部	C54	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.0	0.0	6.1	7.0	8.6	0.0	0.0	11.1	.
	卵巣	C56	6.2	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	3.1	9.1	3.1	12.9	6.1	4.7	11.4	6.3	13.8	19.4	.
	膀胱	C67	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	11.4	6.3	24.1	22.2	.
	腎・尿路（膀胱除く）	C64-C66 C68	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	2.3	5.7	15.6	27.6	16.7	.
	脳・中枢神経系	C70-C72	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	0.0	7.0	2.9	3.1	3.4	5.6	.
	甲状腺	C73	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	4.7	2.9	0.0	3.4	11.1	.
	悪性リンパ腫	C81-C85 C96	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.1	9.3	8.6	25.0	44.8	52.8	.
	多発性骨髄腫	C88-C90	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	8.6	3.1	0.0	22.2	.
	白血病	C91-C95	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.1	3.0	3.1	3.2	0.0	4.7	11.4	28.1	24.1	30.6	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

和歌山県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	350.1	0.0	0.0	0.0	2.1	0.0	10.5	13.6	16.3	36.5	61.5	101.7	163.3	265.1	456.1	698.4	866.7	1,272.9	1,832.7	.
	口腔・咽頭	C00-C14	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	3.1	5.0	6.7	4.8	14.6	12.5	12.3	18.8	25.0	.
	食道	C15	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.6	0.0	5.0	6.7	7.9	17.1	23.4	26.3	22.9	26.9	.
	胃	C16	42.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	6.2	18.3	10.0	30.2	47.6	78.1	107.0	172.9	234.6	.
	大腸（結腸・直腸）	C18-C20	48.0	0.0	0.0	0.0	2.1	0.0	0.0	4.5	2.0	7.9	3.1	16.7	43.3	42.9	61.0	79.7	89.5	160.4	284.6	.
	結腸	C18	34.3	0.0	0.0	0.0	2.1	0.0	0.0	2.3	2.0	4.8	1.5	15.0	30.0	20.6	39.0	51.6	59.6	114.6	232.7	.
	直腸	C19-C20	13.7	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	3.2	1.5	1.7	13.3	22.2	22.0	28.1	29.8	45.8	51.9	.
	肝および肝内胆管	C22	32.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.2	6.7	10.0	22.2	32.9	68.8	96.5	122.9	182.7	.
	胆のう・胆管	C23-C24	15.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.5	0.0	3.3	9.5	17.1	25.0	42.1	56.3	98.1	.
	膵臓	C25	31.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	6.2	11.7	10.0	42.9	53.7	67.2	71.9	110.4	140.4	.
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.6	5.3	4.2	0.0	.
	肺	C33-C34	73.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	9.2	8.3	20.0	54.0	104.9	160.9	228.1	281.3	346.2	.
	皮膚	C43-C44	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.7	1.7	1.6	1.2	1.6	0.0	2.1	17.3	.
	乳房	C50	10.8	0.0	0.0	0.0	0.0	0.0	2.6	2.3	2.0	1.6	6.2	8.3	11.7	11.1	17.1	29.7	12.3	27.1	40.4	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.2	14.6	15.6	12.3	41.7	71.2	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	6.7	1.6	3.7	18.8	15.8	33.3	32.7	.
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	1.5	0.0	6.7	0.0	3.7	6.3	7.0	2.1	3.8	.
	甲状腺	C73	1.5	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.6	0.0	1.7	0.0	0.0	3.7	3.1	0.0	4.2	7.7	.
	悪性リンパ腫	C81-C85 C96	10.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.7	1.7	3.2	11.0	14.1	35.1	62.5	55.8	.
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	1.2	7.8	3.5	8.3	28.8	.
	白血病	C91-C95	9.5	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.0	3.2	1.5	3.3	5.0	4.8	9.8	18.8	35.1	33.3	38.5	.

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

和歌山県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C96 000-D47	5,483	4,205	9,689	100.0	100.0	100.0	1,234.9	839.3	1,025.3	545.0	438.2	480.2	385.8	335.7	354.0	46.3	35.5	40.4
全部位	000-C96	4,931	3,565	8,497	89.9	84.8	87.7	1,110.6	711.6	899.2	485.1	339.6	401.5	343.3	255.7	292.9	41.2	27.9	34.1
口唇	000	2	0	2	0.0	0.0	0.0	0.5	0.0	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
舌根<基底>部	001	6	1	7	0.1	0.0	0.1	1.4	0.2	0.7	0.7	0.0	0.4	0.6	0.0	0.3	0.1	0.0	0.0
その他および部位不明の舌	002	20	14	34	0.4	0.3	0.4	4.5	2.8	3.6	2.4	1.2	1.7	1.7	0.8	1.2	0.2	0.1	0.2
歯肉	003	12	15	27	0.2	0.4	0.3	2.7	3.0	2.9	1.2	1.1	1.1	0.9	0.8	0.8	0.1	0.1	0.1
口腔底	004	7	0	7	0.1	0.0	0.1	1.6	0.0	0.7	1.1	0.0	0.5	0.8	0.0	0.4	0.1	0.0	0.0
口蓋	005	1	4	5	0.0	0.1	0.1	0.2	0.8	0.5	0.1	0.4	0.2	0.1	0.2	0.2	0.0	0.0	0.0
その他および部位不明の口腔	006	3	4	7	0.1	0.1	0.1	0.7	0.8	0.7	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
耳下腺	007	5	3	8	0.1	0.1	0.1	1.1	0.6	0.8	0.6	0.3	0.4	0.5	0.2	0.3	0.1	0.0	0.1
その他および部位不明の大唾液腺	008	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
扁桃	009	9	5	14	0.2	0.1	0.1	2.0	1.0	1.5	1.2	0.5	0.8	0.9	0.4	0.6	0.1	0.0	0.1
中咽頭	010	10	6	16	0.2	0.1	0.2	2.3	1.2	1.7	1.3	0.6	1.0	0.9	0.5	0.7	0.1	0.0	0.1
鼻<上>咽頭	011	2	1	3	0.0	0.0	0.0	0.5	0.2	0.3	0.2	0.1	0.1	0.2	0.0	0.1	0.0	0.0	0.0
梨状陥凹<洞>	012	17	0	17	0.3	0.0	0.2	3.8	0.0	1.8	1.9	0.0	0.9	1.4	0.0	0.7	0.2	0.0	0.1
下咽頭	013	11	0	11	0.2	0.0	0.1	2.5	0.0	1.2	1.1	0.0	0.5	0.8	0.0	0.4	0.1	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	2	0	2	0.0	0.0	0.0	0.5	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
食道	015	169	40	209	3.1	1.0	2.2	38.1	8.0	22.1	18.3	3.3	10.2	13.3	2.4	7.4	1.7	0.3	1.0
胃	016	847	405	1,252	15.4	9.6	12.9	190.8	80.8	132.5	80.3	27.4	51.3	55.8	18.9	35.7	7.1	2.2	4.5
小腸	017	24	11	35	0.4	0.3	0.4	5.4	2.2	3.7	3.2	0.8	1.9	2.6	0.6	1.5	0.3	0.1	0.2
結腸	018	455	439	894	8.3	10.4	9.2	102.5	87.6	94.6	43.7	31.2	36.8	30.1	21.8	25.5	3.5	2.5	3.0
直腸S状結腸移行部	019	70	49	119	1.3	1.2	1.2	15.8	9.8	12.6	7.9	4.8	6.2	5.8	3.6	4.6	0.7	0.4	0.6
直腸	020	229	110	340	4.2	2.6	3.5	51.6	22.0	36.0	25.2	8.8	16.3	18.1	6.3	11.8	2.2	0.7	1.4
肛門および肛門管	021	4	8	12	0.1	0.2	0.1	0.9	1.6	1.3	0.4	0.9	0.7	0.3	0.7	0.5	0.0	0.1	0.1
肝および肝内胆管	022	311	159	470	5.7	3.8	4.9	70.0	31.7	49.7	28.9	10.0	18.5	19.8	7.1	12.8	2.4	0.8	1.5
胆のう	023	24	35	59	0.4	0.8	0.6	5.4	7.0	6.2	2.1	2.3	2.2	1.4	1.5	1.5	0.2	0.1	0.2
その他および部位不明の胆道	024	67	47	114	1.2	1.1	1.2	15.1	9.4	12.1	5.7	2.1	3.7	3.9	1.3	2.5	0.4	0.1	0.3
膵臓	025	222	188	410	4.0	4.5	4.2	50.0	37.5	43.4	21.5	11.0	15.9	15.1	7.6	11.1	1.9	0.8	1.3
その他および部位不明の消化器	026	8	4	12	0.1	0.1	0.1	1.8	0.8	1.3	0.9	0.4	0.6	0.7	0.3	0.5	0.1	0.1	0.1
鼻腔および中耳	030	4	2	6	0.1	0.0	0.1	0.9	0.4	0.6	0.5	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0
副鼻腔	031	6	6	12	0.1	0.1	0.1	1.4	1.2	1.3	0.7	0.3	0.5	0.5	0.2	0.4	0.0	0.0	0.0
喉頭	032	51	5	56	0.9	0.1	0.6	11.5	1.0	5.9	5.7	0.5	2.9	4.0	0.4	2.1	0.5	0.0	0.3
気管	033	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	740	338	1,078	13.5	8.0	11.1	166.7	67.5	114.1	67.8	25.4	44.2	46.8	18.0	30.9	5.9	2.1	3.9
胸腺	037	3	2	5	0.1	0.0	0.1	0.7	0.4	0.5	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.0	0.0
心臓、縦隔および胸膜	038	3	1	4	0.1	0.0	0.0	0.7	0.2	0.4	0.8	0.1	0.4	0.9	0.1	0.5	0.1	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.3	0.3	0.1	0.3	0.2	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.3	0.2	0.0	0.0	0.0
皮膚の悪性黒色腫	043	5	7	12	0.1	0.2	0.1	1.1	1.4	1.3	0.7	0.6	0.6	0.6	0.4	0.5	0.1	0.0	0.1
皮膚のその他	044	102	81	183	1.9	1.9	1.9	23.0	16.2	19.4	9.1	4.9	6.8	6.2	3.9	4.9	0.6	0.4	0.5
中皮腫	045	14	1	15	0.3	0.0	0.2	3.2	0.2	1.6	1.0	0.1	0.5	0.7	0.1	0.4	0.1	0.0	0.0
カポジ肉腫	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	048	4	16	20	0.1	0.4	0.2	0.9	3.2	2.1	0.5	1.8	1.2	0.4	1.4	0.9	0.1	0.1	0.1
その他の結合組織および軟部組織	049	9	11	20	0.2	0.3	0.2	2.0	2.2	2.1	1.2	1.1	1.1	1.0	0.8	0.9	0.1	0.1	0.1
乳房	050	6	668	674	0.1	15.9	7.0	1.4	133.3	71.3	0.4	87.9	46.4	0.3	68.4	36.0	0.0	7.6	4.0
外陰	051	-	14	14	-	0.3	0.1	-	2.8	-	-	0.8	-	-	0.6	-	-	0.1	-
陰	052	-	5	5	-	0.1	0.1	-	1.0	-	-	0.3	-	-	0.2	-	-	0.0	-
子宮頸部	053	-	77	77	-	1.8	0.8	-	15.4	-	-	12.8	-	-	10.2	-	-	1.0	-
子宮体部	054	-	121	121	-	2.9	1.2	-	24.2	-	-	18.1	-	-	14.2	-	-	1.6	-
子宮部位不明	055	-	11	11	-	0.3	0.1	-	2.2	-	-	0.6	-	-	0.5	-	-	0.1	-
卵巣	056	-	104	104	-	2.5	1.1	-	20.8	-	-	16.6	-	-	13.4	-	-	1.3	-
その他および部位不明の女性性器	057	-	1	1	-	0.0	0.0	-	0.2	-	-	0.1	-	-	0.1	-	-	0.0	-
胎盤	058	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	060	10	-	10	0.2	-	0.1	2.3	-	-	0.6	-	-	0.4	-	-	0.0	-	-
前立腺	061	728	-	728	13.3	-	7.5	164.0	-	-	62.7	-	-	42.0	-	-	5.2	-	-
精巣	062	25	-	25	0.5	-	0.3	5.6	-	-	6.2	-	-	5.0	-	-	0.5	-	-
その他および部位不明の男性性器	063	5	-	5	0.1	-	0.1	1.1	-	-	0.3	-	-	0.2	-	-	0.0	-	-
腎盂を除く腎	064	113	43	156	2.1	1.0	1.6	25.5	8.6	16.5	14.1	4.8	9.1	11.7	3.6	7.5	1.3	0.4	0.8
腎盂	065	17	11	28	0.3	0.3	0.3	3.8	2.2	3.0	1.5	0.6	1.0	1.1	0.4	0.7	0.1	0.1	0.1
尿管	066	16	18	34	0.3	0.4	0.4	3.6	3.6	3.6	1.5	1.1	1.3	1.0	0.7	0.8	0.2	0.1	0.1
膀胱	067	158	42	200	2.9	1.0	2.1	35.6	8.4	21.2	13.4	2.7	7.4	9.1	1.8	5.1	1.1	0.2	0.6
その他および部位不明の泌尿器	068	2	0	2	0.0	0.0	0.0	0.5	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
眼および付属器	069	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	070	0	0	0															



付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

和歌山県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	416	441	857	7.6	10.5	8.8	93.7	88.0	90.7	44.1	76.1	59.6	31.1	62.2	46.4	3.9	5.7	4.8
口腔、食道および胃	D00	45	10	55	0.8	0.2	0.6	10.1	2.0	5.8	4.4	0.8	2.5	3.1	0.6	1.7	0.4	0.1	0.2
食道	D001	31	7	38	0.6	0.2	0.4	7.0	1.4	4.0	3.0	0.5	1.6	2.1	0.3	1.1	0.3	0.0	0.1
その他および部位不明の消化器	D01	190	125	315	3.5	3.0	3.3	42.8	25.0	33.3	22.1	11.8	16.5	15.9	8.6	12.0	2.0	1.1	1.5
結腸	D010	125	83	208	2.3	2.0	2.1	28.2	16.6	22.0	14.3	7.7	10.7	10.3	5.5	7.7	1.3	0.7	1.0
直腸S状結腸移行部	D011	7	4	11	0.1	0.1	0.1	1.6	0.8	1.2	0.8	0.3	0.5	0.6	0.2	0.4	0.1	0.0	0.0
直腸	D012	35	11	46	0.6	0.3	0.5	7.9	2.2	4.9	4.3	1.1	2.6	3.1	0.8	1.8	0.4	0.1	0.2
中耳および呼吸器系	D02	4	1	5	0.1	0.0	0.1	0.9	0.2	0.5	0.4	0.1	0.2	0.4	0.0	0.2	0.1	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	4	3	7	0.1	0.1	0.1	0.9	0.6	0.7	0.5	0.2	0.3	0.4	0.1	0.3	0.0	0.0	0.0
皮膚のその他	D04	17	26	43	0.3	0.6	0.4	3.8	5.2	4.6	1.5	1.6	1.6	1.0	1.1	1.1	0.1	0.1	0.1
乳房	D05	0	54	54	0.0	1.3	0.6	0.0	10.8	5.7	0.0	7.9	4.2	0.0	6.2	3.2	0.0	0.7	0.4
子宮頸部	D06	-	183	183	-	4.4	1.9	-	36.5	-	-	50.6	-	-	43.5	-	-	3.5	-
その他および部位不明の性器	D07	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0
その他および部位不明	D09	156	38	194	2.8	0.9	2.0	35.1	7.6	20.5	15.2	2.8	8.4	10.4	2.0	5.8	1.3	0.3	0.8
膀胱	D090	145	35	180	2.6	0.8	1.9	32.7	7.0	19.0	14.3	2.6	7.9	9.8	1.8	5.5	1.2	0.3	0.7
良性腫瘍	D32-D35	51	118	169	0.9	2.8	1.7	11.5	23.6	17.9	7.3	14.6	11.1	5.6	11.7	8.8	0.6	1.3	1.0
髄膜	D32	20	80	100	0.4	1.9	1.0	4.5	16.0	10.6	2.4	8.7	5.7	1.7	6.5	4.3	0.2	0.8	0.5
脳および中枢神経系	D33	19	23	42	0.3	0.5	0.4	4.3	4.6	4.4	2.9	3.0	3.0	2.3	2.7	2.5	0.2	0.2	0.2
下垂体	D352	12	15	27	0.2	0.4	0.3	2.7	3.0	2.9	2.1	2.9	2.5	1.6	2.5	2.0	0.2	0.2	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	81	77	158	1.5	1.8	1.6	18.2	15.4	16.7	7.7	7.3	7.4	5.3	5.7	5.4	0.5	0.6	0.6
髄膜	D42	3	3	6	0.1	0.1	0.1	0.7	0.6	0.6	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
脳および中枢神経系	D43	11	16	27	0.2	0.4	0.3	2.5	3.2	2.9	1.5	2.4	2.0	1.2	2.1	1.7	0.1	0.2	0.2
下垂体	D443	1	2	3	0.0	0.0	0.0	0.2	0.4	0.3	0.1	0.5	0.3	0.1	0.5	0.3	0.0	0.0	0.0
頭蓋咽頭管	D444	0	1	1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	10	6	16	0.2	0.1	0.2	2.3	1.2	1.7	1.1	0.4	0.7	0.8	0.3	0.5	0.1	0.0	0.1
骨髄異形成症候群	D46	42	33	75	0.8	0.8	0.8	9.5	6.6	7.9	3.4	2.6	2.9	2.2	1.8	1.9	0.2	0.2	0.2
慢性骨髄増殖性疾患	D471	3	2	5	0.1	0.0	0.1	0.7	0.4	0.5	0.3	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	7	12	19	0.1	0.3	0.2	1.6	2.4	2.0	0.6	0.7	0.7	0.5	0.5	0.5	0.1	0.1	0.1

\*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

和歌山県

2017年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率			累積死亡率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口					
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C97 000-D47	2,044	1,359	3,403	100.0	100.0	100.0	462.4	273.4	362.4	176.6	84.6	124.4	121.0	59.7	86.4	13.3	6.1	9.4
全部位	000-C97	1,992	1,295	3,287	97.5	95.3	96.6	450.7	260.6	350.1	171.2	80.8	119.8	116.5	56.9	82.8	13.0	5.8	9.1
口唇	000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
舌根<基底>部	001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の舌	002	6	4	10	0.3	0.3	0.3	1.4	0.8	1.1	0.7	0.2	0.4	0.5	0.1	0.3	0.1	0.0	0.0
歯肉	003	2	6	8	0.1	0.4	0.2	0.5	1.2	0.9	0.1	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
口腔底	004	6	1	7	0.3	0.1	0.2	1.4	0.2	0.7	0.8	0.0	0.4	0.6	0.0	0.3	0.1	0.0	0.0
口蓋	005	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0
その他および部位不明の口腔	006	-	2	2	-	0.1	0.1	-	0.4	0.2	-	0.1	0.1	-	0.1	0.0	-	0.0	0.0
耳下腺	007	3	1	4	0.1	0.1	0.1	0.7	0.2	0.4	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
その他および部位不明の大唾液腺	008	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0
扁桃	009	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
中咽頭	C10	9	1	10	0.4	0.1	0.3	2.0	0.2	1.1	0.9	0.2	0.5	0.6	0.2	0.4	0.1	0.0	0.0
鼻<上>咽頭	C11	1	2	3	0.0	0.1	0.1	0.2	0.4	0.3	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.0	0.0
梨状陥凹<洞>	C12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
下咽頭	C13	11	-	11	0.5	-	0.3	2.5	-	1.2	1.2	-	0.6	0.9	-	0.4	0.1	-	0.1
その他および部位不明の口唇、口腔および咽頭	C14	5	-	5	0.2	-	0.1	1.1	-	0.5	0.5	-	0.2	0.4	-	0.2	0.0	-	0.0
食道	C15	64	19	83	3.1	1.4	2.4	14.5	3.8	8.8	6.6	1.1	3.6	4.5	0.8	2.5	0.6	0.1	0.3
胃	C16	249	151	400	12.2	11.1	11.8	56.3	30.4	42.6	20.5	9.0	13.9	13.7	6.2	9.5	1.5	0.6	1.0
小腸	C17	7	2	9	0.3	0.1	0.3	1.6	0.4	1.0	0.7	0.1	0.4	0.6	0.0	0.3	0.1	0.0	0.0
結腸	C18	149	173	322	7.3	12.7	9.5	33.7	34.8	34.3	13.5	10.0	11.5	9.4	7.1	8.1	1.0	0.7	0.8
直腸S状結腸移行部	C19	3	1	4	0.1	0.1	0.1	0.7	0.2	0.4	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
直腸	C20	81	44	125	4.0	3.2	3.7	18.3	8.9	13.3	8.3	2.9	5.4	5.9	2.0	3.8	0.7	0.2	0.5
肛門および肛門管	C21	3	4	7	0.1	0.3	0.2	0.7	0.8	0.7	0.3	0.5	0.4	0.2	0.4	0.3	0.0	0.0	0.0
肝および肝内胆管	C22	197	112	309	9.6	8.2	9.1	44.6	22.5	32.9	17.1	4.9	10.4	11.6	3.1	6.9	1.3	0.3	0.7
胆のう	C23	26	19	45	1.3	1.4	1.3	5.9	3.8	4.8	2.0	1.3	1.5	1.2	0.9	1.0	0.1	0.1	0.1
その他および部位不明の胆道	C24	52	45	97	2.5	3.3	2.9	11.8	9.1	10.3	4.1	1.9	2.9	2.8	1.2	1.9	0.3	0.1	0.2
膵臓	C25	159	141	300	7.8	10.4	8.8	36.0	28.4	31.9	15.6	8.1	11.6	11.1	5.6	8.2	1.5	0.5	1.0
その他および部位不明の消化器	C26	2	2	4	0.1	0.1	0.1	0.5	0.4	0.4	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
鼻腔および中耳	C30	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.2	0.1	-	0.2	0.1	-	0.0	0.0
副鼻腔	C31	4	4	8	0.2	0.3	0.2	0.9	0.8	0.9	0.4	0.1	0.3	0.2	0.1	0.2	0.0	0.0	0.0
喉頭	C32	6	1	7	0.3	0.1	0.2	1.4	0.2	0.7	0.5	0.1	0.3	0.3	0.0	0.2	0.0	0.0	0.0
気管	C33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管支および肺	C34	527	165	692	25.8	12.1	20.3	119.2	33.2	73.7	42.8	9.1	23.7	28.5	6.1	15.8	3.1	0.6	1.8
胸腺	C37	2	2	4	0.1	0.1	0.1	0.5	0.4	0.4	0.3	0.2	0.2	0.3	0.1	0.2	0.0	0.0	0.0
心臓、縦隔および胸腺	C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の呼吸器系および胸腔内臓器	C39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(四) 肢の骨および関節軟骨	C40	1	1	2	0.0	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	1	-	1	0.0	-	0.0	0.2	-	0.1	-	0.0	0.1	-	0.0	0.0	-	0.0	0.0
皮膚の悪性黒色腫	C43	2	2	4	0.1	0.1	0.1	0.5	0.4	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
皮膚のその他	C44	9	3	12	0.4	0.2	0.4	2.0	0.6	1.3	0.9	0.2	0.5	0.7	0.2	0.4	0.1	0.0	0.0
中皮腫	C45	10	2	12	0.5	0.1	0.4	2.3	0.4	1.3	0.8	0.2	0.5	0.5	0.2	0.3	0.0	0.0	0.0
カボジ肉腫	C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
末梢神経および自律神経系の悪性新生物	C47	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.2	0.1	-	0.2	0.1	-	0.0	0.0
後腹膜および腹膜	C48	2	7	9	0.1	0.5	0.3	0.5	1.4	1.0	0.3	0.6	0.5	0.2	0.4	0.3	0.0	0.0	0.0
その他の結合組織および軟部組織	C49	3	4	7	0.1	0.3	0.2	0.7	0.8	0.7	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
乳房	C50	1	100	101	0.0	7.4	3.0	0.2	20.1	10.8	0.0	9.5	5.1	0.0	7.2	3.8	0.0	0.9	0.5
外陰	C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
陰	C52	-	3	3	-	0.2	0.1	-	0.6	-	-	0.1	-	-	0.1	-	-	0.0	-
子宮頸部	C53	-	16	16	-	1.2	0.5	-	3.2	-	-	2.2	-	-	1.9	-	-	0.2	-
子宮体部	C54	-	15	15	-	1.1	0.4	-	3.0	-	-	1.5	-	-	1.2	-	-	0.2	-
子宮部位不明	C55	-	9	9	-	0.7	0.3	-	1.8	-	-	0.7	-	-	0.5	-	-	0.1	-
卵巣	C56	-	31	31	-	2.3	0.9	-	6.2	-	-	3.4	-	-	2.7	-	-	0.3	-
その他および部位不明の女性性器	C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
胎盤	C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
陰茎	C60	1	-	1	0.0	-	0.0	0.2	-	-	0.1	-	-	0.0	-	-	0.0	-	-
前立腺	C61	108	-	108	5.3	-	3.2	24.4	-	-	7.3	-	-	4.8	-	-	0.4	-	-
精巣	C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の男性性器	C63	1	-	1	0.0	-	0.0	0.2	-	-	0.0	-	-	0.0	-	-	0.0	-	-
腎盂を除く腎	C64	20	9	29	1.0	0.7	0.9	4.5	1.8	3.1	1.7	0.4	0.9	1.1	0.2	0.6	0.1	0.0	0.1
腎盂	C65	8	3	11	0.4	0.2	0.3	1.8	0.6	1.2	0.8	0.3	0.5	0.6	0.2	0.3	0.1	0.0	0.0
尿管	C66	8	8	16	0.4	0.6	0.5	1.8	1.6	1.7	0.6	0.3	0.5	0.4	0.2	0.3	0.0	0.0	0.0
膀胱	C67	66	23	89	3.2	1.7	2.6	14.9	4.6	9.5	4.4	1.1	2.4	3.0	0.7	1.6	0.3	0.1	0.2
その他および部位不明の泌尿器	C68	4	3	7	0.2	0.2	0.2	0.9	0.6	0.7	0.3	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.0
眼および付属器	C69	1	1	2	0.0	0.1	0.1	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	C70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
脳	C71	8	11	19	0.4	0.8	0.6	1.8	2.2	2.0	1.1	1.0	1.1	0.8	0.7	0.8	0.1	0.1	0.1
脊髄、脳神経および中枢神経系のその他の部位	C72	1	-	1	0.0	-	0.0	0.2	-	0.1	0.2	-	0.1	0.1	-	0.1	0.0	-	0.0
甲状腺	C73	5	9	14	0.2	0.7	0.4	1.1	1.8	1.5	0.9	0.6	0.7	0.6	0.4	0.5	0.1	0.1	0.1
副腎	C74	2	-	2	0.1	-	0.1	0.5	-	0.2	0.3	-	0.1	0.2	-	0.1	0.0	-	0.0
その他の内分泌腺および																			

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%): 詳細部位別、性別

和歌山県

2017年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
口腔、食道および胃	D00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
食道	D001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の消化器	D01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
結腸	D010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸S状結腸移行部	D011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸	D012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
中耳および呼吸器系	D02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管	D021	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管支および肺	D022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
上皮内黒色腫	D03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
皮膚のその他	D04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
乳房	D05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の性器	D07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明	D09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
膀胱	D090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
良性腫瘍	D32-D35	1	3	4	0.0	0.2	0.1	0.2	0.6	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	D32	1	3	4	0.0	0.2	0.1	0.2	0.6	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
下垂体	D332	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
頭蓋咽頭管	D333	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
松果体	D334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
性状不詳	D42-D47	36	35	71	1.8	2.6	2.1	8.1	7.0	7.6	4.3	2.4	3.3	3.7	1.8	2.7	0.3	0.2	0.2
髄膜	D42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
脳および中枢神経系	D43	8	15	23	0.4	1.1	0.7	1.8	3.0	2.4	1.1	1.4	1.2	0.8	1.0	0.9	0.1	0.1	0.1
下垂体	D443	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
頭蓋咽頭管	D444	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
松果体	D445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
真正赤血球増加症	D45	1	1	2	0.0	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
骨髄異形成症候群	D46	27	14	41	1.3	1.0	1.2	6.1	2.8	4.4	3.1	0.8	1.9	2.7	0.6	1.6	0.2	0.1	0.1
慢性骨髄増殖性疾患	D471	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
本態性(出血性)血小板血症	D473	-	2	2	-	0.1	0.1	-	0.4	0.2	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0

\*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

和歌山県

2017年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96	8,306	26.1	7.7	1.0	2.0	14.9	3.3	1.0	0.9	13.9	0.7	3.0	2.1	23.5
口腔・咽頭	C00-C14	161	22.4	0.6	0.0	1.2	6.2	18.0	0.0	3.7	19.3	0.6	8.1	1.2	18.6
食道	C15	206	12.1	18.0	1.9	5.3	9.7	11.7	0.0	0.5	17.5	0.0	2.9	1.0	19.4
胃	C16	1,230	24.6	33.0	2.2	0.0	7.8	0.0	0.1	0.0	10.9	0.6	0.0	0.8	20.0
大腸（結腸・直腸）	C18-C20	1,316	38.8	10.7	2.3	0.3	4.6	0.8	0.2	0.1	20.8	1.2	2.2	0.7	17.5
結腸	C18	860	43.0	10.0	2.4	0.1	4.4	0.0	0.1	0.0	21.4	0.8	0.0	0.6	17.1
直腸	C19-C20	456	30.7	12.1	2.0	0.7	4.8	2.2	0.2	0.2	19.7	2.0	6.4	0.9	18.2
肝および肝内胆管	C22	456	13.6	0.0	0.0	0.7	5.9	1.1	14.9	0.2	1.3	0.2	0.0	20.0	42.1
胆のう・胆管	C23-C24	166	22.9	0.0	0.0	0.6	14.5	0.6	0.6	0.0	9.6	0.6	0.0	3.0	47.6
膵臓	C25	395	6.8	0.0	0.0	0.5	31.6	0.8	0.3	0.0	11.9	0.0	0.8	2.3	45.1
喉頭	C32	56	19.6	0.0	0.0	32.1	0.0	23.2	0.0	8.9	3.6	0.0	1.8	0.0	10.7
肺	C33-C34	1,047	23.9	0.0	0.0	4.6	23.7	7.6	0.2	0.5	9.1	0.0	1.4	1.1	28.0
皮膚	C43-C44	194	85.1	0.0	0.0	1.5	0.0	0.0	0.0	0.0	1.5	0.0	0.5	0.0	11.3
乳房	C50	663	11.5	0.0	0.0	1.1	7.8	1.1	0.0	2.3	41.6	0.2	21.6	0.2	12.8
乳房（女性のみ）	C50	657	11.6	0.0	0.0	1.1	7.8	1.1	0.0	2.3	41.6	0.2	21.8	0.2	12.6
子宮	C53-C55	208	37.5	0.0	0.0	3.8	1.4	6.7	0.5	0.5	24.5	0.0	4.3	0.0	20.7
子宮頸部	C53	76	28.9	0.0	0.0	10.5	2.6	17.1	0.0	0.0	5.3	0.0	11.8	0.0	23.7
子宮体部	C54	121	46.3	0.0	0.0	0.0	0.8	0.8	0.8	0.8	38.8	0.0	0.0	0.0	11.6
卵巣	C56	103	43.7	0.0	0.0	0.0	2.9	0.0	0.0	0.0	37.9	0.0	0.0	1.0	14.6
前立腺	C61	713	26.9	0.1	0.0	5.5	33.8	8.6	0.1	0.1	4.9	0.0	0.1	0.0	19.8
膀胱	C67	193	1.0	23.3	10.4	0.0	1.0	0.5	0.0	0.5	22.8	9.3	2.6	9.8	18.7
腎・尿路（膀胱除く）	C64-C66 C68	215	61.9	0.5	0.0	0.0	6.5	1.4	0.5	0.5	7.4	2.8	0.5	0.5	17.7
脳・中枢神経系	C70-C72	49	16.3	0.0	0.0	6.1	4.1	6.1	0.0	4.1	8.2	0.0	26.5	2.0	26.5
甲状腺	C73	192	59.4	0.5	0.0	0.5	0.5	0.0	0.0	9.4	5.7	0.0	3.1	0.5	20.3
悪性リンパ腫	C81-C85 C96	290	3.1	0.0	0.0	2.4	58.6	3.4	0.3	0.3	4.5	0.0	1.0	1.4	24.8
多発性骨髄腫	C88-C90	51	0.0	0.0	0.0	0.0	60.8	7.8	2.0	0.0	0.0	0.0	0.0	0.0	29.4
白血病	C91-C95	135	0.0	0.0	0.0	0.0	54.8	0.0	4.4	0.0	0.0	0.0	0.0	1.5	39.3

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが1:あり

\*3 化学療法、内分泌療法のいずれかが1:あり

付表3. 初回治療内容割合詳細 (%) : 部位別

## B. 上皮内がんを含む

和歌山県

2017年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96 D00-D09	9,163	26.8	10.9	0.9	1.8	13.5	3.0	0.9	0.9	13.4	0.8	2.8	2.2	22.0
食道	C15 D001	244	10.2	26.6	1.6	5.3	8.6	10.2	0.0	0.4	14.8	0.0	2.5	1.6	18.0
大腸 (結腸・直腸) *4	C18-C20 D010-D012	1,581	33.0	24.4	2.0	0.3	3.8	0.6	0.1	0.1	17.3	1.1	1.8	0.6	14.9
結腸 *4	C18 D010	1,068	35.6	26.0	2.1	0.1	3.6	0.0	0.1	0.0	17.2	0.7	0.0	0.5	14.1
直腸 *4	C19-C20 D011-D012	513	27.7	21.1	1.9	0.6	4.3	1.9	0.2	0.2	17.5	1.8	5.7	0.8	16.4
肺	C33-C34 D021-D022	1,047	23.9	0.0	0.0	4.6	23.7	7.6	0.2	0.5	9.1	0.0	1.4	1.1	28.0
皮膚	C43-C44 D030-D049	244	81.6	0.0	0.0	1.2	0.0	0.0	0.0	0.0	1.2	0.8	0.4	2.0	12.7
乳房	C50 D05	717	13.2	0.0	0.0	1.0	7.3	1.0	0.0	3.2	41.1	0.1	20.9	0.1	12.0
乳房 (女性のみ)	C50 D05	711	13.4	0.0	0.0	1.0	7.2	1.0	0.0	3.2	41.1	0.1	21.1	0.1	11.8
子宮	C53-C55 D06	391	58.8	0.3	0.0	2.0	0.8	3.6	0.3	0.3	13.0	0.0	2.3	1.8	16.9
子宮頸部	C53 D06	259	67.2	0.4	0.0	3.1	0.8	5.0	0.0	0.0	1.5	0.0	3.5	2.7	15.8
膀胱	C67 D090	373	0.8	32.2	5.6	0.0	0.5	0.3	0.0	0.3	26.5	8.8	1.3	10.2	13.4

\*1 DCOを除く総数

\*2 外科的、鏡視下治療のいずれかが1:あり

\*3 化学療法、内分泌療法のいずれかが1:あり

\*4 粘膜がんを含む

医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

医療圏／保健所	全部位 C00-C96		胃 G16		大腸(結腸・直腸) G18-G20			結腸 G18		直腸 G19-G20		肝及び肝内胆管 C22			肺 C33-C34		乳房 C50		子宮 C53-C55	子宮頸部 C53	子宮体部 C54		前立腺 G61					
	男	女	男	女	男	女	総数	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男						
	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数	総数						
和歌山県	4,931	3,965	8,497	847	405	1,252	754	596	1,353	455	439	894	299	159	458	311	159	470	740	338	1,078	6	668	674	209	77	121	728
医療圏不定	0	1	1	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山	2,212	1,587	3,799	374	182	556	357	244	601	218	188	406	139	56	195	145	71	216	351	152	503	3	309	312	99	38	52	295
那賀	531	393	924	112	43	155	84	80	164	45	60	105	39	20	59	34	17	51	75	41	116	1	66	67	19	7	12	83
橋本	494	337	831	85	41	126	66	51	117	39	37	76	27	14	41	25	18	43	70	37	107	0	54	54	18	2	16	92
有田	339	244	584	42	30	72	56	40	97	33	25	58	23	15	39	19	16	35	59	22	81	1	42	43	9	3	6	39
御坊	281	204	485	66	26	92	40	33	73	23	23	46	17	10	27	18	10	28	34	17	51	1	33	34	9	3	6	37
田辺	637	508	1,145	98	54	152	87	89	176	56	57	113	31	32	63	44	15	59	81	53	134	0	102	102	38	19	18	115
新宮	437	291	728	70	29	99	64	60	124	41	48	89	23	12	35	26	12	38	70	16	86	0	62	62	17	5	11	67
保健所不定	0	1	1	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,787	1,324	3,111	291	150	441	300	266	506	184	160	344	116	46	162	124	62	186	288	131	419	2	248	250	80	31	45	233
海南	425	263	688	83	32	115	57	38	95	34	28	62	23	10	33	21	9	30	63	21	84	1	61	62	19	7	7	62
岩出	531	393	924	112	43	155	84	80	164	45	60	105	39	20	59	34	17	51	75	41	116	1	66	67	19	7	12	83
橋本	494	337	831	85	41	126	66	51	117	39	37	76	27	14	41	25	18	43	70	37	107	0	54	54	18	2	16	92
瀬浅	339	244	584	42	30	72	56	40	97	33	25	58	23	15	39	19	16	35	59	22	81	1	42	43	9	3	6	39
御坊	281	204	485	66	26	92	40	33	73	23	23	46	17	10	27	18	10	28	34	17	51	1	33	34	9	3	6	37
田辺	637	508	1,145	98	54	152	87	89	176	56	57	113	31	32	63	44	15	59	81	53	134	0	102	102	38	19	18	115
新宮	437	291	728	70	29	99	64	60	124	41	48	89	23	12	35	26	12	38	70	16	86	0	62	62	17	5	11	67

医療圏別、保健所圏別罹患数 : 部位別、性別

B. 上皮内がんを含む

和歌山県 2017年

医療圏/保健所	全部位 C00-C96			大腸(結腸・直腸)*1 C18-C20			結腸*1 C18			直腸*1 C19-C20			肺 C33-C34			乳房 C50			子宮 C53-C55		子宮頸部 C53
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	女
和歌山県	5,347	4,006	9,354	921	696	1,618	580	522	1,102	341	174	516	740	338	1,078	6	722	728	392	260	
医療圏不定	0	1	1	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
和歌山	2,382	1,793	4,175	411	278	689	263	218	481	148	60	208	351	152	503	3	335	338	190	129	
那賀	571	449	1,020	103	93	196	56	71	127	47	22	69	75	41	116	1	74	75	44	32	
橋本	556	370	926	93	61	154	56	46	102	37	15	52	70	37	107	0	59	59	27	11	
有田	360	273	634	63	48	112	37	30	67	26	18	45	59	22	81	1	44	45	19	13	
御坊	304	229	533	47	36	83	29	26	55	18	10	28	34	17	51	1	38	39	21	15	
田辺	703	568	1,271	122	108	230	83	73	156	39	35	74	81	53	134	0	107	107	62	43	
新宮	471	323	794	82	71	153	56	57	113	26	14	40	70	16	86	0	65	65	29	17	
保健所不定	0	1	1	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	
和歌山市	1,937	1,509	3,446	348	238	586	224	188	412	124	50	174	288	131	419	2	272	274	165	116	
海南	445	284	729	63	40	103	39	30	69	24	10	34	63	21	84	1	63	64	25	13	
岩出	571	449	1,020	103	93	196	56	71	127	47	22	69	75	41	116	1	74	75	44	32	
橋本	556	370	926	93	61	154	56	46	102	37	15	52	70	37	107	0	59	59	27	11	
湯浅	360	273	634	63	48	112	37	30	67	26	18	45	59	22	81	1	44	45	19	13	
御坊	304	229	533	47	36	83	29	26	55	18	10	28	34	17	51	1	38	39	21	15	
田辺	703	568	1,271	122	108	230	83	73	156	39	35	74	81	53	134	0	107	107	62	43	
新宮	471	323	794	82	71	153	56	57	113	26	14	40	70	16	86	0	65	65	29	17	

市区町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

和歌山県

2017年

市区町村	全部位 C00-C96		胃 C16		大腸(結腸・直腸) C18-C20		膵臓 C25		直腸 C19-C20		肝及び肝内胆管 C22		肺 C33-C34		乳房 C50		子宮 C53-C55		子宮頸部 C53		子宮体部 C54		前立腺 C61					
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男					
和歌山	5,347	4,006	9,354	847	405	1,252	754	598	1,353	455	439	894	299	159	459	311	159	470	740	338	1,078	6	668	674	209	77	121	728
和歌山県内市区町村不定	0	1	1	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,937	1,509	3,446	291	150	441	300	206	506	184	180	344	116	46	162	124	62	186	288	131	419	2	248	250	80	31	45	233
海南市	378	237	615	67	25	92	48	33	81	28	23	51	20	10	30	19	8	27	53	20	73	1	52	53	17	6	7	54
橋本市	373	257	630	56	26	82	43	34	77	24	25	49	19	9	28	12	13	25	47	20	67	0	39	39	15	2	13	56
有田市	141	109	250	18	8	26	19	15	34	10	6	16	9	9	18	7	5	12	27	10	37	0	16	16	3	2	1	18
御坊市	99	86	185	24	9	33	18	10	28	9	7	16	9	3	12	7	3	10	7	6	13	1	14	15	5	3	2	11
田辺市	387	337	724	60	29	89	50	58	108	30	36	66	20	22	42	30	9	39	47	26	73	0	72	72	20	8	11	53
新宮市	174	141	315	24	14	38	24	32	56	11	25	36	13	7	20	8	3	11	33	9	42	0	24	24	7	2	5	19
紀の川市	330	259	589	56	31	87	44	51	95	28	38	66	16	13	29	19	9	28	46	26	72	1	31	32	11	3	8	55
岩出市	241	190	431	56	12	68	40	29	69	17	22	39	23	7	30	15	8	23	29	15	44	0	35	35	8	4	4	28
紀美野町	67	47	114	16	7	23	9	5	14	6	5	11	3	0	3	2	1	3	10	1	11	0	9	9	2	1	0	8
かつらぎ町	114	68	182	15	5	20	15	13	28	10	9	19	5	4	9	9	3	12	13	8	21	0	11	11	2	0	2	26
九度山町	35	30	65	9	8	17	5	3	8	3	2	5	2	1	3	2	2	4	5	8	13	0	2	2	1	0	1	7
高野町	34	15	49	5	2	7	3	1	4	2	1	3	1	0	1	2	0	2	5	1	6	0	2	2	0	0	0	3
湯浅町	60	45	105	6	7	13	9	6	15	3	4	7	6	2	8	3	3	6	7	3	10	1	7	8	3	0	3	3
広川町	34	24	58	5	4	9	1	5	6	1	4	5	0	1	1	1	1	2	5	0	5	0	7	7	0	0	0	6
有田川町	125	95	221	13	11	24	27	14	42	19	11	30	8	3	12	8	7	15	20	9	29	0	12	12	3	1	2	12
美浜町	30	28	58	9	0	9	5	4	9	3	2	5	2	2	4	0	4	4	3	4	7	0	5	5	2	0	2	3
日高町	33	21	54	7	1	8	4	6	10	2	4	6	2	2	4	2	0	2	5	0	5	0	4	4	0	0	0	3
由良町	38	18	56	5	2	7	5	2	7	4	1	5	1	1	2	4	0	4	6	0	6	0	4	4	1	0	1	3
印南町	47	27	74	9	8	17	3	2	5	2	1	3	1	1	2	2	1	3	5	2	7	0	1	1	1	0	1	7
みなべ町	63	36	99	7	3	10	8	4	12	6	4	10	2	0	2	4	2	6	5	8	13	0	3	3	3	3	0	10
日高川町	57	49	106	12	6	18	5	9	14	3	8	11	2	1	3	3	2	5	8	5	13	0	5	5	0	0	0	10
白浜町	151	115	266	21	13	34	20	17	37	14	11	25	6	6	12	6	3	9	9	18	0	17	17	12	7	5	36	
上富田町	73	56	129	8	5	13	7	8	15	5	4	9	2	4	6	3	1	4	15	9	24	0	8	8	3	1	2	10
すさみ町	29	24	53	2	4	6	2	2	4	1	2	3	1	0	1	1	0	1	5	1	6	0	2	2	0	0	0	6
那智勝浦町	108	75	183	19	3	22	14	7	21	8	6	14	6	1	7	6	1	7	17	2	19	0	20	20	4	1	2	17
太地町	23	13	36	5	0	5	2	2	4	2	2	4	0	0	0	2	1	3	5	0	5	0	4	4	2	0	2	1
古座川町	25	14	39	5	2	7	6	3	9	6	2	8	0	1	1	1	2	3	3	2	5	0	1	1	1	1	0	3
北山村	6	4	10	1	0	1	0	1	1	0	0	0	0	1	1	1	1	2	0	0	0	0	1	1	0	0	0	2
串本町	135	76	211	16	10	26	18	15	33	14	13	27	4	2	6	8	4	12	12	3	15	0	12	12	3	1	2	25



市区町村別罹患数 : 部位別、性別

A. 上皮内がんを含む

和歌山県

2017年

市区町村	全部位 C00-C96			大腸(結腸・直腸) C18-C20			結腸 C18			直腸 C19-C20			肺 C33-C34			乳房 C50			子宮 G53-G55	子宮頸部 G53
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女
和歌山	5,347	4,006	9,354	921	696	1,618	580	522	1,102	341	174	516	740	338	1,078	6	722	728	392	260
和歌山県内市区町村不定	0	1	1	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0
和歌山市	1,937	1,509	3,446	348	238	586	224	188	412	124	50	174	288	131	419	2	272	274	165	116
海南市	378	237	615	54	34	88	33	24	57	21	10	31	53	20	73	1	52	53	21	10
橋本市	373	257	630	66	42	108	38	32	70	28	10	38	47	20	67	0	43	43	22	9
有田市	141	109	250	20	17	37	10	6	16	10	11	21	27	10	37	0	18	18	6	5
御坊市	99	86	185	19	11	30	10	8	18	9	3	12	7	6	13	1	16	17	11	9
田辺市	387	337	724	71	69	140	47	45	92	24	24	48	47	26	73	0	74	74	30	18
新宮市	174	141	315	30	36	66	15	28	43	15	8	23	33	9	42	0	26	26	11	6
紀の川市	330	259	589	57	58	115	37	44	81	20	14	34	46	26	72	1	36	37	23	15
岩出市	241	190	431	46	35	81	19	27	46	27	8	35	29	15	44	0	38	38	21	17
紀美野町	67	47	114	9	6	15	6	6	12	3	0	3	10	1	11	0	11	11	4	3
かつらぎ町	114	68	182	16	14	30	11	10	21	5	4	9	13	8	21	0	11	11	3	1
九度山町	35	30	65	7	3	10	4	2	6	3	1	4	5	8	13	0	2	2	2	1
高野町	34	15	49	4	2	6	3	2	5	1	0	1	5	1	6	0	3	3	0	0
湯浅町	60	45	105	11	9	20	5	6	11	6	3	9	7	3	10	1	7	8	3	0
広川町	34	24	58	3	6	9	1	5	6	2	1	3	5	0	5	0	7	7	1	1
有田川町	125	95	221	29	16	46	21	13	34	8	3	12	20	9	29	0	12	12	9	7
美浜町	30	28	58	7	4	11	4	2	6	3	2	5	3	4	7	0	6	6	3	1
日高町	33	21	54	5	6	11	3	4	7	2	2	4	5	0	5	0	5	5	1	1
由良町	38	18	56	5	3	8	4	2	6	1	1	2	6	0	6	0	4	4	2	1
印南町	47	27	74	4	2	6	3	1	4	1	1	2	5	2	7	0	2	2	1	0
みなべ町	63	36	99	9	5	14	7	5	12	2	0	2	5	8	13	0	5	5	7	7
日高川町	57	49	106	7	10	17	5	9	14	2	1	3	8	5	13	0	5	5	3	3
白浜町	151	115	266	29	20	49	20	14	34	9	6	15	9	9	18	0	17	17	17	12
上富田町	73	56	129	10	10	20	7	5	12	3	5	8	15	9	24	0	8	8	7	5
すさみ町	29	24	53	3	4	7	2	4	6	1	0	1	5	1	6	0	3	3	1	1
那智勝浦町	108	75	183	19	11	30	12	10	22	7	1	8	17	2	19	0	20	20	9	6
太地町	23	13	36	3	2	5	3	2	5	0	0	0	5	0	5	0	4	4	2	0
古座川町	25	14	39	7	3	10	7	2	9	0	1	1	3	2	5	0	1	1	1	1
北山村	6	4	10	0	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0
串本町	135	76	211	23	18	41	19	15	34	4	3	7	12	3	15	0	13	13	6	4