

# 標準集計表

※表 8-A、A'、表 8-B、B'の相違点はA、B各表には罹患／死亡比（IM比）の項目があり、A' B'にはない点である。

表1.罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)及び累積罹患率(人口100対)；部位別、性別  
A. 上皮内がんを除く

2010年

部位	罹患数												罹患割合(%)						粗罹患率						年齢調整罹患率						累積罹患率(0-74歳)					
	10D-10						10D-10						10D-10						10D-10						10D-10						10D-10					
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
全部位	4,810	3,309	8,119	100.0	100.0	100.0	1,020.4	623.4	810.1	500.2	307.7	388.9	353.9	230.5	283.0	41.0	25.2	32.5	11.2	4.0	7.4	11.2	4.0	7.4	11.2	4.0	7.4	1.4	0.4	0.9	1.4	0.4	0.9	1.4	0.4	0.9
口腔・咽頭	123	60	183	2.6	1.8	2.3	26.1	11.3	18.3	15.2	5.6	10.1	11.2	4.0	7.4	1.4	0.4	0.9	11.2	4.0	7.4	11.2	4.0	7.4	11.2	4.0	7.4	1.4	0.4	0.9	1.4	0.4	0.9	1.4	0.4	0.9
食道	179	35	214	3.7	1.1	2.6	38.0	6.6	21.4	19.6	3.0	10.5	14.1	2.3	7.7	1.9	0.3	1.0	14.1	2.3	7.7	14.1	2.3	7.7	14.1	2.3	7.7	1.9	0.3	1.0	1.9	0.3	1.0	1.9	0.3	1.0
胃	911	466	1,377	18.9	14.1	17.0	193.3	87.8	137.4	95.6	37.0	63.1	67.8	26.6	45.2	8.2	3.0	5.5	67.8	26.6	45.2	67.8	26.6	45.2	67.8	26.6	45.2	8.2	3.0	5.5	8.2	3.0	5.5	8.2	3.0	5.5
大腸(結腸・直腸)	648	553	1,201	13.5	16.7	14.8	137.5	104.2	119.8	67.3	45.0	54.6	47.0	32.5	38.8	5.6	3.7	4.6	47.0	32.5	38.8	47.0	32.5	38.8	47.0	32.5	38.8	5.6	3.7	4.6	5.6	3.7	4.6	5.6	3.7	4.6
結腸	411	403	814	8.5	12.2	10.0	87.2	75.9	81.2	42.3	31.5	36.1	29.4	22.5	25.4	3.4	2.5	2.9	29.4	22.5	25.4	29.4	22.5	25.4	29.4	22.5	25.4	3.4	2.5	2.9	3.4	2.5	2.9	3.4	2.5	2.9
直腸	237	150	387	4.9	4.5	4.8	50.3	28.3	38.6	24.9	13.5	18.5	17.7	10.0	13.4	2.2	1.2	1.6	17.7	10.0	13.4	17.7	10.0	13.4	17.7	10.0	13.4	2.2	1.2	1.6	2.2	1.2	1.6	2.2	1.2	1.6
肝および肝内胆管	413	193	606	8.6	5.8	7.5	87.6	36.4	60.5	41.9	12.1	25.6	28.9	8.0	17.6	3.6	0.9	2.2	28.9	8.0	17.6	28.9	8.0	17.6	28.9	8.0	17.6	3.6	0.9	2.2	3.6	0.9	2.2	3.6	0.9	2.2
胆のう・胆管	96	122	218	2.0	3.7	2.7	20.4	23.0	21.8	9.6	7.0	8.3	6.7	4.8	5.7	0.8	0.4	0.6	6.7	4.8	5.7	6.7	4.8	5.7	6.7	4.8	5.7	0.8	0.4	0.6	0.8	0.4	0.6	0.8	0.4	0.6
膵臓	165	148	313	3.4	4.5	3.9	35.0	27.9	31.2	16.7	10.3	13.2	11.6	6.9	9.1	1.5	0.8	1.1	11.6	6.9	9.1	11.6	6.9	9.1	11.6	6.9	9.1	1.5	0.8	1.1	1.5	0.8	1.1	1.5	0.8	1.1
喉頭	62	2	64	1.3	0.1	0.8	13.2	0.4	6.4	6.4	0.2	3.0	4.4	0.2	2.1	0.5	0.0	0.3	4.4	0.2	2.1	4.4	0.2	2.1	4.4	0.2	2.1	0.5	0.0	0.3	0.5	0.0	0.3	0.5	0.0	0.3
C33-C34	859	357	1,216	17.9	10.8	15.0	182.2	67.3	121.3	82.9	27.0	50.9	56.1	18.7	34.8	6.0	2.3	4.0	56.1	18.7	34.8	56.1	18.7	34.8	56.1	18.7	34.8	6.0	2.3	4.0	6.0	2.3	4.0	6.0	2.3	4.0
皮膚	78	67	145	1.6	2.0	1.8	16.5	12.6	14.5	8.2	4.2	6.0	5.7	2.9	4.1	0.6	0.3	0.4	5.7	2.9	4.1	5.7	2.9	4.1	5.7	2.9	4.1	0.6	0.3	0.4	0.6	0.3	0.4	0.6	0.3	0.4
C43-C44	7	541	548	0.1	16.3	6.7	1.5	101.9	54.7	0.6	72.0	38.2	0.4	55.8	29.5	0.0	6.1	3.2	0.4	55.8	29.5	0.4	55.8	29.5	0.4	55.8	29.5	0.0	6.1	3.2	0.0	6.1	3.2	0.0	6.1	3.2
C50	7	541	548	0.1	16.3	6.7	1.5	101.9	54.7	0.6	72.0	38.2	0.4	55.8	29.5	0.0	6.1	3.2	0.4	55.8	29.5	0.4	55.8	29.5	0.4	55.8	29.5	0.0	6.1	3.2	0.0	6.1	3.2			
C53-C55	192	192	384	4.1	5.8	5.0	8.4	11.6	10.0	4.2	5.9	5.1	3.0	4.1	3.6	2.1	2.8	2.5	3.0	4.1	3.6	3.0	4.1	3.6	3.0	4.1	3.6	2.1	2.8	2.5	2.1	2.8	2.5	2.1	2.8	2.5
C61	545	545	1,090	11.3	11.3	11.3	115.6	115.6	115.6	50.5	50.5	50.5	33.9	33.9	33.9	4.2	4.2	4.2	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
膀胱	181	45	226	3.8	1.4	2.8	38.4	8.5	22.6	16.4	2.8	8.5	11.2	2.0	5.9	1.2	0.2	0.7	11.2	2.0	5.9	11.2	2.0	5.9	11.2	2.0	5.9	1.2	0.2	0.7	1.2	0.2	0.7	1.2	0.2	0.7
C64-C66 C68	130	68	198	2.7	2.1	2.4	27.6	12.8	19.8	15.0	5.4	9.8	11.2	3.9	7.3	1.2	0.4	0.8	11.2	3.9	7.3	11.2	3.9	7.3	11.2	3.9	7.3	1.2	0.4	0.8	1.2	0.4	0.8	1.2	0.4	0.8
C70-C72	23	22	45	0.5	0.7	0.6	4.9	4.1	4.5	3.6	2.8	3.2	3.5	2.5	3.0	0.3	0.2	0.2	3.5	2.5	3.0	3.5	2.5	3.0	3.5	2.5	3.0	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2
C73	34	83	117	0.7	2.5	1.4	7.2	15.6	11.7	5.0	8.9	7.1	4.0	7.0	5.6	0.4	0.8	0.6	4.0	7.0	5.6	4.0	7.0	5.6	4.0	7.0	5.6	0.4	0.8	0.6	0.4	0.8	0.6	0.4	0.8	0.6
C81-C85 C96	128	83	211	2.7	2.5	2.6	27.2	15.6	21.1	14.3	7.8	10.6	10.5	5.9	7.9	1.1	0.6	0.8	10.5	5.9	7.9	10.5	5.9	7.9	10.5	5.9	7.9	1.1	0.6	0.8	1.1	0.6	0.8	1.1	0.6	0.8
C88-C90	33	25	58	0.7	0.8	0.7	7.0	4.7	5.8	3.3	1.7	2.4	2.3	1.2	1.7	0.2	0.1	0.2	2.3	1.2	1.7	2.3	1.2	1.7	2.3	1.2	1.7	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.2
C91-C95	56	50	106	1.2	1.5	1.3	11.9	9.4	10.6	8.9	6.7	7.8	8.4	6.0	7.2	0.7	0.5	0.6	8.4	6.0	7.2	8.4	6.0	7.2	8.4	6.0	7.2	0.7	0.5	0.6	0.7	0.5	0.6	0.7	0.5	0.6

表1. 罹患数、罹患割合(%)、粗罹患率、年齢調整罹患率(人口10万対)及び累積罹患率(人口100対)；部位別、性別  
 B. 上皮内がんを含む

2010年

部位	罹患数										罹患割合(%)				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)							
	男		女		男女計		男	女	男女計	男	女	男女計	日本人口		世界人口		男		女		男女計		男		女		男女計			
全部位	5,024	3,599	8,623	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	1,065.8	678.0	860.4	523.8	359.0	426.3	370.5	273.0	312.6	43.0	28.9	35.4							
食道	194	37	231	3.9	1.0	2.7	41.2	7.0	23.0	21.3	3.1	11.3	15.2	2.3	8.2	2.0	0.3	1.1												
大腸(結腸・直腸)*1	735	604	1,339	14.6	16.8	15.5	155.9	113.8	133.6	77.6	50.1	62.1	54.6	36.2	44.3	6.6	4.1	5.3												
結腸*1	473	444	917	9.4	12.3	10.6	100.3	83.6	91.5	49.9	35.3	41.7	34.9	25.2	29.5	4.1	2.9	3.4												
直腸*1	262	160	422	5.2	4.4	4.9	55.6	30.1	42.1	27.7	14.8	20.4	19.7	11.0	14.8	2.4	1.3	1.8												
肺	861	357	1,218	17.1	9.9	14.1	182.6	67.3	121.5	83.1	27.0	51.0	56.2	18.7	34.9	6.1	2.3	4.1												
皮膚	94	85	179	1.9	2.4	2.1	19.9	16.0	17.9	9.5	5.4	7.2	6.5	3.6	4.9	0.7	0.3	0.5												
乳房	7	595	602	0.1	16.5	7.0	1.5	112.1	60.1	0.6	79.2	42.1	0.4	61.3	32.4	0.0	6.7	3.5												
子宮	-	336	336	-	9.3	3.9	-	63.3	-	-	61.7	-	-	51.3	-	-	4.6	-												
子宮頸部	-	233	233	-	6.5	2.7	-	43.9	-	-	49.3	-	-	41.8	-	-	3.5	-												
膀胱	251	61	312	5.0	1.7	3.6	53.2	11.5	31.1	23.7	4.2	12.6	16.3	3.0	8.7	1.8	0.3	1.0												

\*1 粘膜がんを含む

表2. 年齢階級別罹患数、罹患割合(%)； 部位別、性別

Table with columns for gender (性別), age group (年齢階級), and incidence rate (罹患割合(%)). Rows list various cancer types (部位) such as 全部位, 口腔・咽頭, 食道, etc., and provide data for both male and female across 10 age groups.





表3. 年齢階級別罹患率（人口10万対）； 部位別、性別  
B. 上皮内がんを含む

2010年

性別	部位	ICD-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	
男	全部位	C00-C96 D00-D09	26.1	13.8	12.2	16.4	24.2	52.5	37.4	68.9	107.9	274.6	426.2	848.4	1,558.2	2,116.6	3,015.1	4,079.3	4,399.2	4,760.1	
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	13.6	33.0	46.6	61.4	89.6	146.3	124.5	133.8	133.5	
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	3.7	9.0	16.9	57.6	82.6	142.9	235.9	301.5	463.9	506.3	680.8	658.2	
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	3.7	9.0	10.1	47.5	43.0	96.2	140.1	170.2	306.9	327.8	453.9	467.4	
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	10.2	39.6	46.6	95.8	131.4	157.0	178.4	226.9	190.8	
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	13.5	40.7	56.2	99.1	255.6	262.7	481.7	817.5	890.3	1,097.0
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	3.4	3.4	9.9	23.3	17.2	29.9	39.2	53.9	116.4	171.7
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	3.0	3.6	4.1	11.6	9.5	
	膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.4	9.9	29.2	61.4	137.3	124.9	203.3	244.4	372.0	
	女	全部位	C00-C96 D00-D09	27.4	29.1	16.8	0.0	48.0	154.1	157.7	226.4	372.6	442.6	498.4	693.8	882.5	1,032.0	1,206.9	1,598.6	1,671.7	1,961.9
	食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	11.0	13.6	21.0	14.8	6.1	18.5	20.7
	大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	11.0	8.7	27.7	51.5	71.6	93.6	159.2	189.1	215.9	303.3	313.7	397.2	
	結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	7.3	0.0	27.7	33.3	37.4	66.1	106.9	128.7	162.7	248.7	232.5	310.9	
	直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	3.7	8.7	0.0	18.2	34.3	27.5	52.3	60.4	53.2	54.6	81.2	86.4	
	肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.2	12.1	24.9	63.3	66.0	112.9	168.6	212.3	221.4	207.2
	皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6.2	3.0	6.2	2.8	4.5	13.1	29.6	51.6	62.7	93.3
	乳房	C50 D05	0.0	0.0	0.0	0.0	0.0	4.8	12.5	14.7	69.7	126.2	175.8	180.7	203.7	193.3	194.3	162.7	154.7	147.6	93.3
	子宮	C53-C55 D06	0.0	0.0	0.0	0.0	33.6	120.8	113.7	90.0	126.2	87.9	84.1	88.1	54.6	63.0	56.2	48.5	48.0	44.9	
	子宮頸部	C53 D06	0.0	0.0	0.0	0.0	33.6	120.8	106.4	90.0	117.0	66.7	46.7	46.8	20.5	28.9	14.8	21.2	25.8	20.7	
膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.5	20.5	15.8	14.8	27.3	33.2	58.7		
男女計	全部位	C00-C96 D00-D09	26.7	21.2	14.5	8.5	36.1	104.5	98.1	148.9	246.3	363.3	463.4	768.9	1,207.3	1,539.6	2,026.5	2,646.2	2,730.2	2,705.8	
食道	C15 D001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6.4	17.6	28.3	36.6	53.1	74.4	56.1	63.2	50.7		
大腸（結腸・直腸）*1	C18-C20 D010-D012	0.0	0.0	0.0	0.0	0.0	0.0	7.4	8.8	22.5	54.4	77.0	117.5	196.1	241.7	328.3	389.0	456.2	466.6		
結腸 *1	C18 D010	0.0	0.0	0.0	0.0	0.0	0.0	5.6	4.4	19.3	40.0	40.1	80.7	122.9	148.1	228.0	282.1	318.4	352.5		
直腸 *1	C19-C20 D011-D012	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.4	3.2	14.4	36.9	38.8	73.2	93.6	100.3	106.9	137.8	114.1		
肺	C33-C34 D021-D022	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	9.7	25.6	40.1	80.7	157.1	183.0	310.5	467.9	481.0	443.8	
皮膚	C43-C44 D030-D049	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	4.8	3.2	8.0	12.7	10.6	21.0	34.0	52.6	83.6	114.1	
乳房	C50 D05	0.0	0.0	0.0	0.0	2.4	35.4	66.0	92.8	93.0	104.8	101.6	104.8	90.6	91.1	94.8	71.0				
膀胱	C67 D090	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	4.8	22.7	40.2	72.6	64.7	101.6	115.2	142.0		

\*1 粘膜がんを含む

表4. 発見経緯 (%) ; 部位別  
A. 上皮内がんを除く

国内DCOを除く届出患者、男女計 2010年

部位	ICD-10	集計対象数	がん検診	健診 人間ドック	他疾患の 経過観察中	剖検発見	その他・不明 (症状受診を含む)
全部位	C00-C96	5,749	7.2	5.6	30.5	0.0	56.6
口腔・咽頭	C00-C14	154	1.3	0.0	16.2	0.0	82.5
食道	C15	155	7.1	5.2	23.2	0.0	64.5
胃	C16	1,016	9.5	9.6	28.9	0.0	51.9
大腸 (結腸・直腸)	C18-C20	844	6.4	6.8	28.0	0.0	58.9
結腸	C18	561	6.1	7.0	31.0	0.0	56.0
直腸	C19-C20	283	7.1	6.4	21.9	0.0	64.7
肝および肝内胆管	C22	332	3.3	2.7	60.8	0.0	33.1
胆のう・胆管	C23-C24	117	4.3	2.6	26.5	0.0	66.7
膵臓	C25	202	2.5	0.5	35.1	0.0	61.9
喉頭	C32	57	3.5	3.5	10.5	0.0	82.5
肺	C33-C34	743	5.7	7.9	41.2	0.0	45.2
皮膚	C43-C44	134	2.2	0.0	11.9	0.0	85.8
乳房	C50	448	27.7	3.3	10.3	0.0	58.7
乳房 (女性のみ)	C50	444	27.9	3.4	10.4	0.0	58.3
子宮	C53-C55	155	10.3	3.9	10.3	0.0	75.5
子宮頸部	C53	76	14.5	6.6	7.9	0.0	71.1
子宮体部	C54	79	6.3	1.3	12.7	0.0	79.7
卵巣	C56	53	7.5	5.7	15.1	0.0	71.7
前立腺	C61	455	3.7	4.8	40.4	0.2	50.8
膀胱	C67	171	2.9	0.6	27.5	0.0	69.0
腎・尿路 (膀胱除く)	C64-C66 C68	159	1.3	4.4	39.0	0.0	55.3
脳・中枢神経系	C70-C72	34	0.0	0.0	14.7	0.0	85.3
甲状腺	C73	104	1.0	9.6	40.4	0.0	49.0
悪性リンパ腫	C81-C85 C96	154	3.2	3.2	31.2	0.0	62.3
多発性骨髄腫	C88-C90	34	2.9	0.0	41.2	0.0	55.9
白血病	C91-C95	75	1.3	9.3	34.7	0.0	54.7



表4. 発見経緯 (%) ; 部位別

B. 上皮内がんを含む

国内DCOを除く届出患者、男女計

2010年

部位	ICD-10	集計対象数	健診			剖検発見	その他・不明 (症状受診を含む)
			がん検診	人間ドック	他疾患の 経過観察中		
全部位	000-C96 D00-D09	6,253	8.5	5.6	30.6	0.0	55.3
食道	C15 D001	172	6.4	6.4	26.7	0.0	60.5
大腸 (結腸・直腸) *1	C18-C20 D010-D012	982	7.0	7.3	30.7	0.0	55.0
結腸 *1	C18 D010	664	6.9	7.5	33.4	0.0	52.1
直腸 *1	C19-C20 D011-D012	318	7.2	6.9	24.8	0.0	61.0
肺	C33-C34 D021-D022	745	5.6	7.9	41.2	0.0	45.2
皮膚	C43-C44 D030-D049	168	3.0	0.0	11.9	0.0	85.1
乳房	C50 D05	502	29.1	4.0	10.2	0.0	56.8
乳房 (女性のみ)	C50 D05	498	29.3	4.0	10.2	0.0	56.4
子宮	C53-C55 D06	299	30.1	3.7	17.1	0.0	49.2
子宮頸部	C53 D06	220	38.6	4.5	18.6	0.0	38.2
膀胱	C67 D090	257	2.3	1.2	28.8	0.0	67.7

\*1 粘膜がんを含む

表5. 臨床進行度分布 (%) ; 部位別

A. 上皮内がんを除く

国内DCOを除く届出患者、男女計

2010年

部位	ICD-10	集計対象数	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96	5,749	46.4	10.1	16.2	17.9	9.4
口腔・咽頭	C00-C14	154	44.2	23.4	25.3	1.9	5.2
食道	C15	155	27.7	17.4	27.7	20.0	7.1
胃	C16	1,016	53.9	11.0	11.0	18.7	5.3
大腸 (結腸・直腸)	C18-C20	844	43.6	20.0	10.8	19.4	6.2
結腸	C18	561	43.1	17.5	12.3	21.0	6.1
直腸	C19-C20	283	44.5	25.1	7.8	16.3	6.4
肝および肝内胆管	C22	332	71.1	1.8	11.1	9.3	6.6
胆のう・胆管	C23-C24	117	13.7	1.7	41.9	23.1	19.7
膵臓	C25	202	5.4	3.5	47.5	37.1	6.4
喉頭	C32	57	70.2	8.8	10.5	7.0	3.5
肺	C33-C34	743	26.1	10.1	18.4	40.1	5.2
皮膚	C43-C44	134	81.3	0.7	8.2	3.7	6.0
乳房	C50	448	61.8	19.0	7.4	5.8	6.0
乳房 (女性のみ)	C50	444	61.9	18.9	7.2	5.9	6.1
子宮	C53-C55	155	57.4	5.2	28.4	5.8	3.2
子宮頸部	C53	76	51.3	6.6	32.9	6.6	2.6
子宮体部	C54	79	63.3	3.8	24.1	5.1	3.8
卵巣	C56	53	24.5	0.0	41.5	20.8	13.2
前立腺	C61	455	59.3	1.1	24.6	11.4	3.5
膀胱	C67	171	73.1	1.2	17.5	1.2	7.0
腎・尿路 (膀胱除く)	C64-C66 C68	159	65.4	0.6	20.8	10.1	3.1
脳・中枢神経系	C70-C72	34	85.3	0.0	2.9	0.0	11.8
甲状腺	C73	104	42.3	30.8	13.5	5.8	7.7
悪性リンパ腫	C81-C85 C96	154	15.6	0.0	2.6	32.5	49.4
多発性骨髄腫	C88-C90	34	0.0	0.0	0.0	0.0	100.0
白血病	C91-C95	75	0.0	0.0	0.0	0.0	100.0

表5. 臨床進行度分布 (%) : 部位別

B. 上皮内がんを含む

国内D00を除く届出患者、男女計

2010年

部位	ICD-10	集計対象数	上皮内がん	限局	所属リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明
全部位	C00-C96 D00-D09	6,253	8.0	42.7	9.2	14.9	16.5	8.8
食道	C15 D001	172	9.3	25.0	15.7	25.0	18.0	7.0
大腸 (結腸・直腸) *1	C18-C20 D010-D012	982	14.0	37.5	17.2	9.3	16.7	5.4
結腸 *1	C18 D010	664	15.5	36.4	14.8	10.4	17.8	5.1
直腸 *1	C19-C20 D011-D012	318	10.7	39.6	22.3	6.9	14.5	6.0
肺	C33-C34 D021-D022	745	0.3	26.0	10.1	18.4	40.0	5.2
皮膚	C43-C44 D030-D049	168	20.2	64.9	0.6	6.5	3.0	4.8
乳房	C50 D05	502	10.4	55.2	16.9	6.6	5.2	5.8
乳房 (女性のみ)	C50 D05	498	10.4	55.2	16.9	6.4	5.2	5.8
子宮	C53-C55 D06	299	48.2	29.8	2.7	14.7	3.0	1.7
子宮頸部	C53 D06	220	65.5	17.7	2.3	11.4	2.3	0.9
膀胱	C67 D090	257	32.7	48.6	0.8	11.7	0.8	5.4

\*1 粘膜がんを含む

表6. 受療割合(%) ; 部位別 \*1

A. 上皮内がんを除く

国内D00を除く届出患者、男女計 2010年

部位	I0D-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	000-C96	5,749	61.4	12.6	43.3	13.0
口腔・咽頭	000-C14	154	57.8	35.7	68.8	10.4
食道	C15	155	44.5	38.7	58.1	14.2
胃	C16	1,016	80.2	0.7	26.8	9.4
大腸(結腸・直腸)	C18-C20	844	87.8	1.4	31.4	9.2
結腸	C18	561	87.3	0.4	30.8	9.8
直腸	C19-C20	283	88.7	3.5	32.5	8.1
肝および肝内胆管	C22	332	21.7	5.1	27.1	17.8
胆のう・胆管	C23-C24	117	52.1	4.3	27.4	26.5
膵臓	C25	202	51.0	8.9	53.5	17.8
喉頭	C32	57	49.1	66.7	56.1	7.0
肺	C33-C34	743	33.5	21.0	58.5	21.5
皮膚	C43-C44	134	88.1	4.5	10.4	10.4
乳房	C50	448	82.1	33.7	73.2	8.7
乳房(女性のみ)	C50	444	82.0	33.6	73.0	8.8
子宮	C53-C55	155	80.0	20.0	37.4	5.2
子宮頸部	C53	76	68.4	36.8	35.5	3.9
子宮体部	C54	79	91.1	3.8	39.2	6.3
卵巣	C56	53	77.4	0.0	71.7	11.3
前立腺	C61	455	35.2	21.1	52.1	8.8
膀胱	C67	171	87.1	5.3	41.5	8.2
腎・尿路(膀胱除く)	C64-C66 C68	159	81.1	3.1	19.5	11.9
脳・中枢神経系	C70-C72	34	67.6	47.1	44.1	17.6
甲状腺	C73	104	82.7	0.0	14.4	14.4
悪性リンパ腫	C81-C85 C96	154	12.3	13.0	80.5	10.4
多発性骨髄腫	C88-C90	34	0.0	8.8	61.8	29.4
白血病	C91-C95	75	0.0	0.0	74.7	24.0

\*1 重複を含むため合計は100%にならない

表6. 受療割合 (%) ; 部位別 \*1

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計 2010年

部位	ICD-10	集計対象数	外科・体腔鏡 内視鏡的治療	放射線療法	化学・免疫・ 内分泌療法	特異療法なしまたは 治療方法不明
全部位	C00-C96 D00-D09	6,253	63.6	12.0	41.2	12.6
食道	C15 D001	172	48.8	34.9	52.3	14.0
大腸 (結腸・直腸) *2	C18-C20 D010-D012	982	88.1	1.2	27.0	9.4
結腸 *2	C18 D010	664	87.8	0.3	26.1	9.8
直腸 *2	C19-C20 D011-D012	318	88.7	3.1	28.9	8.5
肺	C33-C34 D021-D022	745	33.6	21.1	58.5	21.5
皮膚	C43-C44 D030-D049	168	88.7	3.6	8.3	9.5
乳房	C50 D05	502	82.9	33.9	70.9	8.8
乳房 (女性のみ)	C50 D05	498	82.7	33.7	70.7	8.8
子宮	C53-C55 D06	299	83.9	10.7	19.7	6.4
子宮頸部	C53 D06	220	81.4	13.2	12.7	6.4
膀胱	C67 D090	257	88.7	3.5	46.3	6.2

\*1 重複を含むため合計は100%にならない

\*2 粘膜がんを含む

表7. 切除内容(%) ; 部位別

A. 上皮内がんを除く

部位	ICD-10	外科・体腔鏡 内視鏡治療数	国内D00を除く届出患者、男女計				不明
			完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	
全部位	C00-C96	3,530	82.9	7.4	6.3	3.1	0.3
口腔・咽頭	C00-C14	89	79.8	3.4	11.2	5.6	0.0
食道	C15	69	84.1	7.2	1.4	7.2	0.0
胃	C16	815	86.0	7.6	4.7	1.6	0.1
大腸(結腸・直腸)	C18-C20	741	84.5	8.1	4.9	2.4	0.1
結腸	C18	490	83.7	9.0	5.7	1.4	0.2
直腸	C19-C20	251	86.1	6.4	3.2	4.4	0.0
肝および肝内胆管	C22	72	81.9	8.3	8.3	1.4	0.0
胆のう・胆管	C23-C24	61	62.3	9.8	4.9	23.0	0.0
膵臓	C25	103	60.2	2.9	7.8	27.2	1.9
喉頭	C32	28	82.1	10.7	0.0	7.1	0.0
肺	C33-C34	249	87.6	5.6	3.2	2.8	0.8
皮膚	C43-C44	118	92.4	3.4	3.4	0.8	0.0
乳房	C50	368	84.0	0.8	14.9	0.3	0.0
乳房(女性のみ)	C50	364	83.8	0.8	15.1	0.3	0.0
子宮	C53-C55	124	83.9	8.9	7.3	0.0	0.0
子宮頸部	C53	52	80.8	9.6	9.6	0.0	0.0
子宮体部	C54	72	86.1	8.3	5.6	0.0	0.0
卵巣	C56	41	43.9	29.3	12.2	12.2	2.4
前立腺	C61	160	81.3	16.3	2.5	0.0	0.0
膀胱	C67	149	81.9	12.1	4.7	1.3	0.0
腎・尿路(膀胱除く)	C64-C66 C68	129	91.5	3.9	4.7	0.0	0.0
脳・中枢神経系	C70-C72	23	69.6	13.0	8.7	4.3	4.3
甲状腺	C73	86	84.9	4.7	9.3	1.2	0.0
悪性リンパ腫	C81-C85 C96	19	42.1	21.1	21.1	10.5	5.3
多発性骨髄腫	C88-C90	0	...	...	...	...	...
白血病	C91-C95	0	...	...	...	...	...

表7. 切除内容 (%) ; 部位別

B. 上皮内がんを含む

国内DC0を除く届出患者、男女計 2010年

部位	ICD-10	外科・体腔鏡 内視鏡治療数	完全切除	不完全切除	治癒度不明	姑息・対症 転移巣切除	不明
全部位	C00-C96 D00-D09	3,978	84.1	6.8	6.0	2.8	0.3
食道	C15 D001	84	86.9	6.0	1.2	6.0	0.0
大腸 (結腸・直腸) *1	C18-C20 D010-D012	865	86.5	6.9	4.3	2.1	0.2
結腸 *1	C18 D010	583	85.9	7.5	5.0	1.2	0.3
直腸 *1	C19-C20 D011-D012	282	87.6	5.7	2.8	3.9	0.0
肺	C33-C34 D021-D022	250	87.6	5.6	3.2	2.8	0.8
皮膚	C43-C44 D030-D049	149	94.0	2.7	2.7	0.7	0.0
乳房	C50 D05	416	85.3	1.0	13.5	0.2	0.0
乳房 (女性のみ)	C50 D05	412	85.2	1.0	13.6	0.2	0.0
子宮	C53-C55 D06	251	87.6	6.4	6.0	0.0	0.0
子宮頸部	C53 D06	179	88.3	5.6	6.1	0.0	0.0
膀胱	C67 D090	228	83.8	9.2	6.1	0.9	0.0

\*1 粘膜がんを含む

表8. 精度指標； 部位別、性別

A. 上皮内がんを除く

2010年

部位	罹患/死亡比 (IM比)		死亡情報で初めて 把握された症例 DCN (%)		死亡情報のみの 症例 DC0 (%)		国際 DC0 (%)		病理学的裏付けの ある症例 MV (%)		組織学的裏付けの ある症例 HV (%)				
	男	女	男	女	男	女	男	女	男	女	男	女			
	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計			
全部位	2.33	2.40	2.36	28.7	29.9	29.2	26.1	27.3	26.6	67.3	67.5	67.4	62.8	63.5	63.1
ICD-10															
000-C96															
口腔・咽頭	3.32	2.31	2.90	15.4	16.7	15.8	14.6	13.3	14.2	85.4	83.3	84.7	82.1	83.3	82.5
C00-C14															
C15	2.18	1.67	2.08	26.8	31.4	27.6	25.1	28.6	25.7	73.7	68.6	72.9	73.2	68.6	72.4
C16	2.78	2.49	2.67	25.8	27.0	26.2	25.0	26.0	25.3	73.5	73.4	73.5	73.0	72.7	72.9
胃															
C18-C20															
C18 (結腸・直腸)	2.96	2.72	2.85	29.6	29.8	29.7	29.3	29.7	29.5	69.3	68.9	69.1	68.8	68.7	68.8
C18	2.96	2.70	2.83	31.1	31.0	31.1	30.9	30.8	30.8	67.6	67.2	67.4	66.9	67.2	67.1
C19-C20															
C19	2.96	2.78	2.89	27.0	26.7	26.9	26.6	26.7	26.6	72.2	73.3	72.6	72.2	72.7	72.4
直腸															
C22	1.61	1.71	1.64	43.8	48.2	45.2	43.8	48.2	45.2	18.6	17.6	18.3	17.4	15.5	16.8
肝および肝内胆管															
C23-C24	1.35	1.30	1.32	37.5	53.3	46.3	36.5	53.3	45.9	52.1	27.0	38.1	42.7	24.6	32.6
胆のう・胆管															
C25	1.19	1.28	1.23	34.5	36.5	35.5	34.5	36.5	35.5	42.4	49.3	45.7	37.6	44.6	40.9
膵臓															
C32	5.64	...	5.82	11.3	0.0	10.9	11.3	0.0	10.9	85.5	100.0	85.9	85.5	100.0	85.9
喉頭															
C33-C34	1.58	1.80	1.64	38.3	40.3	38.9	31.2	34.2	32.1	64.1	61.6	63.4	47.3	46.2	47.0
肺															
C43-C44	13.00	6.70	9.06	5.1	10.4	7.6	1.3	4.5	2.8	97.4	94.0	95.9	97.4	94.0	95.9
皮膚															
C50	3.50	5.52	5.48	42.9	17.9	18.2	42.9	16.6	17.0	57.1	82.1	81.8	57.1	81.1	80.8
乳房															
C53-C55															
C53	-	3.76	3.76	-	19.3	19.3	-	17.2	17.2	-	82.3	82.3	-	78.6	78.6
子宮															
C53	-	4.68	4.68	-	14.6	14.6	-	12.4	12.4	-	87.6	87.6	-	83.1	83.1
子宮頸部															
C54	-	5.06	5.06	-	13.2	13.2	-	11.0	11.0	-	87.9	87.9	-	84.6	84.6
子宮体部															
C56	-	1.82	1.82	-	40.4	40.4	-	36.0	36.0	-	61.8	61.8	-	56.2	56.2
卵巣															
C61	6.49	-	6.49	16.5	-	16.5	16.0	-	16.0	79.8	-	79.8	79.4	-	79.4
前立腺															
C67	3.35	2.81	3.23	22.1	33.3	24.3	22.1	33.3	24.3	76.2	64.4	73.9	73.5	57.8	70.4
膀胱															
C64-C66 C68	3.61	2.52	3.14	17.7	23.5	19.7	12.3	19.1	14.6	82.3	75.0	79.8	81.5	70.6	77.8
腎・尿路 (膀胱除く)															
C70-C72	3.83	1.57	2.25	21.7	27.3	24.4	13.0	18.2	15.6	82.6	59.1	71.1	82.6	59.1	71.1
脳・中枢神経系															
C73	6.80	5.93	6.16	11.8	10.8	11.1	11.8	10.8	11.1	85.3	84.3	84.6	79.4	80.7	80.3
甲状腺															
C81-C85 C96	2.72	2.18	2.48	23.4	32.5	27.0	18.8	25.3	21.3	80.5	72.3	77.3	78.9	72.3	76.3
悪性リンパ腫															
C88-C90	1.57	1.92	1.71	51.5	28.0	41.4	51.5	28.0	41.4	48.5	56.0	51.7	42.4	44.0	43.1
多発性骨髄腫															
C91-C95	1.30	1.79	1.49	26.8	32.0	29.2	0.0	0.0	0.0	98.2	100.0	99.1	62.5	52.0	57.5
白血病															



表8. 精度指標； 部位別、性別  
A'. 上皮内がんを除く

2010年

部位	ICD-10						死亡情報のみ 症例 DC0 (%)			国際 DC0 (%)			病理学的裏付け ある症例 MV (%)			組織学的裏付け ある症例 HV (%)		
	死亡情報で初めて 把握された症例 DCN (%)		死亡情報のみ 症例 DC0 (%)		国際 DC0 (%)		病理学的裏付け ある症例 MV (%)			組織学的裏付け ある症例 HV (%)								
	男	女	男	女	男	女	男	女	男女計	男	女	男女計	男	女	男女計			
全部位	28.7	29.9	29.2	28.7	29.9	29.2	26.1	27.3	26.6	67.3	67.5	67.4	62.8	63.5	63.1			
C00-C96	15.4	16.7	15.8	15.4	16.7	15.8	14.6	13.3	14.2	85.4	83.3	84.7	82.1	83.3	82.5			
口腔・咽頭	26.8	31.4	27.6	26.8	31.4	27.6	25.1	28.6	25.7	73.7	68.6	72.9	73.2	68.6	72.4			
C15	25.8	27.0	26.2	25.8	27.0	26.2	25.0	26.0	25.3	73.5	73.4	73.5	73.0	72.7	72.9			
食道	29.6	29.8	29.7	29.6	29.8	29.7	29.3	29.7	29.5	69.3	68.9	69.1	68.8	68.7	68.8			
C16	31.1	31.0	31.1	31.1	31.0	31.1	30.9	30.8	30.8	67.6	67.2	67.4	66.9	67.2	67.1			
胃	27.0	26.7	26.9	27.0	26.7	26.9	26.6	26.7	26.6	72.2	73.3	72.6	72.2	72.7	72.4			
C18-C20	43.8	48.2	45.2	43.8	48.2	45.2	43.8	48.2	45.2	18.6	17.6	18.3	17.4	15.5	16.8			
大腸(結腸・直腸)	37.5	53.3	46.3	37.5	53.3	46.3	36.5	53.3	45.9	52.1	27.0	38.1	42.7	24.6	32.6			
C18	34.5	36.5	35.5	34.5	36.5	35.5	34.5	36.5	35.5	42.4	49.3	45.7	37.6	44.6	40.9			
結腸	11.3	0.0	10.9	11.3	0.0	10.9	11.3	0.0	10.9	85.5	100.0	85.9	85.5	100.0	85.9			
C19-C20	38.3	40.3	38.9	38.3	40.3	38.9	31.2	34.2	32.1	64.1	61.6	63.4	47.3	46.2	47.0			
直腸	5.1	10.4	7.6	5.1	10.4	7.6	1.3	4.5	2.8	97.4	94.0	95.9	97.4	94.0	95.9			
C22	42.9	17.9	18.2	42.9	17.9	18.2	42.9	16.6	17.0	57.1	82.1	81.8	57.1	81.1	80.8			
肝および肝内胆管	-	19.3	19.3	-	19.3	19.3	-	17.2	17.2	-	82.3	82.3	-	78.6	78.6			
C23-C24	-	14.6	14.6	-	14.6	14.6	-	12.4	12.4	-	87.6	87.6	-	83.1	83.1			
胆のう・胆管	-	13.2	13.2	-	13.2	13.2	-	11.0	11.0	-	87.9	87.9	-	84.6	84.6			
C25	-	40.4	40.4	-	40.4	40.4	-	36.0	36.0	-	61.8	61.8	-	56.2	56.2			
膵臓	16.5	-	16.5	16.5	-	16.5	16.0	-	16.0	79.8	-	79.8	79.4	-	79.4			
C32	22.1	33.3	24.3	22.1	33.3	24.3	22.1	33.3	24.3	76.2	64.4	73.9	73.5	57.8	70.4			
喉頭	17.7	23.5	19.7	17.7	23.5	19.7	12.3	19.1	14.6	82.3	75.0	79.8	81.5	70.6	77.8			
C33-C34	21.7	27.3	24.4	21.7	27.3	24.4	13.0	18.2	15.6	82.6	59.1	71.1	82.6	59.1	71.1			
肺	11.8	10.8	11.1	11.8	10.8	11.1	11.8	10.8	11.1	85.3	84.3	84.6	79.4	80.7	80.3			
C35	23.4	32.5	27.0	23.4	32.5	27.0	18.8	25.3	21.3	80.5	72.3	77.3	78.9	72.3	76.3			
皮膚	51.5	28.0	41.4	51.5	28.0	41.4	51.5	28.0	41.4	48.5	56.0	51.7	42.4	44.0	43.1			
C43-C44	26.8	32.0	29.2	26.8	32.0	29.2	0.0	0.0	0.0	98.2	100.0	99.1	62.5	52.0	57.5			
C50	-	19.3	19.3	-	19.3	19.3	-	0.0	0.0	-	-	-	-	-	-			
乳房	-	14.6	14.6	-	14.6	14.6	-	12.4	12.4	-	87.6	87.6	-	83.1	83.1			
C53-C55	-	13.2	13.2	-	13.2	13.2	-	11.0	11.0	-	87.9	87.9	-	84.6	84.6			
子宮	-	40.4	40.4	-	40.4	40.4	-	36.0	36.0	-	61.8	61.8	-	56.2	56.2			
C53	16.5	-	16.5	16.5	-	16.5	16.0	-	16.0	79.8	-	79.8	79.4	-	79.4			
子宮頸部	22.1	33.3	24.3	22.1	33.3	24.3	22.1	33.3	24.3	76.2	64.4	73.9	73.5	57.8	70.4			
C54	17.7	23.5	19.7	17.7	23.5	19.7	12.3	19.1	14.6	82.3	75.0	79.8	81.5	70.6	77.8			
子宮体部	21.7	27.3	24.4	21.7	27.3	24.4	13.0	18.2	15.6	82.6	59.1	71.1	82.6	59.1	71.1			
C55	11.8	10.8	11.1	11.8	10.8	11.1	11.8	10.8	11.1	85.3	84.3	84.6	79.4	80.7	80.3			
卵巣	23.4	32.5	27.0	23.4	32.5	27.0	18.8	25.3	21.3	80.5	72.3	77.3	78.9	72.3	76.3			
前立腺	51.5	28.0	41.4	51.5	28.0	41.4	51.5	28.0	41.4	48.5	56.0	51.7	42.4	44.0	43.1			
C61	26.8	32.0	29.2	26.8	32.0	29.2	0.0	0.0	0.0	98.2	100.0	99.1	62.5	52.0	57.5			
膀胱	-	19.3	19.3	-	19.3	19.3	-	0.0	0.0	-	-	-	-	-	-			
C64-C66 C68	-	14.6	14.6	-	14.6	14.6	-	12.4	12.4	-	87.6	87.6	-	83.1	83.1			
腎・尿路(膀胱除く)	-	13.2	13.2	-	13.2	13.2	-	11.0	11.0	-	87.9	87.9	-	84.6	84.6			
C70-C72	-	40.4	40.4	-	40.4	40.4	-	36.0	36.0	-	61.8	61.8	-	56.2	56.2			
脳・中枢神経系	16.5	-	16.5	16.5	-	16.5	16.0	-	16.0	79.8	-	79.8	79.4	-	79.4			
C73	22.1	33.3	24.3	22.1	33.3	24.3	22.1	33.3	24.3	76.2	64.4	73.9	73.5	57.8	70.4			
甲状腺	17.7	23.5	19.7	17.7	23.5	19.7	12.3	19.1	14.6	82.3	75.0	79.8	81.5	70.6	77.8			
C81-C85 C96	21.7	27.3	24.4	21.7	27.3	24.4	13.0	18.2	15.6	82.6	59.1	71.1	82.6	59.1	71.1			
悪性リンパ腫	11.8	10.8	11.1	11.8	10.8	11.1	11.8	10.8	11.1	85.3	84.3	84.6	79.4	80.7	80.3			
C88-C90	23.4	32.5	27.0	23.4	32.5	27.0	18.8	25.3	21.3	80.5	72.3	77.3	78.9	72.3	76.3			
多発性骨髄腫	51.5	28.0	41.4	51.5	28.0	41.4	51.5	28.0	41.4	48.5	56.0	51.7	42.4	44.0	43.1			
C91-C95	26.8	32.0	29.2	26.8	32.0	29.2	0.0	0.0	0.0	98.2	100.0	99.1	62.5	52.0	57.5			
白血病	-	19.3	19.3	-	19.3	19.3	-	0.0	0.0	-	-	-	-	-	-			

表8. 精度指標； 部位別、性別

B. 上皮内がんを含む

2010年

部位	罹患/死亡比 (IM比)		死亡情報で初めて把握された症例 DCN (%)		死亡情報のみの症例 DCO (%)		国際 DCO (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)	
	男	女	男	女	男	女	男	女	男	女	男	女
	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計	男女計
ICD-10	2.44	2.61	27.5	27.5	27.5	27.5	25.0	25.1	68.7	70.1	64.4	66.5
全部位												
C00-C96 D00-D09	2.37	1.76	24.7	29.7	24.7	29.7	23.2	27.0	75.8	70.3	75.3	70.3
食道												
C15 D001	3.36	2.98	26.1	27.3	26.1	27.3	25.9	27.2	72.9	71.5	72.5	71.4
C18-C20 D010-D012												
大腸 (結腸・直腸) *1												
C18 D010	3.40	2.98	27.1	28.2	27.1	28.2	26.8	27.9	71.9	70.3	71.2	70.3
結腸 *1												
C19-C20 D011-D012	3.28	2.96	24.4	25.0	24.4	25.0	24.0	25.0	74.8	75.0	74.8	74.4
直腸 *1												
C33-C34 D021-D022	1.58	1.80	38.2	40.3	38.2	40.3	31.1	34.2	64.2	61.6	47.4	46.2
肺												
C43-C44 D030-D049	15.67	8.50	4.3	8.2	4.3	8.2	1.1	3.5	97.9	95.3	97.9	95.3
皮膚												
C43-C44 D030-D049	3.50	6.07	42.9	16.3	42.9	16.3	42.9	15.1	57.1	83.7	57.1	82.9
乳房												
C50 D05	-	6.59	-	11.0	-	11.0	-	9.8	-	89.9	-	87.8
子宮												
C53-C55 D06	-	12.26	-	5.6	-	5.6	-	4.7	-	95.3	-	93.6
子宮頸部												
C53 D06	4.65	3.81	15.9	24.6	15.9	24.6	15.9	24.6	82.9	73.8	80.1	68.9
膀胱												
C67 D090												

\*1 粘膜がんを含む

表8. 精度指標； 部位別、性別

B'. 上皮内がんを含む

2010年

部位	死亡情報で初めて 把握された症例 DGN (%)			死亡情報のみの 症例 DCO (%)			国際 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計	男	女	男女計
	1G0-10			1G0-10			1G0-10			1G0-10			1G0-10		
全部位	27.5	27.5	27.5	27.5	27.5	27.5	25.0	25.1	25.0	68.7	70.1	69.3	64.4	66.5	65.2
食道	24.7	29.7	25.5	24.7	29.7	25.5	23.2	27.0	23.8	75.8	70.3	74.9	75.3	70.3	74.5
大腸 (結腸・直腸) *1	26.1	27.3	26.7	26.1	27.3	26.7	25.9	27.2	26.4	72.9	71.5	72.3	72.5	71.4	72.0
結腸 *1	27.1	28.2	27.6	27.1	28.2	27.6	26.8	27.9	27.4	71.9	70.3	71.1	71.2	70.3	70.8
直腸 *1	24.4	25.0	24.6	24.4	25.0	24.6	24.0	25.0	24.4	74.8	75.0	74.9	74.8	74.4	74.6
肺	38.2	40.3	38.8	38.2	40.3	38.8	31.1	34.2	32.0	64.2	61.6	63.5	47.4	46.2	47.0
皮膚	4.3	8.2	6.1	4.3	8.2	6.1	1.1	3.5	2.2	97.9	95.3	96.6	97.9	95.3	96.6
乳房	42.9	16.3	16.6	42.9	16.3	16.6	42.9	15.1	15.4	57.1	83.7	83.4	57.1	82.9	82.6
子宮	-	11.0	11.0	-	11.0	11.0	-	9.8	9.8	-	89.9	89.9	-	87.8	87.8
子宮頸部	-	5.6	5.6	-	5.6	5.6	-	4.7	4.7	-	95.3	95.3	-	93.6	93.6
膀胱	15.9	24.6	17.6	15.9	24.6	17.6	15.9	24.6	17.6	82.9	73.8	81.1	80.1	68.9	77.9

\*1 粘膜がんを含む

表9. 死亡数、死亡割合(%)、粗死亡率、年齢調整死亡率(人口10万対)及び累積死亡率(人口100対)： 部位別、性別 2010年

部位	死亡数		死亡割合(%)				粗死亡率				年齢調整死亡率				累積死亡率(0-74歳)			
	ICD-10		男		女		男		女		男		女		男		女	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
全部位	2,063	1,377	3,440	100.0	100.0	100.0	437.6	259.4	343.2	196.7	96.8	139.0	134.4	68.5	96.6	14.4	7.0	10.4
口腔・咽頭	37	26	63	1.8	1.9	1.8	7.8	4.9	6.3	4.4	1.4	2.8	3.0	0.9	1.9	0.4	0.1	0.2
食道	82	21	103	4.0	1.5	3.0	17.4	4.0	10.3	8.4	1.3	4.5	6.0	0.9	3.2	0.7	0.1	0.4
胃	328	187	515	15.9	13.6	15.0	69.6	35.2	51.4	32.2	13.5	21.5	22.5	9.5	15.2	2.5	0.9	1.7
大腸(結腸・直腸)	219	203	422	10.6	14.7	12.3	46.5	38.2	42.1	20.2	13.5	16.2	13.4	9.4	11.0	1.4	0.9	1.1
結腸	139	149	288	6.7	10.8	8.4	29.5	28.1	28.7	13.0	9.5	10.9	8.7	6.5	7.4	0.9	0.6	0.7
直腸	80	54	134	3.9	3.9	3.9	17.0	10.2	13.4	7.2	4.0	5.3	4.7	3.0	3.6	0.5	0.3	0.4
肝および肝内胆管	257	113	370	12.5	8.2	10.8	54.5	21.3	36.9	25.5	6.6	15.1	17.4	4.4	10.3	2.1	0.4	1.2
胆のう・胆管	71	94	165	3.4	6.8	4.8	15.1	17.7	16.5	6.6	4.8	5.6	4.5	3.2	3.8	0.5	0.2	0.4
膵臓	139	116	255	6.7	8.4	7.4	29.5	21.9	25.4	13.8	8.0	10.6	9.5	5.4	7.3	1.3	0.6	0.9
喉頭	11	0	11	0.5	0.0	0.3	2.3	0.0	1.1	1.0	0.0	0.4	0.7	0.0	0.3	0.1	0.0	0.0
肺	544	198	742	26.4	14.4	21.6	115.4	37.3	74.0	49.5	12.7	28.2	32.9	8.6	18.9	3.3	0.9	2.1
皮膚	6	10	16	0.3	0.7	0.5	1.3	1.9	1.6	0.6	0.3	0.5	0.5	0.2	0.3	0.1	0.0	0.0
乳房	2	98	100	0.1	7.1	2.9	0.4	18.5	10.0	0.2	9.2	5.1	0.1	6.7	3.6	0.0	0.8	0.4
子宮	-	51	51	-	3.7	1.5	-	9.6	-	-	5.1	-	-	3.8	-	-	0.4	-
子宮頸部	-	19	19	-	1.4	0.6	-	3.6	-	-	2.7	-	-	2.0	-	-	0.2	-
子宮体部	-	18	18	-	1.3	0.5	-	3.4	-	-	1.4	-	-	1.0	-	-	0.1	-
卵巣	-	49	49	-	3.6	1.4	-	9.2	-	-	5.2	-	-	4.0	-	-	0.4	-
前立腺	84	-	84	4.1	-	2.4	17.8	-	-	6.6	-	-	4.3	-	-	0.3	-	-
膀胱	54	16	70	2.6	1.2	2.0	11.5	3.0	7.0	4.5	0.6	2.2	2.9	0.3	1.4	0.2	0.0	0.1
腎・尿路(膀胱除く)	36	27	63	1.7	2.0	1.8	7.6	5.1	6.3	3.5	1.5	2.4	2.4	1.0	1.6	0.2	0.1	0.2
脳・中枢神経系	6	14	20	0.3	1.0	0.6	1.3	2.6	2.0	0.7	1.7	1.2	0.5	1.5	1.0	0.0	0.1	0.1
甲状腺	5	14	19	0.2	1.0	0.6	1.1	2.6	1.9	0.7	0.8	0.8	0.5	0.5	0.5	0.0	0.0	0.0
悪性リンパ腫	47	38	85	2.3	2.8	2.5	10.0	7.2	8.5	4.2	2.5	3.1	2.7	1.8	2.1	0.2	0.2	0.2
多発性骨髄腫	21	13	34	1.0	0.9	1.0	4.5	2.4	3.4	1.8	0.8	1.2	1.2	0.5	0.8	0.1	0.0	0.1
白血病	43	28	71	2.1	2.0	2.1	9.1	5.3	7.1	4.9	2.8	3.8	3.9	2.2	3.0	0.4	0.2	0.3



