

資料6 (その1)

(1982年4月~1983年2月)

イワシ類は被鱗体長
アジ, サバ類は又長

浮魚類の体長測定結果

魚種	マイワシ	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃
漁法	まき網	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃
調査地	南部	田辺	南部	南部	南部	南部	田辺	南部	南部	阿尾	南部	南部
採集年月日	1982 4・12	4・20	4・26	5・12	5・28	6・6	6・20	6・21	7・10	7・22	7・22	8・8
~ 5.0												
5.5												
6.0												
6.5												
7.0	1											
7.5	4											
8.0	10						1					
8.5	18						7					
9.0	20		2				11					
9.5	12		13				3					
10.0	1		20		1		3				2	1
10.5			15		8		1		3		15	6
11.0			5	10	11				8		22	14
11.5				21	8				17		14	21
12.0				19	13				11		6	11
12.5				6	9	1			15		2	7
13.0					4	3			7			2
13.5					1	5			4		1	
14.0						7						
14.5						4						
15.0												
15.5												
16.0												
16.5		2										
17.0		5										
17.5		5				2	1					
18.0		5				5	4					
18.5		2				4	4	1				
19.0		4				1	7	1		8		
19.5		8				1	7	5		16		
20.0		2					5	16		12		
20.5		8				1	10	14		10		
21.0		1					7	14		4		
21.5		6					5	8				
22.0		2					1					
22.5		2										
23.0												
23.5												
24.0												
24.5												
25.0												
計	66	52	55	56	55	60	51	59	65	50	62	62

資料6 (その2)

魚種	マイワシ	〃	〃	〃	〃	〃	〃	〃	〃	カタクチ	〃	〃
漁法	まき網	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃
調査地	南部	南部	南部	南部	南部	南部	南部	南部	四辺	南部	南部	南部
採集年月日	1982 8・19	9・1	9・22	10・6	10・24	10・30	11・5	11・19	12・17	4・12	4・26	5・12
5.0												
5.5												
6.0												
6.5												
7.0												
7.5												
8.0												
8.5												
9.0										21		
9.5		2								22	1	
10.0		2		13						13	12	3
10.5	1	11	6	25		2				3	31	6
11.0	14	13	12	23	2	1	1	7			16	19
11.5	19	13	15	5	17	11	15	13			1	23
12.0	10	16	18	1	17	11	14	21			1	8
12.5	8	4	7		16	17	13	12				1
13.0	4				6	5	13	2				1
13.5					2	2	4	2				
14.0							2	1				
14.5						1		2				
15.0						1						
15.5												
16.0												
16.5												
17.0												
17.5												
18.0												
18.5												
19.0												
19.5												
20.0									1			
20.5									1			
21.0									9			
21.5									12			
22.0									8			
22.5									12			
23.0									4			
23.5									1			
24.0									2			
24.5												
25.0												
計	56	61	58	67	60	51	62	60	50	59	62	61

資料6 (その3)

魚種	カタクチ	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃
漁法	まき網	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃
調査地	南部	南部	南部	南部	南部	南部	南部	南部	南部	南部	南部	串本
採集年月日	5・28	6・6	6・21	7・10	7・22	8・8	8・19	9・1	9・22	10・6	10・30	1983 2・4
5.0												
5.5												
6.0												
6.5												
7.0												
7.5												
8.0									2			
8.5									12			
9.0		2			2	1			6	7		
9.5		2			1				11	1	20	
10.0		2			3	1	10		12	4	18	
10.5		8	1	3	11	7	19	8	5	13		
11.0	3	15	7	4	23	12	22	5	13	3		
11.5	16	9	14	13	14	18	6	2	14	1		
12.0	26	22	18	20	14	9	2	1	17			
12.5	16	7	14	15	5	6	1		5			
13.0	1	2	2	6		2			1			
13.5		1	2			2						
14.0												
14.5												
15.0												
15.5												
16.0												
16.5												
17.0												
17.5												
18.0											2	
18.5											22	
19.0											9	
19.5											6	
20.0											4	
20.5											1	
21.0											6	2
21.5											5	4
22.0											8	1
22.5											1	1
23.0												5
23.5												
24.0												
24.5												
25.0												
計	62	70	58	61	73	58	60	59	60	62	64	13

資料6 (その4)

魚種	ウレメイワシ	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃
漁法	まき網	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃
調査地	南部	田辺	南部	南部	南部	南部	田辺	南部	南部	南部	南部
採集年月日	1982 4・12	4・20	4・26	5・12	5・28	6・6	6・20	6・21	7・10	7・22	8・8
〜 3.5											
4.0											
4.5											
5.0											
5.5											
6.0	1										
6.5	10		5	1					4		
7.0	19		11	2					9		
7.5	18		27	12		2			6		
8.0	10		11	17		3			16		
8.5				17		6			14		3
9.0				6		10			12	4	8
9.5						8			5	17	21
10.0						6			1	12	13
10.5						5				9	7
11.0						1				5	4
11.5						3				7	1
12.0						7				5	
12.5						4				2	1
13.0						3					
13.5											
14.5						1				1	
14.0										1	
15.0											
15.5											
16.0											
16.5											
17.0		1									
17.5											
18.0											
18.5							2				
19.0					1		5				
19.5		5					8	4			
20.0		1			12		6	10			
20.5		10			12		6	12			
21.0		8			14		8	11			
21.5		11			11		9	15			
22.0		8			5		4	5			
22.5		5			1		1	1			
23.0		6			1		2	2			
23.5		5									
24.0		3									
24.5											
25.0		1									
計	58	64	54	55	57	59	51	60	67	63	58

資料6 (その5)

魚種	ウレマイワシ	〃	〃	〃	〃	〃	〃	〃	〃	〃
漁法	まき網	〃	〃	〃	〃	〃	〃	〃	〃	〃
調査地	南部	串本	南部	串本	南部	南部	串本	南部	南部	南部
採集年月日	1982 8・19	8・20	9・1	9・17	9・22	10・6	10・13	10・24	11・5	11・19
～ 3.5										
4.0										
4.5										
5.0										
5.5										
6.0										
6.5										
7.0										
7.5										
8.0					2					
8.5					3					
9.0					7					
9.5	6		1		18		1	1		
10.0	15	1	6		14		3	1		1
10.5	14		10	1	11	2	5	3		8
11.0	10	2	13		3	1	18	5		21
11.5	9	3	14	2	1	9	26	13	3	16
12.0	2	3	4	2		14	31	12	11	9
12.5	1	1	4			13	26	14	20	3
13.0		2	1	2		13	13	6	15	
13.5	1					8	8	3	10	3
14.0			2	1		1	5	2	4	
14.5		1		1			2			
15.0			3							
15.5							1			
16.0							1			
16.5			1							
17.0										
17.5										
18.0										
18.5										
19.0										
19.5										
20.0										
20.5										
21.0										
21.5										
22.0										
22.5										
23.0										
23.5										
24.0										
24.5										
25.0										
計	58	13	59	9	59	61	140	60	63	61

資料6 (その6)

魚種	サバ類	〃	〃	〃	〃	〃	〃	〃	〃
漁法	まき網	〃	〃	〃	〃	〃	〃	〃	〃
調査俵	阿尾	田辺	南部	南部	南部	田辺	南部	南部	阿尾
採集年月日	1982 4・17	4・20	5・12	5・28	6・6	6・20	6・21	7・10	7・22
～ 5.0									
6.0									
7.0									
8.0									
9.0			6						
10.0			27						
11.0			21						
12.0			2		7				
13.0					4				
14.0			2		13				
15.0					2				
16.0					10				
17.0					14			5	
18.0					9			12	
19.0					2			2	
20.0								2	
21.0								1	
22.0		2						2	
23.0		4							
24.0		3							
25.0		3							
26.0		4		2		1			
27.0		6		2				3	
28.0		8		12		2		9	
29.0	1	6		28		4	2	6	2
30.0	5	5		8		6	13	4	28
31.0	13	7		2		4	20	7	17
32.0	14	4				9	20	3	2
33.0	9	2				10	3		
34.0	8	8				6	2	1	
35.0	1	2				5			
36.0		4							
37.0		1							
38.0									
39.0									
40.0									
計	51	69	58	54	61	47	60	57	49

資料6 (その7)

魚法	サバ類	〃	〃	〃	〃	〃	〃	〃	〃
漁法	まき網	〃	〃	〃	〃	〃	〃	〃	〃
調査地	南部	阿尾	南部	南部	南部	田辺	南部	串本	南部
採集年月日	7・22	7・27	8・8	8・19	9・1	9・15	9・22	9・30	10・6
～ 5.0									
6.0									
7.0									
8.0									
9.0									
10.0									
11.0									
12.0									
13.0									
14.0	2								
15.0	4								
16.0	6								
17.0	15								
18.0	8								
19.0	5								
20.0	1								
21.0	1								
22.0	1							3	
23.0	10							3	
24.0	6						2	5	
25.0						2		13	
26.0	1		2	2	1		8	1	
27.0	1		2	3	1	5	7	3	
28.0	1		4	5	5	7	14	1	
29.0			6	15	17	8	16	1	1
30.0		8	15	24	19	7	10		1
31.0		24	16	7	12	7	2		19
32.0		17	6	1	2	3	2		24
33.0		1	5	1	1	1	1		13
34.0			1	1		4			4
35.0			2			3			1
36.0									
37.0									
38.0									
39.0									
40.0									
計	62	50	59	59	58	47	62	30	63

資料6 (その8)

魚種	サバ類	〃	〃	〃	〃	〃	〃	〃	〃	〃
漁法	まき網	〃	〃	〃	〃	〃	〃	〃	〃	〃
調査地	串本	南部	南部	南部	串本	串本	南部	串本	串本	串本
採集年月日	10・13	10・24	10・30	11・5	11・14	11・18	11・19	12・14	12・16	1983 2・4
～ 5.0										
6.0										
7.0										
8.0										
9.0										
10.0										
11.0										
12.0										
13.0										
14.0										
15.0										
16.0						1				
17.0										
18.0	1									
19.0	3	2		9			3			
20.0		5		19			7			1
21.0		5		15			17			
22.0				6		1	9		1	
23.0		2		6			13			
24.0		1		4			11	1	2	
25.0		14		2		4	1	3	8	
26.0	4	28		1	1	2		12	22	3
27.0	3	6			8	12		19	13	4
28.0	2		1		4	7		6	10	2
29.0	6				1	6		4	3	12
30.0	5		11		5			3	2	9
31.0	3		14		5			6		3
32.0	4		12		3			12		3
33.0			11		4			6		2
34.0	2		1		2			3		
35.0			1		1			1		
36.0								1		
37.0					1			1		
38.0										
39.0										
40.0										1
計	33	63	51	62	35	33	61	78	61	40

資料6 (その9)

魚法	マアジ	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃
漁法	まき網	〃	〃	〃	〃	〃	〃	〃	〃	〃	〃
調査地	田 辺	南 部	南 部	田 辺	南 部	南 部	南 部	阿 尾	南 部	南 部	南 部
採集年月日	1982 4・20	5・12	6・6	6・20	6・21	7・10	7・22	7・27	8・8	8・19	9・1
～ 3.5											
4.0											
4.5											
5.0		2									
5.5		4									
6.0		8									
6.5		11									
7.0		11	4								
7.5		8	17								
8.0		7	21								
8.5		1	12								
9.0			9					1			
9.5								4			
10.0		1						6			
10.5								10			
11.0		2						25			
11.5						7		11			
12.0						10		3			
12.5						12		4			1
13.0						9					9
13.5						4					14
14.0						6					14
14.5						5					16
15.0						2					6
15.5						4				1	
16.0						2					
16.5	2									5	
17.0	3								1	3	
17.5	3								1	9	
18.0	2									10	
18.5	5								1	3	
19.0	6			2					1		
19.5	3			2					6		
20.0	4			8	1				10	3	
20.5	1			6	4				14	6	
21.0	1			9	9				13	7	
21.5	2			9	19				9	4	
22.0	2			7	15				3	4	
22.5				6	7					1	
23.0				1	3					1	
23.5				1							
24.0	1										
24.5											
25.0	2										
25.5	3										
26.0	1										
26.5	1								12		
27.0									17		
27.5									14		
28.0	1								7		
28.5	3										
29.0	1										
29.5	4										
30.0											
計	51	55	63	51	58	61	64	50	59	57	60

資料6 (その10)

魚種	マアジ	〃	〃	〃	〃	〃	マルアジ	〃	〃	〃
漁法	まき網	〃	〃	〃	〃	〃	〃	〃	〃	〃
調査地	南部	南部	南部	南部	南部	南部	阿尾	田辺	南部	南部
採集年月日	1982 9・22	10・6	10・24	10・30	11・5	11・19	4・7	4・20	5・12	5・28
～ 3.5										
4.0										
4.5										
5.0										
5.5										
6.0										
6.5										
7.0										
7.5										
8.0										
8.5										
9.0										
9.5										
10.0										
10.5										
11.0										
11.5										
12.0		1								
12.5		1								
13.0		3								
13.5		5	2			2				
14.0	1	15	6		2	6			2	
14.5	6	16	14	8	8	13			7	
15.0	12	10	12	15	10	16			16	4
15.5	18	5	11	14	17	13		1	15	12
16.0	16	2	8	13	14	6		3	11	18
16.5	5	1	3	7	4			6	6	17
17.0	1		1	3	2	1		7		3
17.5			1	3	1			3		
18.0				3				3		
18.5								5		
19.0								4		
19.5								3		
20.0										
20.5								1		
21.0										
21.5								1		
22.0								4		
22.5								3		
23.0								1		
23.5							2	2		
24.0							5	2		
24.5							5	1		
25.0							10			
25.5							7			
26.0							9			
26.5							5			
27.0							5			
27.5							2			
28.0										
28.5										
29.0										
29.5										
30.0										
計	59	59	58	66	58	57	50	50	51	54

資料6 (その11)

魚種	マルアジ	"	"	"	"	"	"	"	"	"
漁法	まき網	"	"	"	"	"	"	"	"	"
調査地	阿尾	田辺	南部	南部	南部	阿尾	南部	南部	南部	田辺
採集年月日	1982 6・19	6・20	6・21	7・10	7・22	7・22	8・8	8・19	9・1	9・15
～ 5.0										
5.5										
6.0										
6.5								1		
7.0								2		
7.5								2		
8.0								11		
8.5								9		
9.0								5		
9.5								3		
10.0								1		
10.5								1		
11.0										
11.5										
12.0										
12.5										
13.0								3		
13.5								5		
14.0								1		
14.5								7		
15.0								3		
15.5					3			4		
16.0					2					
16.5			1		5			1		1
17.0		3	1		13					6
17.5		4	4		10					4
18.0		3	6		10	6	1	2		6
18.5	1		11	1	21	8	1	7		3
19.0	1	2	6	6	4	13		7		3
19.5	3	2	2	5	5	10		10		2
20.0	1	2	2	10		8		5		2
20.5	4	2	1	4		6		1		5
21.0	4	2		2						5
21.5	3									3
22.0	2	1			2				2	2
22.5	1			1				1	1	3
23.0	3		5					1	6	
23.5	1	2	7	2				3	5	2
24.0	8	1	8					6	6	1
24.5	7	3	2	2				6	7	2
25.0	6	4		7				7	13	1
25.5	2	1	1	8				2	7	1
26.0	1	6		3				2	7	
26.5	2	3		4				1	6	
27.0	1	4								
27.5		2		1					1	
28.0		2								
28.5		2								
29.0		1								
29.5										
30.0										
計	51	52	57	56	75	51	60	62	61	52

資料6 (その12)

魚種	マルアジ	"	"	"	"	"	"	オアカムロ	"	ムロアジ
漁法	まき網	"	"	"	"	"	"	"	"	"
調査地	南部	南部	阿尾	南部	南部	南部	南部	串本	串本	串本
採集年月日	1982 9・22	10・6	10・23	10・24	10・30	11・5	11・19	11・14	12・14	11・18
5.0										
5.5										
6.0										
6.5										
7.0										
7.5										
8.0										
8.5										
9.0										
9.5										
10.0										
10.5										
11.0										
11.5		12								
12.0		13								
12.5		17		9	2	2				
13.0		11		17	6	6	1			
13.5		5		22	12	9	11			
14.0		3		6	19	18	13			
14.5				6	14	10	14			
15.0				3	6	10	7			
15.5				2	3	5	7			
16.0					1	1	5			
16.5							1			
17.0										
17.5	1									
18.0	1									
18.5	9									
19.0	5								1	
19.5	16									
20.0	16									
20.5	12		3							
21.0	2		7							2
21.5			13							4
22.0			11					1		3
22.5			8							2
23.0			7					1		5
23.5								1		9
24.0			2							6
24.5								3		1
25.0								3		
25.5								6	1	
26.0								6	1	
26.5								9	3	
27.0								10	1	
27.5								6	5	
28.0								4	5	
28.5								1		
29.0								5	3	
29.5								2	2	
30.0								2	2	
30.5								1	1	
31.0								2		
31.5										
計	62	61	51	65	63	61	59	63	25	32