




ツマグロヨコバイの誘殺状況（2022年）

予察灯（60W白熱灯）

単位：頭

月	半旬	紀の川市		上富田町		那智勝浦町	
		本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	1	0.0	0	0.0	0	0.0
	4	1	0.2	0	0.0	0	0.1
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.1	0	0.1
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.2	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.9	0	0.1
	6	1	0.2	0	1.3	0	1.1
6	1	1	1.2	1	1.1	0	1.0
	2	0	2.6	0	10.6	0	1.4
	3	2	1.3	0	4.2	0	4.2
	4	0	0.1	0	12.3	1	4.9
	5	2	0.1	0	16.8	5	4.1
	6	0	0.2	0	7.6	9	2.0
7	1	0	0.2	0	2.6	10	29.4
	2	1	0.0	0	3.7	25	26.4
	3	4	0.8	0	4.6	22	58.6
	4	2	0.9	0	18.5	9	91.9
	5	12	3.1	0	38.1	26	73.7
	6	21	3.6	0	16.6	14	71.4
8	1	5	1.5	5	4.6	2	25.0
	2	6	2.0	0	2.9	16	17.8
	3	4	4.4	0	1.4	17	39.7
	4	9	1.9	0	0.6	15	46.2
	5	1	1.7	0	0.5	9	43.6
	6	0	2.7	0	0.6	4	35.1






○平年は2012～2021年の平均値。

トビイロウンカの誘殺状況（2022年）

予察灯（60W白熱灯）

単位：頭

月	半旬	紀の川市		上富田町		那智勝浦町	
		本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.1	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.1	0	0.0
6	1	0	0.0	0	0.1	0	0.0
	2	0	0.0	0	0.0	0	0.1
	3	0	0.0	0	0.0	0	0.2
	4	0	0.0	0	0.2	0	0.1
	5	0	0.0	0	0.1	1	0.4
	6	0	0.1	0	0.3	0	2.6
7	1	0	0.2	0	15.8	0	4.7
	2	0	0.4	0	0.4	0	9.4
	3	0	0.5	0	0.9	0	3.5
	4	3	0.7	0	0.1	0	1.5
	5	0	0.1	0	0.3	1	0.7
	6	0	0.3	0	0.2	0	1.1
8	1	0	0.6	0	0.9	0	0.1
	2	0	1.2	0	1.2	0	1.1
	3	1	1.2	0	0.6	1	1.9
	4	1	1.0	0	0.9	0	7.8
	5	2	2.4	0	4.0	1	9.6
	6	1	24.2	0	52.2	4	41.1






○平年は2012～2021年の平均値。

セジロウンカの誘殺状況（2022年）

予察灯（60W白熱灯）

単位：頭

月	半旬	紀の川市		上富田町		那智勝浦町	
		本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.1	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.2
5	1	0	0.1	0	0.0	0	0.1
	2	0	0.0	0	0.0	0	0.2
	3	0	0.0	0	0.0	0	0.1
	4	0	0.0	0	0.3	0	0.2
	5	0	0.0	0	0.1	0	0.1
	6	0	0.0	0	0.1	0	0.1
6	1	0	0.0	0	0.0	0	0.7
	2	0	0.2	0	1.4	0	0.3
	3	0	0.9	0	1.6	1	2.0
	4	0	1.6	0	2.4	0	6.7
	5	0	0.3	0	0.9	10	5.4
	6	0	1.2	2	2.8	0	3.5
7	1	2	4.1	3	41.8	59	13.9
	2	13	3.6	2	3.1	24	8.4
	3	2	5.2	1	10.6	19	9.3
	4	39	1.3	12	6.7	20	4.3
	5	12	5.8	13	2.2	87	9.3
	6	14	3.9	7	4.7	28	13.2
8	1	11	6.3	9	7.9	17	13.6
	2	9	26.7	13	10.3	108	7.0
	3	16	15.8	3	3.9	130	17.8
	4	25	25.2	16	23.0	48	98.0
	5	71	21.3	16	7.8	126	63.2
	6	14	20.9	47	12.0	442	133.5






○平年は2012～2021年の平均値。

ヒメトビウンカの誘殺状況（2022年）

予察灯（60W白熱灯）

単位：頭

月	半旬	紀の川市		上富田町		那智勝浦町	
		本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	1	0.2	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	1	0.0	0.0	0	0.0	0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.1
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.1
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.6
6	1	0	0.4	0	0.1	0	0.0
	2	0	0.3	0	0.2	0	0.4
	3	0	0.5	0	0.1	0	0.2
	4	0	0.0	0	0.0	0	0.8
	5	0	0.3	0	0.2	0	0.6
	6	0	0.4	0	0.7	1	0.0
7	1	0	0.3	0	0.0	1	0.2
	2	5	0.3	0	0.0	1	0.7
	3	2	0.3	0	0.9	1	5.5
	4	1	0.6	0	0.1	3	1.3
	5	0	1.0	1	0.3	0	1.3
	6	1	0.7	1	1.1	0	1.5
8	1	3	4.8	7	3.9	4	10.6
	2	2	4.5	4	1.1	9	2.5
	3	1	3.5	0	0.5	6	9.3
	4	7	3.1	0	3.0	2	9.2
	5	8	3.3	1	0.2	6	1.6
	6	1	4.8	2	1.3	25	5.5






○平年は2012～2021年の平均値。

イネミズゾウムシの誘殺状況（2022年）

予察灯（60W白熱灯）

単位：頭

月	半旬	紀の川市		上富田町		那智勝浦町	
		本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	35	0.0	0	0.1
	4	0	0.0	2	0.0	0	0.3
	5	0	0.0	14	0.8	0	0.9
	6	0	0.0	31	0.6	6	0.7
5	1	0	0.0	0	8.9	1	0.9
	2	0	0.0	0	3.5	1	3.4
	3	0	0.0	1	9.8	7	8.7
	4	0	0.0	5	3.0	0	1.4
	5	0	0.0	1	2.1	1	2.3
	6	0	0.1	4	3.0	1	0.9
6	1	0	0.0	1	2.0	0	0.6
	2	0	0.0	1	0.4	1	0.7
	3	0	0.0	0	0.4	0	0.9
	4	0	0.0	0	0.0	1	0.4
	5	0	0.0	0	0.2	0	0.4
	6	0	0.0	1	0.1	0	1.1
7	1	0	0.0	0	0.2	0	3.2
	2	0	0.0	3	0.7	28	5.3
	3	0	0.0	1	0.9	18	5.4
	4	0	0.0	3	0.6	8	11.2
	5	0	0.1	3	0.7	17	4.7
	6	0	0.0	2	0.8	8	6.4
8	1	0	0.0	7	0.4	2	3.2
	2	0	0.0	2	0.0	9	2.4
	3	0	0.0	2	0.2	4	0.8
	4	0	0.0	1	0.7	6	0.1
	5	0	0.0	0	0.1	0	0.4
	6	0	0.0	1	0.1	2	0.0






○平年は2012～2021年の平均値。

ニカメイガの誘殺状況（2022年）

予察灯（60W白熱灯）

単位：頭

月	半旬	紀の川市		上富田町		那智勝浦町	
		本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.2	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.1	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
6	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.1	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
7	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
8	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.1
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0






○平年は2012～2021年の平均値。

フタオビコヤガの誘殺状況（2022年）

予察灯（60W白熱灯）

単位：頭

月	半旬	紀の川市		上富田町		那智勝浦町	
		本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.1
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.1
	6	0	0.0	0	0.0	0	0.7
6	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.6
	3	0	0.0	0	0.0	0	0.3
	4	0	0.0	0	0.0	0	0.8
	5	0	0.0	0	0.1	0	0.7
	6	0	0.0	0	0.1	0	1.0
7	1	0	0.0	0	0.7	0	3.4
	2	0	0.0	0	2.6	0	4.7
	3	0	0.2	0	4.1	0	5.6
	4	0	0.1	0	4.9	0	5.3
	5	0	0.0	0	7.6	0	14.4
	6	0	0.0	0	9.4	0	17.1
8	1	0	0.1	0	10.0	0	18.6
	2	0	0.0	0	5.5	0	5.1
	3	0	0.0	0	3.1	0	2.6
	4	0	0.0	0	2.3	0	1.0
	5	0	0.0	0	1.5	0	0.2
	6	0	0.0	0	1.1	0	0.3



○平年は2012～2021年の平均値。

斑点米カメムシ類の誘殺状況（2022年）

予察灯（60W白熱灯）

単位：頭

月	半旬	紀の川市		上富田町		那智勝浦町	
		本年	過去6年平均	本年	過去6年平均	本年	過去6年平均
4	1	0	0.0	0	0.2	0	0.0
	2	1	0.0	0	0.1	0	0.3
	3	0	0.0	1	0.0	0	0.0
	4	0	0.0	0	0.2	0	0.1
	5	0	0.2	0	0.3	0	0.2
	6	1	0.0	0	0.7	1	0.8
5	1	0	0.2	0	0.6	0	1.6
	2	0	0.3	0	0.4	2	4.1
	3	0	0.3	0	0.6	5	4.3
	4	1	1.7	0	0.7	0	2.0
	5	0	1.2	3	0.6	0	3.3
	6	0	3.2	0	2.2	0	5.4
6	1	1	2.3	0	2.1	0	21.5
	2	1	6.8	1	5.7	5	25.0
	3	7	6.2	3	9.7	12	38.6
	4	1	4.5	6	11.0	46	29.1
	5	4	1.3	4	9.0	19	16.7
	6	13	5.0	2	10.5	20	14.6
7	1	32	7.0	3	10.8	20	11.7
	2	47	12.3	1	8.6	49	20.8
	3	28	23.5	0	6.8	14	28.5
	4	8	37.5	1	3.2	8	30.7
	5	19	27.5	3	1.4	52	37.0
	6	31	22.2	4	1.9	54	46.9
8	1	35	31.2	4	4.1	27	35.1
	2	21	30.3	2	3.2	51	42.1
	3	30	68.3	3	2.1	70	58.3
	4	21	31.5	2	2.0	80	73.9
	5	59	23.3	4	2.8	98	50.7
	6	14	37.7	1	3.9	78	47.9

