




ツマグロヨコバイの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.1	0	0.0	0	0.0
	4	1	0.3	0	0.0	0	0.0
	5	0	0.1	0	0.0	0	0.0
	6	0	0.1	0	0.0	0	0.1
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.2	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.9	0	0.1
	6	0	2.8	0	0.3	0	1.1
6	1	2	4.2	0	0.7	0	1.0
	2	1	7.0	0	0.0	1	1.6
	3	9	7.0	0	0.0	4	2.4
	4	3	0.7	0	0.4	2	2.2
	5	0	0.8	0	0.7	0	3.0
	6	0	0.8	0	0.2	5	4.6
7	1	0	0.1	0	2.4	7	32.9
	2	0	0.3	0	1.9	6	33.5
	3	0	1.9	0	4.3	7	59.8
	4	1	2.9	0	10.8	9	78.1
	5	2	5.1	0	4.2	10	51.6
	6	欠	7.8	0	3.8	10	60.6
8	1	8	4.0	0	4.0	13	29.1
	2	11	4.0	0	2.0	23	24.0
	3	10	5.8	0	1.5	27	49.6
	4	1	3.9	0	0.5	10	59.6
	5	0	2.1	0	0.5	7	42.4
	6	12	2.9	0	0.6	1	34.5






○平年は2015～2024年の平均値。
○欠は欠測のためデータなし。

トビイロウンカの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.1	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	1	0.0	0	0.0
	6	0	0.0	0	0.1	0	0.0
6	1	0	0.0	0	0.1	0	0.0
	2	0	0.0	0	0.0	0	0.1
	3	0	0.0	0	0.0	0	0.2
	4	0	0.0	0	0.2	1	0.1
	5	0	0.3	0	0.1	0	0.6
	6	0	0.2	0	0.3	0	2.6
7	1	0	0.2	0	15.8	0	4.8
	2	0	0.4	0	0.4	0	9.3
	3	0	0.3	0	0.9	0	3.3
	4	1	0.9	0	0.2	0	1.5
	5	0	0.1	0	0.3	0	0.8
	6	欠	0.1	0	0.2	0	1.1
8	1	0	0.2	0	0.9	0	0.2
	2	0	0.8	0	1.2	0	1.0
	3	0	0.8	0	0.5	0	2.0
	4	0	0.7	0	0.9	0	7.6
	5	0	1.4	0	4.1	0	9.5
	6	0	23.4	0	52.2	0	42.1






○平年は2015～2024年の平均値。
○欠は欠測のためデータなし。

セジロウンカの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.3	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.3
5	1	0	0.1	1	0.0	0	0.1
	2	0	0.0	0	0.0	0	0.2
	3	0	0.0	0	0.0	0	0.1
	4	0	0.0	0	0.3	0	0.2
	5	0	0.0	0	0.1	1	0.1
	6	0	0.3	0	0.1	0	0.1
6	1	0	0.2	0	0.0	0	0.7
	2	0	0.2	0	0.1	0	1.1
	3	0	0.9	0	1.2	0	2.6
	4	1	1.6	0	2.7	1	6.8
	5	0	4.9	0	6.8	0	7.0
	6	0	18.9	0	8.9	1	3.9
7	1	0	12.1	0	44.0	0	19.8
	2	0	6.2	2	3.9	0	13.0
	3	6	4.3	2	9.5	42	11.6
	4	12	5.9	1	8.5	1	6.2
	5	2	7.6	0	3.6	0	16.3
	6	欠	4.6	0	6.1	0	15.6
8	1	1	5.5	0	17.6	0	19.7
	2	1	3.8	1	14.1	51	30.5
	3	1	15.4	1	9.1	19	36.3
	4	6	30.4	0	25.9	7	109.6
	5	1	29.9	3	10.2	7	79.2
	6	14	22.8	0	17.3	6	202.1






○平年は2015～2024年の平均値。
○欠は欠測のためデータなし。

ヒメトビウンカの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.2	0	0.0	1	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.1	0	0.0	0	0.1
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.1
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.1
	5	0	0.0	0	0.0	1	0.0
	6	0	0.0	0	0.0	0	0.7
6	1	0	0.6	0	0.1	0	0.0
	2	0	0.2	0	0.2	0	0.4
	3	2	0.1	0	0.1	0	0.2
	4	2	0.0	1	0.0	0	0.6
	5	3	0.6	0	0.4	0	0.7
	6	0	0.8	0	0.8	0	0.2
7	1	0	0.8	1	0.1	0	0.4
	2	1	2.0	0	0.0	0	0.8
	3	0	0.6	0	0.9	0	5.6
	4	0	1.5	0	0.1	0	1.6
	5	0	0.8	0	0.5	3	1.3
	6	欠	0.7	0	1.2	4	1.7
8	1	1	1.7	0	5.0	5	11.2
	2	0	1.3	0	2.1	16	4.3
	3	0	3.4	1	1.0	1	10.1
	4	1	5.0	1	3.3	1	9.6
	5	0	3.2	0	0.4	1	3.9
	6	7	3.2	0	2.1	1	9.1






○平年は2015～2024年の平均値。
○欠は欠測のためデータなし。

イネミズゾウムシの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	3.5	0	0.1
	4	0	0.0	0	0.3	0	0.6
	5	0	0.0	2	3.0	16	1.3
	6	0	0.0	0	4.2	0	1.5
5	1	0	0.0	1	9.2	1	1.3
	2	0	0.0	0	3.6	0	4.3
	3	0	0.1	1	9.4	0	9.7
	4	0	0.0	2	3.8	3	2.4
	5	0	0.0	0	1.9	0	2.1
	6	0	0.1	0	3.1	0	1.0
6	1	0	0.0	0	1.3	0	0.4
	2	0	0.0	0	0.3	1	0.8
	3	0	0.0	0	0.2	0	0.6
	4	0	0.0	0	0.0	1	0.4
	5	0	0.0	0	0.1	0	0.4
	6	0	0.0	0	0.3	0	1.1
7	1	0	0.0	0	0.2	2	3.2
	2	0	0.0	0	0.7	40	10.0
	3	0	0.0	0	0.9	15	8.6
	4	0	0.0	0	2.1	11	12.9
	5	0	0.1	0	1.2	0	8.5
	6	欠	0.0	0	1.2	1	7.8
8	1	0	0.0	0	1.1	0	4.3
	2	0	0.0	0	0.2	1	3.7
	3	0	0.0	0	0.4	1	1.2
	4	0	0.0	0	0.9	0	0.7
	5	0	0.0	0	0.1	0	0.4
	6	0	0.0	0	0.2	0	0.2






○平年は2015～2024年の平均値。
○欠は欠測のためデータなし。

ニカメイガの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.2	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.1	0	0.0	0	0.0
	5	1	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
6	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.1	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
7	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	欠	0.0	0	0.0	0	0.0
8	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.1
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0






○平年は2015～2024年の平均値。
○欠は欠測のためデータなし。

フタオビコヤガの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.1	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.1
	6	0	0.0	0	0.0	0	0.4
6	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.3
	3	0	0.0	0	0.0	0	0.1
	4	0	0.0	0	0.0	0	0.2
	5	0	0.0	0	0.1	0	0.2
	6	0	0.0	0	0.0	0	0.4
7	1	0	0.0	0	0.3	0	1.8
	2	0	0.0	0	1.6	0	2.9
	3	0	0.0	0	3.1	0	5.1
	4	0	0.0	0	2.5	0	4.4
	5	0	0.2	0	2.8	0	8.6
	6	欠	0.2	0	6.6	0	9.3
8	1	0	0.0	0	7.5	0	13.0
	2	0	0.0	0	3.8	0	3.4
	3	0	0.1	0	2.4	0	1.8
	4	0	0.0	0	1.3	0	0.7
	5	0	0.2	0	0.6	0	0.2
	6	0	0.1	0	1.0	0	0.2






○平年は2015～2024年の平均値。
○欠は欠測のためデータなし。

斑点米カメムシ類の誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.1	2	0.0
	2	0	0.1	0	0.1	2	0.7
	3	0	0.0	0	0.2	0	0.3
	4	0	0.0	0	0.1	7	0.3
	5	0	0.1	1	0.1	3	0.6
	6	0	0.1	0	0.1	0	1.9
5	1	0	0.0	0	0.3	1	1.9
	2	0	0.3	0	0.4	0	4.4
	3	1	1.6	0	0.3	4	7.1
	4	1	1.5	4	0.5	73	2.6
	5	0	1.0	0	0.5	32	2.2
	6	0	3.8	1	1.3	9	5.2
6	1	0	3.0	1	1.6	22	19.8
	2	7	5.3	0	3.6	67	28.0
	3	9	5.0	9	8.5	244	54.5
	4	9	3.4	23	7.7	280	46.0
	5	4	2.6	8	7.2	206	23.8
	6	8	6.5	6	8.7	131	31.3
7	1	0	8.8	12	15.5	72	25.9
	2	1	14.7	9	8.5	133	42.5
	3	2	18.4	7	6.1	66	49.1
	4	3	25.9	25	3.2	72	46.6
	5	0	20.7	0	1.7	147	55.6
	6	欠	22.8	2	2.8	110	68.0
8	1	10	31.8	10	4.2	196	57.7
	2	32	34.4	3	3.3	242	62.2
	3	54	65.7	2	2.4	96	73.0
	4	24	43.4	4	2.3	145	78.7
	5	14	29.4	2	2.0	138	73.9
	6	11	28.3	1	2.4	267	87.3



○平年は2015～2024年の平均値。
○欠は欠測のためデータなし。