




ツマグロヨコバイの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.1	0	0.0	0	0.0
	4	1	0.3	0	0.0	0	0.0
	5	0	0.1	0	0.0	0	0.0
	6	0	0.1	0	0.0	0	0.1
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.2	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.9	0	0.1
	6	0	2.8	0	0.3	0	1.1
6	1	2	4.2	0	0.7	0	1.0
	2	1	7.0	0	0.0	1	1.6
	3	9	7.0	0	0.0	4	2.4
	4	3	0.7	0	0.4	2	2.2
	5		0.8		0.7		3.0
	6		0.8		0.2		4.6
7	1		0.1		2.4		32.9
	2		0.3		1.9		33.5
	3		1.9		4.3		59.8
	4		2.9		10.8		78.1
	5		5.1		4.2		51.6
	6		7.8		3.8		60.6
8	1		4.0		4.0		29.1
	2		4.0		2.0		24.0
	3		5.8		1.5		49.6
	4		3.9		0.5		59.6
	5		2.1		0.5		42.4
	6		2.9		0.6		34.5






○平年は2015～2024年の平均値。

トビイロウンカの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.1	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	1	0.0	0	0.0
	6	0	0.0	0	0.1	0	0.0
6	1	0	0.0	0	0.1	0	0.0
	2	0	0.0	0	0.0	0	0.1
	3	0	0.0	0	0.0	0	0.2
	4	0	0.0	0	0.2	1	0.1
	5		0.3		0.1		0.6
	6		0.2		0.3		2.6
7	1		0.2		15.8		4.8
	2		0.4		0.4		9.3
	3		0.3		0.9		3.3
	4		0.9		0.2		1.5
	5		0.1		0.3		0.8
	6		0.1		0.2		1.1
8	1		0.2		0.9		0.2
	2		0.8		1.2		1.0
	3		0.8		0.5		2.0
	4		0.7		0.9		7.6
	5		1.4		4.1		9.5
	6		23.4		52.2		42.1






○平年は2015～2024年の平均値。

セジロウンカの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.3	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.3
5	1	0	0.1	1	0.0	0	0.1
	2	0	0.0	0	0.0	0	0.2
	3	0	0.0	0	0.0	0	0.1
	4	0	0.0	0	0.3	0	0.2
	5	0	0.0	0	0.1	1	0.1
	6	0	0.3	0	0.1	0	0.1
6	1	0	0.2	0	0.0	0	0.7
	2	0	0.2	0	0.1	0	1.1
	3	0	0.9	0	1.2	0	2.6
	4	1	1.6	0	2.7	1	6.8
	5		4.9		6.8		7.0
	6		18.9		8.9		3.9
7	1		12.1		44.0		19.8
	2		6.2		3.9		13.0
	3		4.3		9.5		11.6
	4		5.9		8.5		6.2
	5		7.6		3.6		16.3
	6		4.6		6.1		15.6
8	1		5.5		17.6		19.7
	2		3.8		14.1		30.5
	3		15.4		9.1		36.3
	4		30.4		25.9		109.6
	5		29.9		10.2		79.2
	6		22.8		17.3		202.1






○平年は2015～2024年の平均値。

ヒメトビウンカの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.2	0	0.0	1	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.1	0	0.0	0	0.1
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.1
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.1
	5	0	0.0	0	0.0	1	0.0
	6	0	0.0	0	0.0	0	0.7
6	1	0	0.6	0	0.1	0	0.0
	2	0	0.2	0	0.2	0	0.4
	3	2	0.1	0	0.1	0	0.2
	4	2	0.0	1	0.0	0	0.6
	5		0.6		0.4		0.7
	6		0.8		0.8		0.2
7	1		0.8		0.1		0.4
	2		2.0		0.0		0.8
	3		0.6		0.9		5.6
	4		1.5		0.1		1.6
	5		0.8		0.5		1.3
	6		0.7		1.2		1.7
8	1		1.7		5.0		11.2
	2		1.3		2.1		4.3
	3		3.4		1.0		10.1
	4		5.0		3.3		9.6
	5		3.2		0.4		3.9
	6		3.2		2.1		9.1






○平年は2015～2024年の平均値。

イネミズゾウムシの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	3.5	0	0.1
	4	0	0.0	0	0.3	0	0.6
	5	0	0.0	2	3.0	16	1.3
	6	0	0.0	0	4.2	0	1.5
5	1	0	0.0	1	9.2	1	1.3
	2	0	0.0	0	3.6	0	4.3
	3	0	0.1	1	9.4	0	9.7
	4	0	0.0	2	3.8	3	2.4
	5	0	0.0	0	1.9	0	2.1
	6	0	0.1	0	3.1	0	1.0
6	1	0	0.0	0	1.3	0	0.4
	2	0	0.0	0	0.3	1	0.8
	3	0	0.0	0	0.2	0	0.6
	4	0	0.0	0	0.0	1	0.4
	5		0.0		0.1		0.4
	6		0.0		0.3		1.1
7	1		0.0		0.2		3.2
	2		0.0		0.7		10.0
	3		0.0		0.9		8.6
	4		0.0		2.1		12.9
	5		0.1		1.2		8.5
	6		0.0		1.2		7.8
8	1		0.0		1.1		4.3
	2		0.0		0.2		3.7
	3		0.0		0.4		1.2
	4		0.0		0.9		0.7
	5		0.0		0.1		0.4
	6		0.0		0.2		0.2






○平年は2015～2024年の平均値。

ニカメイガの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.2	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.1	0	0.0	0	0.0
	5	1	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
6	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5		0.1		0.0		0.0
	6		0.0		0.0		0.0
7	1		0.0		0.0		0.0
	2		0.0		0.0		0.0
	3		0.0		0.0		0.0
	4		0.0		0.0		0.0
	5		0.0		0.0		0.0
	6		0.0		0.0		0.0
8	1		0.0		0.0		0.0
	2		0.0		0.0		0.0
	3		0.0		0.0		0.0
	4		0.0		0.0		0.1
	5		0.0		0.0		0.0
	6		0.0		0.0		0.0




○平年は2015～2024年の平均値。

フタオビコヤガの誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.1	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.1
	6	0	0.0	0	0.0	0	0.4
6	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.3
	3	0	0.0	0	0.0	0	0.1
	4	0	0.0	0	0.0	0	0.2
	5		0.0		0.1		0.2
	6		0.0		0.0		0.4
7	1		0.0		0.3		1.8
	2		0.0		1.6		2.9
	3		0.0		3.1		5.1
	4		0.0		2.5		4.4
	5		0.2		2.8		8.6
	6		0.2		6.6		9.3
8	1		0.0		7.5		13.0
	2		0.0		3.8		3.4
	3		0.1		2.4		1.8
	4		0.0		1.3		0.7
	5		0.2		0.6		0.2
	6		0.1		1.0		0.2






○平年は2015～2024年の平均値。

斑点米カメムシ類の誘殺状況（2025年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.1	2	0.0
	2	0	0.1	0	0.1	2	0.7
	3	0	0.0	0	0.2	0	0.3
	4	0	0.0	0	0.1	7	0.3
	5	0	0.1	1	0.1	3	0.6
	6	0	0.1	0	0.1	0	1.9
5	1	0	0.0	0	0.3	1	1.9
	2	0	0.3	0	0.4	0	4.4
	3	1	1.6	0	0.3	4	7.1
	4	1	1.5	4	0.5	73	2.6
	5	0	1.0	0	0.5	32	2.2
	6	0	3.8	1	1.3	9	5.2
6	1	0	3.0	1	1.6	22	19.8
	2	7	5.3	0	3.6	67	28.0
	3	9	5.0	9	8.5	244	54.5
	4	9	3.4	23	7.7	280	46.0
	5		2.6		7.2		23.8
	6		6.5		8.7		31.3
7	1		8.8		15.5		25.9
	2		14.7		8.5		42.5
	3		18.4		6.1		49.1
	4		25.9		3.2		46.6
	5		20.7		1.7		55.6
	6		22.8		2.8		68.0
8	1		31.8		4.2		57.7
	2		34.4		3.3		62.2
	3		65.7		2.4		73.0
	4		43.4		2.3		78.7
	5		29.4		2.0		73.9
	6		28.3		2.4		87.3



○平年は2015～2024年の平均値。