




ツマグロヨコバイの誘殺状況（2026年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	1	0.0	0	0.0
	3	0	0.1	0	0.0	0	0.0
	4	0	0.4	0	0.0	0	0.0
	5	0	0.1	0	0.0	0	0.0
	6	0	0.1	0	0.0	0	0.1
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.1	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	1	0.0	0	0.0	0	0.1
	6	1	2.8	0	0.2	0	1.0
6	1	0	4.4	0	0.3	0	0.4
	2	0	7.1	0	0.0	0	1.4
	3	0	7.9	0	0.0	0	2.7
	4	0	0.8	0	0.4	0	2.0
	5	0	0.8	0	0.7	0	2.4
	6	0	0.8	1	0.2	0	5.0
7	1	0	0.1	0	2.4	0	30.3
	2	0	0.3	0	1.7	3	31.1
	3	0	1.9	0	4.0	4	38.9
	4	0	3.0	0	8.7	11	21.9
	5		5.3		3.2		19.2
	6		8.3		3.6		20.9
8	1		4.7		3.9		21.2
	2		5.1		2.0		19.9
	3		6.8		1.1		32.3
	4		3.9		0.5		29.4
	5		2.1		0.3		22.7
	6		4.1		0.6		11.3






○平年は2016～2025年の平均値。
○欠は欠測のためデータなし。

トビイロウンカの誘殺状況（2026年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.1	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.1	0	0.0
	6	0	0.0	0	0.1	0	0.0
6	1	0	0.0	0	0.1	0	0.0
	2	0	0.0	0	0.0	0	0.1
	3	0	0.0	0	0.0	0	0.2
	4	0	0.0	0	0.2	0	0.2
	5	0	0.3	0	0.1	0	0.6
	6	0	0.2	0	0.3	0	2.6
7	1	0	0.2	0	15.8	0	4.3
	2	0	0.4	0	0.4	0	9.3
	3	0	0.3	0	0.9	0	3.3
	4	0	1.0	0	0.2	0	1.5
	5		0.1		0.3		0.8
	6		0.1		0.2		1.0
8	1		0.2		0.9		0.2
	2		0.8		1.2		1.0
	3		0.8		0.5		2.0
	4		0.7		0.9		7.6
	5		1.3		4.1		9.5
	6		23.2		52.2		41.5






○平年は2016～2025年の平均値。
○欠は欠測のためデータなし。

セジロウンカの誘殺状況（2026年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.3	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.3
5	1	0	0.1	0	0.1	0	0.1
	2	0	0.0	0	0.0	0	0.2
	3	0	0.0	0	0.0	0	0.1
	4	0	0.0	0	0.2	0	0.2
	5	0	0.0	0	0.1	0	0.2
	6	1	0.3	0	0.1	0	0.1
6	1	0	0.2	0	0.0	1	0.7
	2	0	0.2	0	0.1	0	1.0
	3	0	0.0	0	0.9	0	2.6
	4	0	1.4	0	2.7	0	6.8
	5	0	4.9	0	6.8	0	7.0
	6	0	18.1	0	8.8	0	3.9
7	1	0	12.0	0	41.3	0	17.8
	2	1	6.2	0	3.9	0	12.1
	3	0	4.9	0	9.3	0	15.5
	4	0	7.0	0	8.5	0	5.6
	5		7.6		3.4		16.0
	6		4.7		5.3		12.0
8	1		5.6		17.5		18.4
	2		3.9		14.1		35.1
	3		15.1		9.1		38.1
	4		29.6		25.9		103.8
	5		29.3		9.9		33.5
	6		21.6		17.0		127.6






○平年は2016～2025年の平均値。
○欠は欠測のためデータなし。

ヒメトビウンカの誘殺状況（2026年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.2	0	0.0	0	0.1
	5	0	0.0	0	0.0	0	0.0
	6	0	0.1	0	0.0	0	0.1
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.1
	3	0	0.0	1	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.1
	5	0	0.0	0	0.0	0	0.1
	6	0	0.0	0	0.0	0	0.7
6	1	0	0.4	0	0.1	0	0.0
	2	0	0.2	0	0.2	0	0.4
	3	0	0.3	0	0.1	0	0.2
	4	0	0.2	0	0.1	0	0.6
	5	1	0.9	0	0.4	0	0.4
	6	0	0.8	0	0.8	0	0.2
7	1	0	0.8	0	0.2	0	0.4
	2	0	2.0	0	0.0	0	0.8
	3	0	0.5	0	0.9	0	5.5
	4	0	1.5	0	0.1	0	1.2
	5		0.7		0.5		1.6
	6		0.8		1.2		2.1
8	1		1.8		5.0		11.6
	2		1.3		2.1		5.9
	3		3.2		1.1		9.7
	4		4.8		3.4		9.5
	5		3.2		0.4		4.0
	6		3.5		2.1		9.2






○平年は2016～2025年の平均値。
○欠は欠測のためデータなし。

イネミズゾウムシの誘殺状況（2026年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	4	0.0
	3	0	0.0	0	3.5	0	0.1
	4	0	0.0	1	0.3	0	0.5
	5	0	0.0	0	3.2	0	3.0
	6	0	0.0	1	3.7	3	1.5
5	1	0	0.0	0	4.2	1	1.3
	2	0	0.0	0	2.2	8	4.3
	3	0	0.1	0	4.6	1	2.9
	4	0	0.0	0	2.9	2	2.8
	5	0	0.0	0	1.3	1	2.1
	6	0	0.0	1	3.0	2	0.6
6	1	0	0.0	0	1.3	0	0.4
	2	0	0.0	0	0.3	0	0.9
	3	0	0.0	0	0.1	0	0.6
	4	0	0.0	0	0.0	0	0.5
	5	0	0.0	0	0.1	0	0.4
	6	0	0.0	1	0.3	0	1.1
7	1	0	0.0	0	0.2	0	3.4
	2	0	0.0	0	0.7	1	13.5
	3	0	0.0	0	0.9	2	10.0
	4	0	0.0	0	2.1	7	12.0
	5		0.1		1.2		7.8
	6		0.0		1.0		7.1
8	1		0.0		1.1		3.9
	2		0.0		0.2		3.8
	3		0.0		0.4		1.3
	4		0.0		0.9		0.7
	5		0.0		0.1		0.3
	6		0.0		0.2		0.2






○平年は2016～2025年の平均値。
○欠は欠測のためデータなし。

ニカメイガの誘殺状況（2026年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.1	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
6	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.1	1	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
7	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5		0.0		0.0		0.0
	6		0.0		0.0		0.0
8	1		0.0		0.0		0.0
	2		0.0		0.0		0.0
	3		0.0		0.0		0.0
	4		0.0		0.0		0.1
	5		0.0		0.0		0.0
	6		0.0		0.0		0.0






○平年は2016～2025年の平均値。
○欠は欠測のためデータなし。

フタオビコヤガの誘殺状況（2026年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.0	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.0
	6	0	0.0	0	0.0	0	0.0
5	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.0
	3	0	0.0	0	0.0	0	0.0
	4	0	0.1	0	0.0	0	0.0
	5	0	0.0	0	0.0	0	0.1
	6	0	0.0	0	0.0	0	0.2
6	1	0	0.0	0	0.0	0	0.0
	2	0	0.0	0	0.0	0	0.3
	3	0	0.0	0	0.0	0	0.1
	4	0	0.0	0	0.0	0	0.2
	5	0	0.0	0	0.1	0	0.2
	6	0	0.0	0	0.0	0	0.4
7	1	0	0.0	0	0.3	0	1.8
	2	0	0.0	0	0.9	0	1.8
	3	0	0.0	0	1.5	0	2.3
	4	0	0.0	0	1.4	0	3.4
	5		0.2		1.9		4.5
	6		0.2		4.0		4.5
8	1		0.0		3.9		6.9
	2		0.0		1.8		0.9
	3		0.1		1.6		0.4
	4		0.0		1.0		0.2
	5		0.2		0.5		0.1
	6		0.1		0.7		0.1






○平年は2016～2025年の平均値。
○欠は欠測のためデータなし。

斑点米カメムシ類の誘殺状況（2026年）

予察灯（60W白熱灯）

		単位：頭					
		紀の川市		上富田町		那智勝浦町	
月	半旬	本年	平年	本年	平年	本年	平年
4	1	0	0.0	3	0.1	15	0.2
	2	0	0.1	1	0.1	27	0.9
	3	0	0.0	1	0.2	6	0.3
	4	0	0.0	5	0.0	8	1.0
	5	0	0.1	0	0.1	6	0.6
	6	0	0.1	0	0.1	4	1.9
5	1	1	0.0	0	0.2	3	2.0
	2	0	0.2	1	0.4	19	4.4
	3	2	0.4	0	0.2	15	7.2
	4	1	1.2	0	0.9	55	9.8
	5	1	0.7	0	0.5	17	5.4
	6	2	3.2	1	1.4	45	4.9
6	1	3	2.9	2	1.7	21	22.1
	2	1	5.7	0	3.6	9	34.7
	3	0	5.9	3	9.3	19	78.7
	4	2	4.3	2	9.9	33	73.2
	5	4	2.9	2	8.1	26	45.4
	6	1	7.2	13	9.3	40	44.3
7	1	8	8.3	0	16.6	10	33.1
	2	5	14.4	2	9.2	17	55.2
	3	5	17.8	5	6.7	33	53.8
	4	4	25.4	3	5.6	53	50.8
	5		20.1		1.7		66.5
	6		20.6		3.0		73.9
8	1		28.1		5.0		69.0
	2		34.6		3.6		77.1
	3		65.9		2.4		67.5
	4		41.1		2.6		81.2
	5		28.4		2.2		74.8
	6		27.2		2.5		97.0



○平年は2016～2025年の平均値。
○欠は欠測のためデータなし。